DAILY RAINFALL 1911 - 20
ANGLESEY

AMLWCH MONA & PARY MINES	1914
BODEDERN PRESADDFED	1911-15, 1918-20
DWYRAN MENAIFRON	1911-13, 1915-18
HOLYHEAD	1919.-20
LLANDANIEL-FAB, PORTHAMEL	1911-18
LLANGADWALADR BODORGAN	1911-1920
LLANGEFNI COUNTY SCHOOL	1912-1914
LLANGEFNI PENRHOS	1911-14, 1916-20
LLANGWILOG TRESCAWEN	1911-1920
LLANTRISANT RECTORY	1912-1917
LLIGWY	1911-1920
LLANERCHYMEDD LLWYDIARTH ESGOB	1911-1920
PENMON TROS-YR-AFON	1918.
PENRHOSLLWIGWY SCHOOL	1917-20
PLAS NEWYDD GDNS	1917-20

AMLWCH

MONA & PARY MINES

1914

REG

Kept at Bryffynn Ad

in the County of Angle

by Rowland Ewa

FORM A2.
BRITISH RAINFALL.
8 JAN 1915

in.

round 1 ft. 3 in.

a Level 178 ft. (Ord. Survey)

me Amlwch

tance 1½ Direction N.N.E.

IMPORTANT NOTE.—

previous day. If an Obser

requested to add the reading

for it at the end of this p

the selection and placing

Organization are given in "R

Dr. H. R. MILL, 62, Camden Square, London, N.W.

he result entered to the

sal rule, he is earnestly

in the space provided

t of rain,

h Rainfall

lication to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·02	·12			·10	·52	·10				·11	1
2		·10	·03				·25	·06			·08	·52	2
3	·03		·33	·04	·37						·03	1·08	3
4	·12		·03	·14	·22		·24				·11	·29	4
5	·01		·49	·11	·11		·08	·06			·28		5
6			·01	·02	·07			·07		·03	·02	·08	6
7	·07	·18	·27	·05	·18	·02	·13	·09		·02		·03	7
8	·52	·02	·03	·02	·33	·10					·03	·02	8
9	·43	·18	·12	·10	·15	·31		·61			·28	·01	9
10		·28	·02		·02				·27		·21		10
11		·17	·35		·03	·01	·03		·03		·20	·54	11
12		·45	·26		·06				·45		·13		12
13		·38	·24	·16	·01		·12		·05		·21	·08	13
14		·16	·08							·04	·19	·04	14
15		·03	·33						·13		·12	·06	15
16			·03						2·04				16
17	·09	·73	·31				·17		·13	·02		1·13	17
18		·02	·12				·13		·03	·05		·31	18
19		·02	·04				·11		·13		·03	·36	19
20		·45	·14			·20	·07					·35	20
21		·09			·04					·05		·08	21
22		·46		·02	·03	·09	·01	·11				·12	22
23		·02	·06				·16	·07			·05		23
24	·41	·02	·02		·05	·02	·23	02			·16		24
25	·13	·02						·38		·69	·36	·45	25
26		·02					·2			·57	·27	·21	26
27	·15	·03				·01				·03	·29	·17	27
28	·03	·15	·08	·01	·05			·05			·13	·30	28
29	·26		·06		·10			·40			·63		29
30	·04		·14					·09		·03	·10	·78	30
31	·29		·05				·70			·09		·25	31
Total	2·58	4·0	3·66	·67	1·82	·86	3·20	2·14	3·28	1·62	3·91	7·32	TOTAL for Year 35·06
No. of Rain Days	14	23	26	10	16	9	16	13	9	11	22	24	193

000. X. '09.

51

FORM A2
BRITISH RAINFALL.
8 JAN 1915

REG[illegible]

Kept at Bryffynon adda Amlwch

in the County of Anglesey

by Manning Swann

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 178 ft. (Ordo Survey)

Time of Observation 9 a.m.

Nearest Railway Station
Name Amlwch
Distance 1½ Direction N.N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·02	·12			·10	·52	·10				·11	1
2		·10	·03				·25	·06			·08	·52	2
3	·03		·33	·04	·37						·03	1·08	3
4	·12		·03	·14	·22		·24				·11	·24	4
5	·01		·49	·11	·11		·08	·06			·28		5
6			·01	·02	·07			·07		·03	·02	·08	6
7	·07	·18	·27	·05	·18	·02	·13	·09		·02		·03	7
8	·52	·02	·03	·02	·33	·10					·03	·02	8
9	·43	·18	·12	·10	·15	·31		·61			·28	·01	9
10		·28	·02		·02				·27		·21		10
11		·17	·35		·03	·01	·03		·03		·20	·54	11
12		·45	·26		·06				·45		·13		12
13		·38	·24	·16	·01		·12		·05		·21	·08	13
14		·16	·08							·04	·19	·04	14
15		·03	·23						·13		·12	·06	15
16			·03						2·04				16
17	·09	·73	·31				·17		·13	·02		1·13	17
18		·02	·12				·13		·03	·05		·31	18
19		·02	·04				·11		·13		·03	·36	19
20		·45	·14			·20	07					·35	20
21		·09			·04					·05		·08	21
22		·46		·02	·03	·09	·06	·11				·12	22
23		·02	·06				·16	·07			·05		23
24	·41	·02	·02		·05	·02	·23	02			·16		24
25	·13	·02						·38		·69	·36	·45	25
26		·02					·2			·57	·27	·21	26
27	·15	·03				·01				·03	·29	·17	27
28	·03	·15	·08	·01	·05			·05			·13	·30	28
29	·26		·06		10			·40			·63		29
30	·04		·14					·09		·03	·10	·78	30
31	·29		·05				·70			09		·25	31
Total	2·58	4·0	3·66	·67	1.82	·86	3·20	2·14	3·28	1.62	3·91	7.32	36.06
No. of Rain Days	14	23	26	10	16	9	16	13	9	11	22	24	193

MONA & PARYS MINES, LD.

TELEGRAPHIC ADDRESS—
MONA, AMLWCH, ANGLESEY.

COPPER ORES,
COPPER PRECIPITATE,
COPPER MATTE.

BLUESTONE.

OCHRES,
RED OXIDES,
PURPLE SLIME
AND GAS PURIFYING OXIDES.

Amlwch,

Anglesey,

8 JAN 1915

19

H. R. Mill Esq.
British Rainfall Organization
62 Camden Square
London. N.W.

Dear Sir,

I have pleasure in enclosing the records of rainfall for 1914.
I am told by other observers in the County that my figures are far below theirs, I therefore enclose you the Original sheet as entered in by me.

Faithfully Yours
T. Fanning Evans

Appears correct. CS 28.IV.15

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

REGIST

BODEDERN
PRESADDFED
1911- 1915
1918- 1920

Kept at Presaddfed *11.*

in the County of Anglesea *5 in.*

by Major W. A. Fox Pitt *e Ground 1 ft. in.*

Sea Level 150 ft.

a.m.

Name Valley

Distance 4½ Direction N.E.E

IMPORTANT NOTE.—Rain[illegible] the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	-	·47	-	-	·06	-	·01	·52	·38	1
2	-	-	-	-	·50	-	·11	·03	-	·43	·07	·18	2
3	-	-	·36	-	·29	-	·03	·02	·08	-	·21	·27	3
4	-	-	-	-	·08	-	-	1·73	·19	-	·44	·21	4
5	·90	-	·13	-	-	-	-	·30	-	·03	-	-	5
6	-	-	-	·05	-	-	-	·41	-	-	-	·74	6
7	·30	-	·10	-	-	-	-	-	-	-	·30	-	7
8	·13	-	·07	-	-	-	-	-	-	-	·10	·15	8
9	-	-	-	-	-	-	-	-	-	-	·58	1·00	9
10	·39	-	·23	-	-	-	-	-	·19	-	-	·89	10
11	·05	-	-	-	-	-	-	-	·03	-	·21	-	11
12	-	·08	·41	-	-	-	-	·12	·71	-	·29	-	12
13	-	·15	-	-	-	-	-	-	·03	-	·55	·13	13
14	-	·49	-	-	-	-	-	-	-	-	·22	·18	14
15	·07	·24	·07	-	-	-	-	-	-	-	·11	·06	15
16	-	-	·08	-	-	·36	-	-	-	-	·29	·22	16
17	-	-	-	-	-	·18	-	·10	-	-	·28	·28	17
18	-	·07	-	·23	-	·16	-	-	-	·10	·47	·38	18
19	-	-	-	·38	-	-	·05	-	·50	·17	·06	·54	19
20	-	·28	-	·56	-	-	·11	·09	·26	·20	-	·69	20
21	·01	·08	-	·15	-	-	·02	-	·40	·25	-	-	21
22	·08	·25	-	·07	-	-	·06	-	·05	·10	-	·25	22
23	·02	-	-	-	-	-	-	·12	·25	·34	-	·39	23
24	·01	·21	-	·40	-	·82	-	·01	·07	·07	-	-	24
25	-	-	-	·15	-	-	-	-	·83	·35	-	·07	25
26	-	·40	-	·20	-	-	-	·14	-	·50	·09	·14	26
27	-	·31	·06	-	-	-	·25	·46	·77	-	·14	·14	27
28	-	·11		·14	-	-	-	-	·02	·03	·07	·05	28
29	-			-	-	·21	·28	-	·31	·75	-	·30	29
30	-		·17	-	-	-	-	-	-	·15	·21	-	30
31	-		·14		-		·04	-		·10		·06	31
Total	1·96	2·67	1·82	2·33	1·34	1·73	·95	3·59	4·69	3·58	5·21	7·70	TOTAL for year 37·57
No. of Rain Days.	10	12	11	10	4	5	9	13	16	16	20	24	150

W. 8,000. X. '11.

REGISTER OF RAINFALL IN 1911.

FORM A2. BRITISH RAINFALL. 5 - JAN 1912

Kept at Brynddfed

in the County of Anglesey

by Major W. A. Fox Pitt

RAIN GAUGE: Pattern Snowdon; Diameter of top 5 in.; Height of top above Ground 1 ft. in.; " " " Sea Level 150 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Valley; Distance 4½ Direction S.E.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	-	.47	-	-	.06	-	.01	.52	.38	1
2	-	-	-	-	.50	-	.11	.03	-	.43	.07	.18	2
3	-	-	.36	-	.29	.	.03	.02	.08	-	.21	.27	3
4	-	-	-	-	.08	-	-	1.73	.19	-	.44	.21	4
5	.90	-	.13	-	.	.	-	.30	-	.03	-	-	5
6	-	-	-	.05	-	.	-	.41	-	-	-	.74	6
7	.30	-	.10	-	-	-	-	-	-	-	.30	-	7
8	.13	-	.07	-	-	-	-	-	-	-	.10	.15	8
9	-	-	-	.	.	-	.	-	-	-	.58	1.00	9
10	.39	-	.23	-	.	.	-	-	.19	.	-	.89	10
11	.05	-	-	.	.	.	.	-	.03	.	.21	-	11
12	-	.08	.41	-	-	-	-	.12	.71	-	.29	-	12
13	-	.15	-	-	.	-	-	-	.03	-	.55	.13	13
14	-	.49	-	-	.	.	-	-	-	.	.22	.18	14
15	.07	.24	.07	-	-	.	-	-	-	-	.11	.06	15
16	-	-	.08	.	-	.36	-	-	-	-	.29	.22	16
17	-	-	-	-	-	.18	-	.10	-	-	.28	.28	17
18	-	.07	-	.23	-	.16	-	-	-	.10	.47	.38	18
19	-	-	-	.38	.	-	.05	-	.50	.17	.06	.54	19
20	-	.28	-	.56	.	-	.11	.09	.26	.20	-	.69	20
21	.01	.08	-	.15	-	-	.02	-	.40	.25	-	-	21
22	.08	.25	-	.07	-	-	.06	-	.05	.10	-	.25	22
23	.02	-	-	-	-	-	-	.12	.25	.34	-	.34	23
24	.01	.21	-	.40		.82	-	.01	.07	.07	-	-	24
25	-	-	-	.15	-	-	-	-	.83	.35	-	.07	25
26	-	.40	-	.20	-	-	-	.14	-	.50	.09	.14	26
27	-	.31	.06	-	-	-	.25	.46	.77	-	.14	.14	27
28	-	.11		.14	-	-	-	-	.02	.03	.07	.05	28
29	-			-	.	.21	.28	-	.31	.75	-	.30	29
30	-		.17	-	-	-		-	-	.15	.21	-	30
31	-		.14		.		.04	-		.10		.06	31
Total	1.96	2.67	1.82	2.33	1.34	1.73	.95	3.59	4.69	3.56	5.21	7.70	TOTAL for year 37.57
No. of Rain Days.	10	12	11	10	4	5	9	13	16	16	20	24	150

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

20 JAN 1913

Kept at Broadstairs

in the County of Anglesey

by Major W. A. Fox-Pitt

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation 9

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	-	·24	-	·08	·01	·01	·05	·22	-	-	·17	1
2	-	-	·81	-	·04	·42	-	-	·06	-	-	-	2
3	·21	-	·16	·03	-	·12	-	·20	·12	-	·06	·28	3
4	·28	-	·39	-	·03	·07	-	·59	·03	-	1·30	·10	4
5	·33	-	-	-	·04	-	-	·11	·09	·33	·02	-	5
6	·21	·37	-	-	-	-	-	-	-	-	-	-	6
7	-	·24	-	-	·07	·17	·11	-	·03	-	-	·30	7
8	·41	·15	·10	·03	·01	·54	-	·03	·01	-	-	-	8
9	-	-	·15	-	-	·30	·10	·10	-	-	·12	·34	9
10	·22	-	-	·10	·02	·16	·40	·04	-	-	·11	·09	10
11	-	-	-	-	·02	-	·41		-	-	·10	·35	11
12	·15	·10	·47	·05	-	·03	·30	·02	-	-	-	·08	12
13	·15	-	·23	-	-	·10	-	·11	·06	·39	-	·22	13
14	·05	·09	·06	-	-	·13	-	·06	-		·08	·15	14
15	·10	-	·05	-	-	-	-	·04	-	·02	·06	·10	15
16	·24	·05	·18	-	-	·03	-	·15	-	·38	-	-	16
17	·13	·72	·19	-	-	·91	-	·15	-	-	·14	-	17
18	·17	·13	·04	-	-	·08	-	·26	-	·13	-	·16	18
19	-	·07	·20	-	·08	·02	-	·67	-	·26	-	-	19
20	·04	-	·40	-	·43	·09	-	·01	-	·47	·17	-	20
21	-	·10	·18	·02	·16	·08	·08	·03	-	·60	-	·40	21
22	·07	·11	·05	-	·11	·18	·12	·86	-	·01	·52	·06	22
23	-	-	·36	-	-	-	·03	·45	-	-	·13	·25	23
24	-	·08	·02	-	-	·26	·33	-	-	·28	-	·22	24
25	-	-	·03	-	-	-	-	·04	-	·02	·34	·29	25
26	-	·06	·29	-	-	-	·11	·28	-	1·27	·18	-	26
27	-	-	·15	-	-	·67	·96	-	-	·30	-	-	27
28	-	·07	-	-	-	·44	·24	·32	·14	·28	·33	-	28
29	-	·08	-	-	·03	-	·23	·06	·21	·25	-	-	29
30	-		·16	·09	·06	-	·06	-	-	·34	-	·08	30
31	-		·17		·58		1·40	·04		·29		·15	31
Total	2·86	2·42	4·78	·32	1·76	4·81	4·89	4·67	·97	5·53	3·66	3·79	TOTAL for year 40·46
No. of Rain Days	16	15	24	6	15	21	16	24	10	17	15	19	198

9,000, IX. '10.

5·28 10·06 10·38 12·14 16·95 21·84 21·51 27·48 33·01 36·67 40·46.

REGISTER OF RAINFALL IN 1913.

cond for auth 30.IV.14

FORM A. BRITISH RAINFALL. 16 JAN 1914

Kept at Penrhos

in the County of Anglesey

by Major W. A. Fox-Pitt

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Valley

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-	-	.09	.05	.04	-		-	-	-	.20	.14	1
2	.22	.05	.16	-	.26	-	-	-	-	-	.29	-	2
3	-	-	.10	-	.21	.37	-	-	-	.15	-	.43	3
4	.62	.13	.02	-	.02	.04	-	-	-	.04	.16	.32	4
5	.31	.09	.05	-	.35	.19	.18	-	-	.23	1.04	.12	5
6	.15	.14	.23		.05	.24	-	-	-	.02	.15	.26	6
7	-	.30	-	~~.12~~	.28	.47	.18	.35	-	.30	.17	.14	7
8	-	.21	.20	~~.01~~	.09	.01	.02	.07	.10	.05	-	.14	8
9	.12	.45	.12	.05	.10	.57	-	-	.12	-	.23	-	9
10		-	.02	.05	-	.01	-	.09	.04	.10	-	-	10
11	.47		-	.33	.05	.09	.23	-	-	.06	.33	.13	11
12	~~.34~~	-	-	-	.15	.15	-	.07	1.25	-	.68	.01	12
13	-	-	.33	-	.60	-	.05	.03	1.56	.64	.18	-	13
14	~~.19~~ .17	-	.04	.18	.06	-	.15	-	.16	.36	-	-	14
15	.34	-	.04	.60	-	-	-	.06	.03	-	.06	.04	15
16	~~.11~~	-	.04	.03	-	-	.08	-	-	-	.09	.01	16
17	.08	-	.08	.02	-	-	.10	-	-	-	.58	-	17
18	-	-	.40	.13	.02	.03	.21	-	-	-	-	-	18
19	.10	-	.05	-	-	.35	.01	-	.12	.17	.15	-	19
20	-	-	.24	.12	.08	-	.12	-	-	.46	.62	-	20
21	-	-	.18	.21	.12	.02	.82	.12	-	-	.05	-	21
22	.45	-	.76	-	-	.12	-	.70	.75	-	-	-	22
23	.34	-	-	-	-	.03	-	.04	.11	.18	.08	.10	23
24	.10	-	-	.19	.01	.02	-	-	-	-	.19	-	24
25	-	-	-	.07	-	-	-	-	.17	.05	-	.27	25
26	-	.13	-	.45	-	-	-	-	.28	.08	-	.16	26
27	~~.27~~	-	-	.03	-	-	-	-	-	.11	-	.04	27
28	.19	-	-	.05	.06	-	-	-	.01	.21	-	.09	28
29	-		.06	.42	.04	-	-	.06	-	.60	-	-	29
30	.44		.09	.04	.01	-	-	-	-	.20	-	-	30
31	-		-		-		-	-		.89		-	31
Total	4.31 ~~4.31~~	1.50	3.30	3.04	2.60	2.74 ~~2.74~~	2.15	1.59	4.70	4.90 ~~4.90~~	5.25	2.40 ~~2.40~~	38.48 ~~38.48~~ YEAR'S TOTAL
Rain Days.	16	8	21	18	20	16	12	10	13	20	18	16	188

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL. 16 JAN 1915

Kept at Presaddfed

in the County of Anglesey

by Lt.-Col. W. Fox-Pitt

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Valley.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.23	-	-	.24	.58	.13				.07	1
2	-	.09	-	.02	-		.29	.07			.20	.44	2
3	-		.28	.03	.39		.01	-			.02	1.00	3
4	.11		.10	.21	.22		.24	-			.18	.06	4
5	.06		.05	.13	.17		.10	.14			.29	-	5
6	-		.04	-	.10		-	.03		.01	-	.06	6
7	-	.23	.30	.02	.22	.03	.15	.20		.02	-	.05	7
8	.23		.01	.03	.36	.13	.06	.47		-	.04	-	8
9	.52	.26	.12	.11	.26	.48		-		-	.17	-	9
10	-	.31	.02	-	.01	.14		-	.39	-	.35	-	10
11	-	.26	.38	-	-			-	-	-	.32	.43	11
12	-	.48	.25	-	.06			-	.34	-	.22	.05	12
13	-	.28	.30	.20	-		.15	-	.05	-	.11	.09	13
14	-	.18	.03	-	-			-	-	-	.25	-	14
15	-	-	.12	-	-			-	.25	.06	.24	.07	15
16	-	.09	.06	-	-			-	1.80	-	.02	-	16
17	.15	.61	.23	-	-		.21	-	-	-	-	.95	17
18	-	-	.13	-	-		.40	-	.14	.28		.28	18
19	-	-	.01	-	-		.16	-	.07			.32	19
20	-	.76	.14	-	-	.28	.04	-				.24	20
21	-	.12	-	-	.04		-	-		.03		-	21
22	-	.40	.01	.01	.07		-	.15				-	22
23	-	-	.15	-	.02	.05	.13	.09				-	23
24	.29	-	-	-	.01	.01	.19	.01			.10	-	24
25	.12	-	-	-	-		.05	.50		.79	.40	.46	25
26	-	.07	.02	-	-		.09	.03		.50	.15	.25	26
27	.20	-	-	-	.04			-		.10	.37	.16	27
28	.08	.21	.23	-	-	.02		.25		.05	.05	.33	28
29	.17		.10	-	.21			.32		.05	.50	-	29
30	-		.07	-	.01			.13		-	.09	.75	30
31	.21		.11		.04		.75	-		.20		.20	31
Total	2.14	4.35	3.49	.76	2.23	1.38	3.60	2.52	3.04	2.09	4.07	6.28	YEAR'S TOTAL 35.95
Rain Days.	11	15	26	9	17	9	17	14	7	11	20	20	176

W.7,000, XI. 13

4374

REGISTER OF RAINFALL IN 19 15

FORM A. BRITISH RAINFALL. 7 JAN 1916

Kept at Presaddfed

in the County of Anglesey

by Lt. Col. W. R. Fox-Pitt

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.47	.43	-	-	.34	-	.30	.33	.11	.36	.	-	1
2	.35	.40	.47	.40	-	-	.18	.11	.30	.	.12	-	2
3	-	.10	.10	.24	-	.15	.27	-	.14	.	.10	.44	3
4	.13	-		-	.24	.19	-		-	.	-	.66	4
5	.10	.24		.14		-	-	.16	-	.	.	1.00	5
6	.18	.10		.18		-	.38	.11	-	.	.12	.15	6
7	.42	.31		-		-	.12	.27	.	.48	.	-	7
8	.17	.25		.06			.13	.81	-	.17	.47	-	8
9	.56	.31		.09			.	.10	.	-	.	.64	9
10	-	.40	.21	.24	-	-	-	-	-	.17	.	-	10
11	-	-		-	.33	-	.16	-	-	.18	.52	.16	11
12	.12	-		.09	-	-	-	-	-	.	1.73	.12	12
13	-	.11		.06	-	-	.10	-	-	.16	.12	.39	13
14	.20	.07		-	.10	-	-	.34	.16	.	.09	.14	14
15	.26	-		.07	.06	-	-	-	.	.		.24	15
16	-	.55		-	.33	-	.15	.12	.	.		.28	16
17	.06	.36			.68	-	-	-	.	.		-	17
18	-	.22	.09	-	-	-	-	.	.	.		-	18
19	.13	-		.18	.23	-	.07	.	.	.10		.10	1.32 19
20	.21	-		-	-	-	-	-	.	.08		.61	20
21	.27	-		.06	.14	-	.26	.	.	.		.39	21
22	.18	.21	.06	-	-	.11	-	-	.08	.17		.27	22
23	.	.07	.13	.12	-	.35		.	.	.48	.	.21	23
24	-	-	.11	-		-	-	-	.	.14	.	.32	24
25	-	-	.	-		.06	-	.	.25		-	.24	25
26	-	.70	.			-	.15	-	.15		-	.69	.15 26
27	-	.	.		.05	-	.77	.	.05		.14	.12	27
28	-	.	-		-	.08	.06	.29	-	.	.	-	28
29	-	.	.	-	-	-	-	.	-	.	.25	.15	29
30	.27	X	.	.22	-	-	-	-	.16	.	.21	.25	30
31	-	X	.	X	-	X	.20	.39	X	-	X	.66	31
Total	4.08	4.83	1.17	2.15	2.50	.94	3.30	~~2.66~~ 3.013	1.40	2.49	3.87	8.23	YEAR'S TOTAL 37.99
Rain Days.	17	17	7	14	10	6	15	10	9	11	11	23	151

W. 8,000. X. 14.

29-76

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL. 13.1.18

Kept at Presaddfed

in the County of Anglesey

by H. Cl. W. A. Fox-Pitt

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Valley L.N.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ..... in.

" " " " Sea Level 150 abt. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.13	-	.55	.12	-	-	.45	.13	.08	.25	.34	1
2	-	.12	-	-	-	-		-	-	.15	.14	.07	2
3	-	.05	-	-	.55	-	-	-	.27	.80	-	.14	3
4	-	.15	-	-	-	-	-	.10	.31	.39	.35	-	4
5	-	.47	-	.48	.34	-	-	.12	.28	.40	-	.10	5
6	.06	.11	-	-	-	.47	-	-	-	.23	.50	-	6
7	-	-	-	.08	.08	-	.26	-	.50	-	.07	.07	7
8	.27	.13		.18	-	.35	.32	-	.08	.80	-	X	8
9	-	.09	-	.21	-	.15	.23	-	.70	.37	-	.37	9
10	.09	.08	.25	-	-	-	.26	-	.09	.28	.29	-	10
11	-	-	.28	-	.10	-	-	.10	-	-	-	.30	11
12	-	.25	-	-	.22	-	-	-	-	-	-	-	12
13	-	-	-	-	.08	-	-	-	.25	.18	-	1.10	13
14	1.35	-	-	-	-	-	.41	-	.33	-	-	.65	14
15	.17	-	-		.07	.11	.78	-	2.00	-	-	-	15
16	-	-	-		-	.18	.21	.11	.35	-	-	.19	16
17	.21	.27	-		-	.20	-	-	-	.07	-	.30	17
18	.31	.32	.18		-	.22	-	-	-	-	-	.21	18
19	.29	.22	-	.38	-	.12	1.20	-	-	-	-	.31	19
20	.35	.52	-	-	-	.25	.09	-	.40	-	-	-	20
21	.31	-	-	-	~~1.30~~	-	.50		1.07	-	-	.45	21
22	.23	-	-	-	1.10 ~~1.40~~	-	-	-	.25	-	-	.15	22
23	.20	-	-	-	.60	-	.31	-	.15	-	-	-	23
24	.10	.18	-	-	~~.44~~	-	-	.55	.16	-	.34	-	24
25	-	2.09	-	-	.37	-	.12	~~.20~~	.60	-	.20	.19	25
26	-	-	-	-	-	-	.27	.20	-	.06	-	-	26
27	-	.32	.52	-	-	.10	-	.21	.27	.10	.36	.13	27
28	-	-	.11	-	-	-	-	.14	-	-	.20	.37	28
29	-	-	.21	-	-	-	-	-	.60	-	-	.12	29
30	.10	X	.08	-	-	-	-	-	-	.15	.15	.	30
31	-	X	-	X	.63	X	-	-	X	1.15	X	.42	31
Total	4.04	3.41	1.63	1.88	~~3.73~~ 3.80	2.15	4.96	~~2.13~~ 2.03	8.79	5.21	2.65	~~6.83~~ 6.81	YEAR'S TOTAL ~~47.41~~ 47.49
Rain Days.	14	16	7	6	11	10	13	9	20	15	11	21	144

W. 8,000, IX. 17.

21.70 23.83 32.62 37.83 40.68 47.49 15-3

3923

REGISTER OF RAINFALL IN 1919.

FORM A. BRITISH RAINFALL. 5 JAN 20

Kept at Bodrhyn Penrhyddlad, Valley

in the County of Anglesey

by Lt. Col. W. Fox-Pitt

Lat. ____ Long. ____

Time of Observation 9 a.m.

Nearest Railway Station Valley

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ____ in.

" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.20	-	.10		.37	-	.09		2.47	.20	.04	.21	1
2	-		.50		-				.01		.06	.27	2
3	-		-		.10	.16					.12	.01	3
4	.18	.22	.37		.02		.29	.21	.19		-	.37	4
5	~~.19~~ .23				.13				.21		-	.14	5
6	~~.25~~ -	.12			-				.05		-	.03	6
7	~~.20~~ .18		.40	.44		.04	-				.09	.02	7
8	~~.22~~ .22		.16	.02						.12	.01	-	8
9	.25		.12	.18			.01				.05	.02	9
10	.50		.25	-	.04	.01				.19	.04	.43	10
11	.43		1.10	.10	.02	.03	.17			.18	-	.15	11
12	~~.25~~ -			-		.55			.11	.02	.05	.01	12
13	.30			.18			.13			.04	~~.02~~	.27	13
14	.31	.12		.13			.17			.05	-	.04	14
15	.75	.37		.04						.15	.12	.37	15
16	-	.25		.05	.01		.01			-	.36	.30	16
17		-	.40				.01	.43		-	.30	-	17
18	.18	.18	1.03			.03	.32	.42	.10		.12	.37	18
19	.07	.20	.38			.34		.02	.13		.06	.14	19
20	.25	-	.12		.27	.06			.13		.08	.24	20
21	-	.38			.03		.37	-	.20		.05	.08	21
22	-					.11			.47	.02	.01	.75	22
23	-			.05						*1.34	.02	.05	23
24	.16				.23	.06		.05	.05	.60	.14	.26	24
25	.33			.06				.43	.27	.12	.15	-	25
26	.12		.20	.22		.16		.20		.01	.07	.30	26
27	-			.21				.10	.07		.13	-	27
28	.60			.12				.60			-	.29	28
29	-			.04				.01			.11	.24	29
30	-	X	.20	.18		.27					.32	.35	30
31	-	X		X		X	.36	.17	X	.08	X	.01	31
Total	5.92	1.84	5.33	2.02	1.22	1.82	1.93	2.64	4.46	3.00	2.50	5.79	YEAR'S TOTAL 37.57
Rain Days.	18	8	14	15	10	12	11	11	14	13	23	27	176

5.22

*1.34

W. 6,500, VII. 18. W W & S

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Presaddfed

in the County of Anglesey

by H. Cl. W. a Fox-Pitt

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	·26	·07	·68	-	·57	·01	·25	·95	-	·55	1
2	-	-	-	·15	-	-	·41	·11	·26	·02	-	·20	2
3	-	·17	·01	·07	·06	-	·40	·11	·22	·32	·39	-	3
4	-	-	-	·03	·11	-	·08	2·13	·24	·30	·16	-	4
5	-	-	·19	-	1·33	-	·021	·10	·10	·26	-	-	5
6			·53	·17	·19	-	·02	-	-	·26	-	-	6
7	·29	·24	·10	·03	-	-	·17	·30	·03	-	·01	·15	7
8	·18	-	·01	·19	·09	-	·04	~~·31~~ ·39	·02	-	·01	-	8
9	·40	·15	·03	·72	-	-	·31	~~·05~~ -	·06	-	·35	·05	9
10	·33	·05	·10	·04	-	·11	-	·01	-	·01	-	-	10
11	·29	-	·24	·21	·28	·20	·09	·01	-	-	·02	-	11
12	·32	·10	·07	·18	·01	·85	·08	~~·08~~ -	·08	·02	·23	-	12
13	·11	·11	·43	·08	-	·11	·02	-	-	-	·02	-	13
14	·10	·10	·33	·38	-	·63	·36	~~·54~~ -	·54	·20	·27	-	14
15	·03	·22	·10	·06	-	·25	-	~~·04~~ -	·04	·13	·02	-	15
16	·07	·03	·33	·06	·15	·25	·56	~~·11~~ -	·42	·09	-	-	16
17	·08	-	·03	-	·19	·32	·01	·23	·22	·02	·04	-	17
18	·25	·06	-	·11	·32	·19	-	·18	·13	-	-	-	18
19	·01	·72	-	·14	·20	·08	·10	·21	·14	·01	-	-	19
20	·20	·04	-	·15	-	-	·02	-	·25	·01	-	·31	20
21	·05	·06	-	·15	-	-	·45	·03	·05	-	-	·08	21
22	·30	-	-	·04	-	-	·65	·52	-	·01	-	-	22
23	·18	-	·21	·45	-	-	·39	-	-	-	-	·36	23
24	·16	-	·88	·04	-	·08	·01	·01	-	-	-	·62	24
25	·11	·30	·37	·03	·54	-	1·49	-	-	-	-	·06	25
26	·21	·11	·73	·25	-	·01	·02	-	·03	-	·25	·06	26
27	·20	·08	·51	·14	·05	·55	·23	-	·01	-	·27	-	27
28	·02	·05	·31	·08	·03	·06	·11	-	-	-	·07	·52	28
29	·22	·07	·01	-	·58	-	·47	-	-	-	·17	·67	29
30	·32		·52	·08	·05	·10	·19	-	·36	·14	·19	·36	30
31	·11		·50		·08		·08	·11		·60		·02	31
TOTAL	~~4·54~~ ~~4·56~~	~~2·66~~ ~~2·67~~	6·80	~~4·10~~ ~~4·07~~	4·94	3·79	7·54	4·46	3·44	3·35	2·17	4·01	YEAR'S TOTAL 51·80
Days with ·01 in. or more	25	18	24	27	18	15	28	16	20	17	16	14	238
Days with ·04 in. or more	22	17	19	24	16	14	23	11	16	10	11	13	195

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

ANGLESEY.

DWYRAN

"MENAIFRON"

1911 – 1918 1914 A/B

RE

Kept at Llaneugrad menaifron

in the County of Angl

by William Soo

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

8 in.
Ground 1 ft. in.
Sea Level 20, ft.
2m.
Name Gaerwen.
Distance 7 Direction NNE.

IMPORTANT NOT the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·000	·000	·075	·000	·215	·000	·020	·040	·000	·000	·920	·275	1
2	·000	·000	·070	·000	·655	·000	·015	·180	·000	·315	·000	·100	2
3	·000	·000	·450	·000	·735	·000	·030	·000	·115	·000	·275	·200	3
4	·000	·000	·200	·000	·085	·000	·000	1·290	·020	·000	·200	·185	4
5	·740	·000	·140	·000	·000	·000	·000	·390	·000	·000	·025	·000	5
6	·050	·000	·020	·030	·000	·000	·000	·140	·000	·000	·130	·710	6
7	·250	·000	·050	·000	·000	·000	·000	·000	·000	·000	·370	·000	7
8	·175	·000	·300	·000	·000	·000	·000	·000	·000	·000	·235	·300	8
9	·000	·000	·000	·000	·100	·000	·000	·000	·000	·000	·210	·855	9
10	·545	·065	·220	·000	·000	·000	·000	·000	·015	·000	·010	·690	10
11	·090	·010	·040	·000	·000	·000	·000	·000	·050	·000	·250	·620	11
12	·000	·000	·355	·000	·000	·000	·000	·090	1·025	·000	·335	·025	12
13	·000	·070	·000	·000	·000	·000	·000	·000	·000	·000	·260	·080	13
14	·020	·620	·000	·000	·000	·000	·000	·000	·000	·000	·135	·120	14
15	·060	·310	·030	·000	·000	·050	·000	·000	·000	·000	·425	·020	15
16	·025	·020	·055	·000	·000	·700	·000	·000	·000	·000	·300	·165	16
17	·000	·000	·020	·000	·000	·270	·000	·060	·000	·000	·250	·345	17
18	·000	·120	·000	·070	·000	·035	·000	·010	·000	·075	·350	·880	18
19	·000	·000	·000	·465	·000	·160	·020	·000	·285	·010	·190	·720	19
20	·000	·225	·000	·740	·000	·000	·095	·270	·080	·250	·000	·100	20
21	·000	·340	·050	·340	·000	·060	·200	·000	·015	·165	·000	·045	21
22	·040	·280	·000	·050	·000	·100	·000	·000	·005	·300	·035	·280	22
23	·040	·290	·020	·000	·190	·000	·000	·130	·260	·600	·000	·170	23
24	·035	·190	·000	·630	·020	·950	·000	·000	·000	·730	·000	·075	24
25	·000	·030	·000	·320	·000	·140	·000	·000	1·580	·215	·000	·025	25
26	·000	·270	·000	·215	·000	·000	·020	·020	·000	·125	·180	·055	26
27	·000	·590	·000	·015	·000	·000	·015	·520	·920	·000	·205	·080	27
28	·000	·190	·010	·150	·000	·095	·000	·000	·000	·000	·020	·070	28
29	·000		·010	·000	·000	·215	·215	·000	·385	·680	·000	·235	29
30	·000		·010	·000	·000	·020	·000	·000	·030	·045	·120	·000	30
31	·000		·270		·000		·000	·000		·000		·010	31
Total	2·070	3·620	2·395	3·025	2·000	2·795	·630	3·140	4·785	3·410	5·430	6·835	TOTAL for year 40·135
No. of Rain Days.	12	16	20	11	7	12	9	12	14 13	12	23	28	176 175

40·135 inches

V. 8,000, X. '11.

RE[illegible]

Form A2.
British Rainfall.
2 - JAN 1912

Kept at Menaifron, Dwyran, from 1905 to

in the County of Anglesey.

by William Sobrery.

Rain Gauge: Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 20, ft.

Time of Observation 9 am.

Nearest Railway Station: Name Gaerwen.
Distance 7 Direction NNE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·000	·000	·075	·000	·215	·000	·020	·040	·000	·000	·920	·275	1
2	·000	·000	·070	·000	·655	·000	·015	·180	·000	·315	·000	·100	2
3	·000	·000	·450	·000	·735	·000	·030	·000	·115	·000	·275	·200	3
4	·000	·000	·200	·000	·085	·000	·000	1·290	·020	·000	·200	·185	4
5	·740	·000	·140	·000	·000	·000	·000	·390	·000	·000	·025	·000	5
6	·050	·000	·020	·030	·000	·000	·000	·140	·000	·000	·130	·710	6
7	·250	·000	·050	·000	·000	·000	·000	·000	·000	·000	·370	·000	7
8	·175	·000	·300	·000	·000	·000	·000	·000	·000	·000	·235	·300	8
9	·000	·000	·000	·000	·100	·000	·000	·000	·000	·000	·210	·855	9
10	·545	·065	·220	·000	·000	·000	·000	·000	·015	·000	·010	·690	10
11	·090	·010	·040	·000	·000	·000	·000	·000	·050	·000	·250	·020	11
12	·000	·000	·355	·000	·000	·000	·000	·090	1·025	·000	·335	·025	12
13	·000	·070	·000	·000	·000	·000	·000	·000	·000	·000	·260	·080	13
14	·020	·620	·000	·000	·000	·060	·000	·000	·000	·000	·135	·120	14
15	·060	·310	·030	·000	·000	·050	·000	·000	·000	·000	·425	·020	15
16	·025	·020	·055	·000	·000	·700	·000	·000	·000	·000	·300	·165	16
17	·000	·000	·020	·000	·000	·270	·000	·060	·000	·000	·250	·345	17
18	·000	·120	·000	·070	·000	·035	·000	·010	·000	·075	·350	·880	18
19	·000	·000	·000	·465	·000	·160	·020	·000	·285	·010	·190	·720	19
20	·000	·225	·000	·740	·000	·000	·095	·270	·080	·250	·000	·100	20
21	·000	·340	·050	·340	·000	·060	·200	·000	·015	·165	·000	·045	21
22	·040	·280	·000	·050	·000	·100	·000	·000	·005	·300	·035	·280	22
23	·040	·290	·020	·000	·190	·000	·000	·130	·260	·600	·000	·170	23
24	·035	·190	·000	·630	·020	·950	·000	·000	·000	·730	·000	·075	24
25	·000	·030	·000	·320	·000	·140	·000	·000	1·580	·215	·000	·025	25
26	·000	·270	·000	·215	·000	·000	·020	·020	·000	·125	·180	·055	26
27	·000	·590	·000	·015	·000	·000	·015	·520	·920	·000	·205	·080	27
28	·000	·190	·010	·150	·000	·095	·000	·000	·000	·000	·020	·070	28
29	·000		·010	·000	·000	·215	·215	·000	·385	·680	·000	·235	29
30	·000		·010	·000	·000	·020	·000	·000	·030	·045	·120	·000	30
31	·000		·270		·000		·000	·000		·000		·010	31
Total	2·070	3·620	2·395	3·025	2·000	2·795	·630	3·140	4·785	3·410	5·430	6·835	TOTAL for year 40·135
No. of Rain Days.	12	16	20	11	7	12	9	12	14 (13)	12	23	28	176 (175)

V. 8,000, X. '11.

40·135 inches

corr 8.IV.13

REGISTER OF RAINFALL IN 1912.

FORM A. BRITISH RAINFALL. 2 JAN 1913

Kept at Menai from, Dwyran,

in the County of Anglesey.

by W. E. Sotheby.

Lat. 53° 19' N. Long. 4° 18' W.

Time of Observation 9. am.

Nearest Railway Station Carnarvon.

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground 1 ft. ..... in.

" " " " Sea Level 17. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	June	Feb.	March.	April.	May.	June	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·050	·000	·170	·000	·065	·080	·000	·040	·200	·000	·000	·106	1
2	·395	·080	·590	·070	·115	·055	·000	·000	·040	·000	·000	·000	2
3	·250	·000	·150	·000	·015	·275	·000	·335	·175	·000	·040	·065	3
4	·135	·000	·360	·050	·035	·300	·000	·675	·075	·000	1.265	·040	4
5	·000	·135	·040	·000	·030	·050	·000	·080	·120	·090	·060	·000	5
6	·000	·050	·000	·000	·095	·150	·000	·000	·060	·000	·000	·000	6
7	·210	·265	·180	·000	·045	·000	·045	·050	·115	·000	·020	·070	7
8	·235	·155	·140	·090	·025	·190	·000	·085	·030	·000	·010	·000	8
9	·100	·070	·110	·135	·000	·155	·035	·080	·000	·000	·080	·310	9
10	·000	·000	·000	·020	·030	·140	·395	·020	·000	·000	·145	·040	10
11	·000	·000	·000	·000	·025	·000	·320	·000	·000	·000	·140	·470	11
12	·055	·050	·495	·040	·000	·090	·270	·000	·000	·000	·060	·120	12
13	·060	·000	·060	·000	·000	·050	·000	·025	·040	·270	·000	·260	13
14	·030	·030	·200	·000	·000	·055	·000	·175	·060	·000	·110	·150	14
15	·305	·010	·290	·000	·025	·240	·000	·040	·000	·100	·110	·110	15
16	·000	·095	·425	·000	·000	·215	·000	·110	·000	·220	·000	·000	16
17	1.140	·635	·085	·000	·000	·120	·000	·210	·000	·000	·300	·050	17
18	·020	·135	·100	·000	·000	·145	·000	·330	·000	·250	·110	·090	18
19	·045	·200	·200	·000	·250	·000	·000	·605	·000	·035	·000	·000	19
20	·000	·000	·185	·000	·250	·000	·020	·000	·000	·520	·240	·065	20
21	·000	·060	·125	·015	·205	·010	·000	·140	·000	·655	·000	·270	21
22	·075	·190	·000	·000	·040	·000	·160	1.200	·000	·020	·150	·070	22
23	·075	·000	·235	·000	·000	·000	·100	·640	·000	·320	·345	·000	23
24	·160	·110	·090	·000	·000	·000	·195	·000	·000	·040	·000	·210	24
25	·095	·000	·110	·000	·000	·000	·040	·050	·000	·006	·230	·275	25
26	·000	·110	·240	·000	·000	·000	·165	·290	·000	1.000	·270	·000	26
27	·585	·030	·260	·000	·035	·000	1.250	·000	·000	·385	·130	·100	27
28	·590	·110	·000	·000	·000	·000	·135	·215	·000	·565	·690	·000	28
29	·080	·090	·000	·000	·185	·000	·405	·025	·150	·250	·000	·000	29
30	·000		·250	·020	·430	·000	·160	·000	·000	·600	·050	·040	30
31			·380		·185	·000	1.340	·165		·070		·150	31
Total	4.690	2.610	5.470	·440	2.085	2.320	5.035	5.585	1.005	5.390	4.510	3.055	YEAR'S TOTAL 42.195
Rain Days.	22	20	25	8	19	17	16	23	10	17	21	21	219

June

Jan.

W. 7,500. M. 12

REGISTER OF RAINFALL IN 1913.

Cor. by clerk 4.V.14.

FORM A. BRITISH RAINFALL. 2 JAN 1914

Kept at Menai from Duryaw.

in the County of Anglesey.

by W. E. Lockley.

Lat. 53° 19' N. Long. 4° 18' W.

Time of Observation 9 a.m.

Nearest Railway Station Gaerwen.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " Sea Level 17 ft.

IMPORTANT

previous day. If a
requested to add th
for it at the end o
the selection and p
Organization are giv
Dr. H. R. MILL, 62

a.m. and the result entered to the
lmost universal rule, he is earnestly
lowing year in the space provided
measurement of rain,
o the British Rainfall
st-free on application to

Jan. 1, following.

FORM C. BRITISH RAINFALL. W., 10,000.—XI. 13.

PLEASE fill in spaces.

RAINFALL at Menai from Duryaw in the Month of April 1913

DATE	Inches	REMARKS ON THE DAYS.
1	·070	Copy
2	–	
3	–	
4	–	
5	–	
6	–	
7	–	
8	–	
9	·060	
10	·055	
11	·345	
12	–	
13	–	
14	·050	
15	·660	
16	·140	
17	·145	
18	·210	
19	–	
20	·110	
21	·475	→ Shd be ·175
22	–	
23	–	
24	·140	
25	·110	
26	·630	
27	·200	
28	–	
29	·370	
30	·060	
31		
TOTAL	5·530	No. of Days with Rain

Total 3·530 Correct. W.E.L.

adds to 3·830

4 MAY 1914

NOTE.—Observations returned on this form should be made at 9 a.m. daily, and entered to the day preceding that on which the amount is measured. If it is not done the reading on 1st of following month should be entered in the triangular space below.

1st of following month.

Date.	Jan.	Feb.	M						Sept.	Oct.	Nov.	Dec.	Date.
1	·000	·140							000	·000	·210	·000	1
2	·135	·080							000	·000	·320	·100	2
3	·215	·000							000	·030	·060	·650	3
4	·460	·040							000	·040	·060	·215	4
5	·410	·050							000	·470	·690	·035	5
6	·120	·290							000	·000	·100	·315	6
7	·050	·280							000	·070	·070	·060	7
8	·000	·200							50	·020	·000	·060	8
9	·000	·450							00	·000	·060	·160	9
10	·350	·000							20	·070	·070	·000	10
11	·410	·000							000	·045	·140	·100	11
12	·000	·000							800	·060	·810	·000	12
13	·060	·000							660	·100	·260	·000	13
14	·145	·000	·070	·050	·000	·000	·006	·040	·970	·890	·080	·035	14
15	·130	·000	·120	·660	·000	·000	·000	·020	·000	·015	·090	·075	15
16	·000	·000	·100	·140	·000	·000	·100	·000	·000	·000	·120	·000	16
17	·080	·000	·045	·145	·000	·000	·130	·000	·000	·000	·450	·000	17
18	·000	·000	·340	·210	·045	·036	·190	·000	·000	·000	·040	·000	18
19	·230	·000	·000	·000	·025	·325	·010	·000	·090	·260	·170	·000	19
20	·000	·000	·460	·110	·045	·000	·030	·000	·030	·210	·640	·000	20
21	·000	·000	·120	·475 → ·175	·080	·025	·415	·220	·000	·160	·025	·000	21
22	·240	·000	·885	·000	·000	·080	·000	1·036	·480	·000	·000	·000	22
23	·325	·000	·000	·006	·030	·006	·000	·045	·000	·010	·150	·040	23
24	·120	·000	·000	·140	·000	·010	·006	·000	·000	·000	·095	·090	24
25	·040	·000	·000	·110	·000	·006	·000	·000	·310	·030	·030	·000	25
26	·000	·085	·000	·630	·000	·000	·000	·000	·350	·010	·000	·185	26
27	·000	·000	·000	·200	·000	·000	·000	·000	·000	·100	·000	·040	27
28	·000	·000	·050	·000	·120	·000	·000	·000	·000	·140	·000	·220	28
29	·000		·000	·370	·055	·000	·000	·060	·000	1·020	·060	·000	29
30	·540		·000	·060	·065	·000	·000	·000	·000	·150	·090	·600	30
31	·000		·000		·000		·000	·000		·120			31
Total	4·000	1·615	3·605	3·530	2·380	2·970	1·720	2·325	6·060	3·870	4·830	2·380	YEAR'S TOTAL 39·285
Rain Days.	17	9	17	17	13 15	10 10	9 14	10 12	10 11	15 25	22 24	14 16	163 185

W. 7,500, XI. 12

returned 1.5.14

POST CARD.

Dr. H. R. Mill, British Rainfall Organization, 62, Camden Square, London, N.W.

No writing on this side of the line.

ADDITIONAL REMARKS.

ADDITIONAL OBSERVATIONS.
° on the days.
° on the days.
below 32° on
32° on ,,

Kept at Menaifron, 1913.

in the County of Anglesey. Long. 4° 18' W.

by W. R. Jones. Station 9 a.m.

Railway Station Gaerwen.

Rain Gauge 8 in.

Top of Gauge above Ground 1 ft. in.

,, ,, Sea Level 17 ft.

FORM A. BRITISH RAINFALL. 2 JAN 1914

IMPORTANT—The measurement should be made every morning at 9 a.m. and the result entered to the previous day. If, as is almost universal rule, he is earnestly requested to add the rainfall of the day for it at the end of the following year in the space provided for the purpose. Full particulars of the selection and proper exposure of gauges, measurement of rain, etc., and the methods of the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·000	·140	·000	·070	·305	·006	·000	·000	·000	·000	·210	·000	1
2	·135	·080	·170	·000	·110	·310	·000	·000	·000	·000	·320	·100	2
3	·215	·000	·180	·000	·315	·000	·000	·000	·000	·030	·000	·650	3
4	·460	·040	·000	·000	·000	·090	·006	·000	·000	·040	·060	·215	4
5	·410	·050	·000	·000	·250	·200	·210	·000	·000	·470	·690	·035	5
6	·120	·290	·280	·000	·000	·320	·220	·000	·000	·000	·100	·315	6
7	·050	·280	·040	·000	·000	·435	·000	·000	·000	·070	·070	·060	7
8	·000	·200	·180	·000	·335	·000	·020	·350	·150	·020	·000	·060	8
9	·000	·450	·060	·060	·100	·870	·020	·070	·100	·000	·060	·160	9
10	·350	·000	·055	·055	·000	·000	·010	·215	·120	·070	·070	·000	10
11	·410	·000	·000	·345	·000	·235	·125	·155	·000	·045	·140	·100	11
12	·000	·000	·000	·000	·000	·090	·070	·090	1.800	·000	·810	·000	12
13	·000	·000	·450	·000	·500	·000	·170	·030	1.660	·100	·260	·000	13
14	·145	·000	·070	·050	·000	·000	·006	·040	·970	·890	·080	·035	14
15	·130	·000	·120	·660	·000	·000	·000	·020	·000	·015	·090	·075	15
16	·000	·000	·100	·140	·000	·000	·100	·000	·000	·000	·120	·000	16
17	·080	·000	·045	·145	·000	·000	·130	·000	·000	·000	·450	·000	17
18	·000	·000	·340	·210	·045	·030	·190	·000	·000	·000	·040	·000	18
19	·230	·000	·000	·000	·025	·325	·010	·000	·090	·260	·170	·000	19
20	·000	·000	·460	·110	·045	·000	·030	·000	·030	·210	·640	·000	20
21	·000	·000	·120	·175 ~~·475~~	·080	·025	·415	·220	·000	·160	·025	·000	21
22	·240	·000	·885	·000	·000	·080	·000	1.030	·480	·000	·000	·000	22
23	·325	·000	·000	·000	·030	·000	·000	·045	·000	·010	·150	·040	23
24	·120	·000	·000	·140	·000	·010	·000	·000	·000	·000	·095	·090	24
25	·040	·000	·000	·110	·000	·000	·000	·000	·310	·030	·030	·000	25
26	·000	·085	·000	·630	·000	·000	·000	·000	·350	·010	·000	·185	26
27	·000	·000	·000	·200	·000	·000	·000	·000	·000	·100	·000	·040	27
28	·000	·000	·050	·000	·120	·000	·000	·000	·000	·140	·000	·220	28
29	·000		·000	·370	·055	·000	·000	·060	·000	1.020	·060	·000	29
30	·540		·000	·060	·065	·000	·000	·000	·000	·150	·090	·600	30
31	·000		·000		·000		·000	·000		·120			31
Total	4.000	1.615	3.605	3.530	2.380	2.970	1.720	2.325	6.060	3.870	4.830	2.380	YEAR'S TOTAL 39.285
Rain Days.	17	9	17	17	13 15	10 13	9 14	10 12	10 11	15 21	22 24	14 16	163 185

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL

Kept at Menaifron, Dwyran,

in the County of Anglesey

by

Lat. 53° 19' Long. 4° 18' W

Time of Observation 9 am

Nearest Railway Station Gaerwen,

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 17 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	31 marks	21 marks	None	None	35 marks	None	3 marks	18 m.	½ inch 93 m	26 m	None	None	1
2	25 marks	1 Hill = 1 inch 20 m	1 Hill = 1 inch 21 marks	38 marks	None	3 marks	35 m	21 m	45 m	None	None	None	2
3	None	11 marks	22 marks	23 just a few marks	None	None	30 m	None	11 m	None	None	25 m = ¼ inch	3
4	7 marks	None	None	23 marks	30 marks	5 marks	None	None	10 m	None	None	1 Hill 9 m	4
5	4 marks	29 marks	3 marks	5 marks	None	2 marks	None	5 m	None	None	None	37 m	5
6	30 marks	5 marks	1 mark	21 just a few marks	None	None	16 m	None	None	None	None	30 m	6
7	1 Hill = 1 inch 1 mark	36 marks	None	None	None	4 marks	10 m	20 m	None	None	None	5 m	7
8	9 marks	2 marks	None	None	None	None	None	5 m	None	11 m	= 1 Hill 1 inch 9 m	None	8
9	10 marks	23 marks	None	10 marks	None	None	None	2 m	None	None	3 m	16 m	9
10	1 Hill 1 inch 12 m	5 marks	14 marks	24 marks	None	None	None	4 m	None	None	None	11 m	10
11	None	None	3 marks	None	22 marks	None	None	None	None	None	41 m = 3 Hills 1½ inch 7 m	7 m	11
12	11 marks	None	None	16 marks	None	None	None	None	None	32 m		5 m	12
13	None	30 marks	3 marks	2 marks	None	None	None	None	7 m	6 m	4 m	27 m	13
14	17 marks	3 just a few marks	None	None	None	None	None	None	½ inch 5 m	None	6 m	20 m	14
15	21 marks	None	None	3 marks	None	None	9 m	None	None	None	6 m	13 m	15
16	2 marks	1 Hill ½ inch 1 mark	None	None	None	None	7 m	10 m	None	None	None	49½ m	16
17	3 marks	21 marks	None	None	24 m just a few	None	None	None	None	None	None	2 m	17
18	None	40 marks	8 marks	None	None	None	3 m	None	None	None	None	None	18
19	13 marks	None	5 marks	23 marks	8 marks	None	9 m	None	None	None	None	None	19
20	29 marks	5 marks	2 marks	None	3 m just a few	None	None	None	None	None	None	= ½ inch 1 Hill 17 m	20
21	2 marks	1 mark	None	7 marks	8 marks	None	31 m	None	None	None	None	= ½ inch 1 Hill 1 m	21
22	3 just a few	5 marks	7 marks	None	None	13 marks	3 m	None	None	5 m	None	19 m	22
23	None	16 marks	7 m just a few	8 marks	None	24 marks	6 m	1 m	None	36 m	None	6 m	23
24	None	None	6 marks	10 marks	None	None	None	None	½ 5 m	8½ m	None	39 m	24
25	None	None	None	none	None	None	None	None	None	None	12 m	11½ m	25
26	None	45 marks	None	none	None	14 marks	45 m just a few	None	6 m	None	None	= ½ inch 1 Hill 4½ m	26
27	None	2 marks	None	none	None	None	19 m	None	None	37 m	None	48½ m	27
28	None	3½ marks	None	none	6 marks	11 m just a few	None	25 m	12 m	None	None	None	28
29	None		None	None	None	2 marks	None	1 m	None	None	29 m	8 m	29
30	20 marks	X	None	11 marks	None	None	None	None	1 m	7 m	12 m	27 m	30
31	2 marks	X	None	X	None	X	12 m	25 M just a few	X	None	X	36½ m	31
Total	3·87	4·045	1·325	2·24	1·36	·78	2·38	1·36	2·05	1·685	3·290	6·745	YEAR'S TOTAL 31·130
Rain Days.	20.	21.	13.	15.	8.	9.	15.	11.	10.	9.	10	25	166

W. 8,000. X. 14.

9 marks fall

4297

Surrender

Llwyn Elm

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 8 FEB 1917

Kept at Menai Bridge Dwyran

in the County of Anglesey

by

Lat. 53° 19' N. Long. 4° 18' W.

Time of Observation 9 am –

Nearest Railway Station Gaerwen

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 17 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·110	·180	·060		none	2 m ·020	24 m ·240	·020	none	17 m ·170	·080	none	1
2	·090	·290	·200	·190	none	none	none	·000	2 full 0.5 m = ½ inch ·050	1 full 42½ m = 4 inch ·425	·320	3 marks ·030	2
3	-	·550			2½ marks ·055	24 m ·240	3 m ·030	·000	1 full 0.1 m = ½ inch ·010	21 m ·925	·170	6 marks ·060	3
4	·080	·090	·060	·090	1 full 3 m ·310	37½ m ·375	22 m ·220	·000	6 m ·510	5 m ·210	·070	none	4
5	·030	·360	·130		38 marks ·380	none	none	·000	none 0·060	49 m ·490	·000	none	5
6	·110	·250	·030		37½ marks ·375	none	35½ m ·355 = 1 inch	·000	none	15 m ·150	·190	3 marks ·030	6
7	-	·[illegible]	·035		19½ marks ·195	6 m ·060	2 full 8 m ·880	·000	none	23 m ·230	·570	33 marks ·330	7
8	-	·020	·150		9 marks ·090	none	none	·000	none	none	·050	none	8
9	·065	·070			7 marks ·070	none	none	·000	none	none	·000	4 marks ·040	9
10	·020	·690		·190	3 marks ·030	none	4 m ·040	·000	none	none	·000	3 marks ·030	10
11	·030	·040		·300	1½ marks ·015	none	5 m ·050	·000	none	none	·000	none	11
12	·050	·150	·005	·040	37½ marks ·310	none	34 m ·340	·055	none	21 m ·210	·030	none	12
13	-	·160	·140	·080	2 marks ·020	none	none	·020	none	2 m ·020	·000	none	13
14	·040	·190			25½ m ·265	none	none	·090	none	none	·000	5 marks ·050	14
15	·010	-	·295	·260	7 m ·070	none	6 m ·060	·085	22½ m ·225	none	·000	none	15
16	·010	-		·355	none	none	5 m ·050	·000	2 marks ·020	7 m ·070	·000	none	16
17	·130	·200		·140	none	none	none	·000	1 full 6 m = ½ inch ·060	6 m ·060	·000	9½ marks ·095	17
18	·120	·310		·180	none	none	none	·030	15 m ·150	none	·095	14 marks ·140	18
19	·220	-	·320	·070	none	none	none	·190	none	none	·140	8 marks ·080	19
20	·240	-	·190	·150	none	none	none	·000	none	none	·115	29 marks ·290	20
21	·030	-	·040	·030	20 marks ·200	none	none	·000	none	none	·000	none	21
22	-	-	·040		none	2 m ·020	none	·000	none	13 m ·130	·030	none	22
23	·060	-	·150	·100	none	2 m ·020	none	·175	none	12 m ·120	·000	25 marks ·250	23
24		·100	·080	·070	2 full 0.11 m = ½ inch ·110	8 on jar ·080	none	·100	none	27 m ·270	·030	none	24
25	·030	·020	·090		23½ m ·235	2½ m ·025	none	·280	5 m ·050	16 m ·160	·115	11 marks ·110	25
26	·050	·030			none	14 m ·140	none	·000	6 m ·060	12½ m ·125	·150	none	26
27	·020	·130			15 marks ·150	5 m ·050	none	·000	23 m ·230	1 full 14 m = ½ inch ·640	·030	5 marks ·050	27
28	·070	·150	·050		none	none	none	·000	none	11½ m ·115	·135	36 marks ·360	28
29	·020	·220			none	20 m ·200	none	·000	none	31 m ·310	·070	24 marks ·240	29
30	-	X			none	13 m ·130	none	·000	none	11 m ·110	·170	none	30
31	-	X		X	15 marks ·150	X	none	·140	X	17 m ·170	X	none	31
Total	1·635	4·200	2·065	2·245	4·300	1·360	2·465	1·185	3·230	4·735	2·530	2·185	YEAR'S TOTAL 32.135
Rain Days.	23	21	18	15	18	12	10	11	10	21	18	16	193

W. 8,000. X. 15.

4121

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Menaifron, Dwyran,

in the County of Anglesey,

by Margaret Sotheby

Lat. 53° 19' N Long. 4° 18' W.

Time of Observation 9 am

Nearest Railway Station Gaerwen

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 17 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									·11		·26	·06	1
2	·11			·08		·03		·02		·08		·02	2
3				·02		·13				·53		·10	3
4	·12	·03	·10							·365	·015	·02	4
5	·29		·055	·205					·35	·24	·41	·01	5
6			·180			·265			·01	·775	·19	·19	6
7	·52			·04		·09		·08		·03	·415		7
8				·175		·04		1·72	·18	·39	·32	·20	8
9				·06	·07			·65		·575	·14		9
10			·24	·32	·085			·05		·17			10
11	·08			·01				·19		·50	·14	·03	11
12	·24		·03	·48	·77			·01		·265		·04	12
13				·05		·07		1·86	·505	·45	·10	·455	13
14	·03			·02	·11			·01	·02	·055		·02	14
15				·11			·14	·1	·08	·155		·495	15
16		·02		·07				·95	·02	·125	·045	·37	16
17		·01	·225	·44	·01		·47	·86	·23	·02	·03		17
18			·05	·04	·01		·26	·06		·055		·03	18
19		·33	·10					·135			·02		19
20		·21			·16	·61				·01	·09	·01	20
21		·014	·085		·18				·02	·105			21
22		·215				·03		·48	·14	·21	·02		22
23		·06			·16	·195		·09	·02	·055		·02	23
24							·135	·06		·495		·02	24
25		·165	·065				·03	·155	·215	·25	·15		25
26					·41		·03	·265	·465	·08	·66	·06	26
27			·25		·04	·04	·34	·79		·51			27
28		·04	·205				·02	·39		·74			28
29			·01					·03		·665			29
30		X	·03					·275		·065	·23		30
31		X	·15	X	·245	X		·95	X		X		31
Total	1·390	1·120	1·775	1·820	2·250	1·500	1·425	10·080	2·360	7·700	3·235	1·850	YEAR'S TOTAL 36·505
Rain Days.	7	10	15	15	12	10	8	23	14	27	17	18	176

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. JAN 1918

Kept at Trenaifron, Dwyran

in the County of Anglesey

by

Lat. 53° 19' N Long. 4° 18' W

Time of Observation 9 a.m.

Nearest Railway Station Gaerwen

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 17 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	None	None	None	None	None	None	None	None	11 m	None	26 m	6 m	1
2	11 m	None	None	8 marks	None	3 m	None	2 m	None	8 m	None	2 m	2
3	None	None	None	2 m	None	13 m	None	None	None	1 fill, 3 m = ½ inch	None	10 m	3
4	12 m	3 m	10 m	None	None	None	None	None	None	1 fill, 26½ m = ½ inch	1½ m	2 m	4
5	29 m	None	5½ m	20½ m	None	None	None	None	35 m	24 m	41 m	1 m	5
6	None	None	18 m	None	None	26½ m	None	None	1 m	1 fill, 27½ m = ½ inch	19 just a mark	19 m	6
7	1 fill, 2 m = ½ inch	None	None	4 m	None	9 m	None	8 m	None	3 m	41½ m	None	7
8	None	None	None	17½ m	None	4 m	None	3 fill, 22 m = ½ inch	18 m	39 m	32 m	20 m	8
9	None	None	None	6 m	7 m	None	None	1 fill, 15 m = ½ inch	None	1 fill, 7½ m = ½ inch	14 m	None	9
10	None	None	24 m	32 m	8½ m	None	None	5 m	None	17 m	None	None	10
11	8 m	None	None	1 m	None	None	None	19 m	None	1 fill = ½ inch	14 m	3 m	11
12	24 m	None	3 m	18 m	1 fill, 27 m = ½ inch	None	None	1 m	None	26½ m	None	4 m	12
13	None	None	None	5 m	None	7 m	None	3 fill, 36 m = ½ inch	1 fill, 12½ m = ½ inch	45 m	10 m	15½ m	13
14	3 m	None	None	2 m	11 m	None	None	1 m	None	5½ m	None	2 m	14
15	None	None	None	11 m	None	None	14 m	None	2 m	15½ m	None	49½ m	15
16	None	2 m	None	7 m	None	None	None	1 fill, 45 m = ½ inch	8 m	12½ m	4½ m	37 m	16
17	None	1 m	22½ m	44 m	1 m	None	47 m	1 fill, 36 m = ½ inch	2 m	2 m	3 m	None	17
18	None	None	5 m	4 m	1 m	None	26 m	6 m just a mark	23 m	5½ m	None	3 m	18
19	None	33 m	10 m	None	None	[illegible]	None	13½ m	None	None	2 m	None	19
20	None	21 m	None	None	16 m	1 fill, 11 m = ½ inch	None	None	None	1 m	9 m	1 m	20
21	None	4 m	8½ m	None	18 m	None	None	None	2 m	10½ m	None	None	21
22	None	21½ m	None	None	None	3 m	None	48 m	14 m	21 m	2 m	None	22
23	None	6 m	None	None	16 m	19½ m	None	9 m	2 m	5½ m	None	2 m	23
24	None	None	None	None	None	None	13½ m	6 m	None	49½ m	None	2 m	24
25	None	16½ m	6½ m	None	None	None	3 m	15½ m	21½ m	None	15 m	None	25
26	None	None	None	None	41 m	None	3 m just a mark	26½ m = ½ inch	46½ m	26½ m just a mark	1 fill, 16 m = ½ inch	6 m	26
27	None	None	25 m	None	4 m	4 m	34 m	1 fill, 29 m	None	8 m	None	None	27
28	None	4 m	20½ m	None	None	None	2 m	39 m	None	1 fill, 1 m = ½ inch	None	None	28
29	None	X	1 m	None	None	None	None	3 m	None	1 fill, 24 m = ½ inch	None	None	29
30	None	X	3 m	None	None	None	None	27½ m = ½ inch	None	6½ m	23 m	None	30
31	None	X	15 m	X	24½ m	X	None	1 fill, 45 m = ½ inch	X	None	X	None	31
Total	1·390	1·120	1·775	1·820	2·250	1·500	1·425	10·080	2·360	7·700	3·235	1·850	YEAR'S TOTAL 36·505
Rain Days.	7	10	15	15	12	10	8	23	14	27	17	18	176

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Menaifford, Dwyran

in the County of Anglesey.

by

Lat. 53° 19' N Long. 4° 18' W

Time of Observation 9am

Nearest Railway Station Gaerwen

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 17 ft.

24.5.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·180	·050	·035	·370	·035	1
2		·070		·110					·160	·160	·050	·730	2
3		·055							·260	·700	·040	·010	3
4		145							·225	·380	·170	·035	4
5				·095				·090	115	·460		·040	5
6		·750		·260	·090	·580			-	·590	·615	·045	6
7		030			·200				·430	·040		·080	7
8		·050				·085	·200		·100	·280	·030		8
9	·070	·485				·375	·370		·090	·660	·400	·170	9
10		·070	·070				·500		·100	·220		·120	10
11		·030	·110		·040		100	·110	·290	·040		·275	11
12		·345			·305		035		·020				12
13					045				·490	100			13
14	1·150					·120	·105		·270			·550	14
15	·055						·740		3·080	·160		·440	15
16						·240	·110	·130	·46	·090		·090	16
17	·235						·080	·040		·180		·450	17
18	·320	·080	·060			·120	·010		·210	·020		·190	18
19	·090	·010	·140	·225		·105	·940		·080			·120	19
20	·390	·030		·200	·280	·125	1·00		·185				20
21	·200	·105					·230		1·075			·080	21
22	·135				·700		·270		·170			·450	22
23	-				·640		·080		·030		·070		23
24	·086	·230			·590			·610	·190	·090	·160	·060	24
25		·235			630		210	·180	·355	·060	·060		25
26	030	·020						·050	040	·020		·200	26
27		-	440			120		·260	·160	·025	·310	·180	27
28		·080	225						·050		·250	·280	28
29			035						045			·100	29
30								·050	560	·145	·070	090	30
31								010		·350		160	31
Total	2·755	2·820	1·080	·890	3·520	1·870	4·080	1·610	9·290	4·805	2·595	4·980	YEAR'S TOTAL 40·295
Rain Days	11	18	7	5	10	9	16	11	28	22	13	25	175

W, 6,500, VII. 18. W W C

	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	None	None	None	None	None	None	None	18 m	5 m	3½ m	27m	3½ m	1
2	None	7 m	None	11m	None	None	None	None	16m	15m	5 m	1 fall 23m	2
3	None	5⅜m	None	None	None	None	None	None	26m	1 fall 21m	4 m	1m	3
4	None	14½m	None	None	None	None	None	None	22½m	38 m	17 m	3½ m	4
5	None	None	None	9½m	None	None	None	9 m	11½m	46m	None	4 m	5
6	None	1 fall 25m	None	26m	9 m	1 fall 8m	None	None	None	1 fall 9m	None	4½m	6
7	None	3m	None	None	20 m	None	None	None	4 m	4 m	1 fall 11½m	8 m	7
8	None	5m	None	None	None	8½m	20m	None	10m	28m	None	None	8
9	7m	48½m	None	None	None	37½m	37m	None	9 m	1 fall 16m	3m	17m	9
10	None	7m	7m	None	None	None	1 fall	None	10m	22 m	40m	12 m	10
11	None	3m	11m	None	4 m	None	10 m	11m	29m	4m	None	27½m	11
12	None	34½m	None	None	30½m	None	3½m	None	2 m	None	None	None	12
13	None	None	None	None	4½ m	None	None	None	49m	10 m	None	None	13
14	2 fall 9½m	None	None	None	None	12 m	10½m	None	27m	None	None	1 fall 5m	14
15	5½ m	None	None	None	None	None	1 fall 24m	None	6 fall 8m	16m	None	44m	15
16	None	None	None	None	None	24m	11 m	13m	46m	9 m	None	9 m	16
17	23½m	None	None	None	None	None	8 m	4m	None	18m	None	45m	17
18	32 m	8m	6m	None	None	12 m	1 m	None	21m	2 m	None	19m	18
19	9 m	1m	14m	22½m	None	10½m	1 fall 4½m	None	8 m	None	None	12m	19
20	39m	3m	None	20 m	28m	12½m	10 m	None	18½m	None	None	None	20
21	20 m	10½m	None	None	None	None	23 m	None	2 fall 7½m	None	None	8 m	21
22	13½m	None	None	None	1 fall 20m	None	2 7m	None	17m	None	None	45m	22
23	None	None	None	None	1 fall 14m	None	8 m	None	3m	None	7m	None	23
24	8 m	23m	None	None	1 fall 9m	None	None	1 fall 1m	19m	9 m	16m	6m	24
25	None	23½m	None	None	1 fall 13½m	None	21m	18 m	35½m	6m	6 m	None	25
26	3m	2m	None	None	None	None	None	5m	4 m	2m	None	20m	26
27	None	None	44m	None	None	12 m	None	26m	16m	2½m	31m	18m	27
28	None	8m	22½m	None	None	None	None	None	5 m	None	25m	28m	28
29	None	✗	3½m	None	None	None	None	None	4½m	None	None	10m	29
30	None	✗	None	None	None	None	None	5 m	1 fall 6m	14½m	7m	9m	30
31	None	✗		✗	None	✗	None	1m	✗	35m	✗	16m	31
Total	2·755	2·820	1·080	·890	3·520	1·870	4·080	1·610	9·290	4·805	2·595	4·980	YEAR'S TOTAL 40·295
Rain Days.	11	18	7	5	10	9	16	11	28	22	13	25	175

W. 8,000, IX. 17.

TELEGRAMS, DWYRAN.
STATION, CARNARVON
AND ACROSS BY FERRY.

MENAIFRON,
DWYRAN,
LLANFAIR, P.G.
ANGLESEY.

Recd 31. I. 18

R W.

Jan 28th 1918.

Dear Sir

I am so sorry to be so late sending in the rainfall we have been so extra busy with Wounded here I quite forgot to fill in from the acct. Kept. My Husband had a leave from his Ambulance

driving in Serbia so he put some of it in the right form at the bottom. Please send me another form like this for the xp. filled in at the top the same, which you copied from an old one

Yours truly
Margaret Sothety

FORM A. 2. METEORO[illegible] GANIZATION.

R[illegible] 19....

Kept at Holy[illegible]

in the County of [illegible]

by William Das[illegible]

4408

HOLYHEAD

1919 – 20

781710

[illegible]in Gauge [illegible] in.

[illegible]ove Ground 1 ft. 0 in.

[illegible], Sea Level 16 ft.

[illegible]entered to the previous day.

IMPORTANT NOT[illegible]

If an Observer prefers n[illegible]gested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	15·9	-	0·9	0·9	10·3	-	1·0	-	43·5	2·0	-	3·8	1
2	3·6	-	13·8	0·1	-	-	-	-	-	-	1·4	6·5	2
3	1·3	-	-	0·9	2·1	4·0	0·1	-	-	-	0·6	-	3
4	3·9	4·0	7·4	-	1·5	0·2	5·9	4·6	3·0	-	-	3·7	4
5	0·6	2·5	-	-	0·8	-	-	-	1·9	-	-	7·5	5
6	-	1·6	7·8	-	-	-	-	-	0·7	-	0·1	2·1	6
7	1·7	-	3·3	8·9	-	0·3	-	-	0·1	-	0·4	0·5	7
8	6·8	-	1·6	-	-	-	-	-	-	-	5·6	0·1	8
9	7·7	-	2·3	3·3	-	0·1	-	-	0·2	-	1·3	0·6	9
10	9·2	-	5·3	1·2	1·0	0·5	-	-	-	3·1	3·2	16·2	10
11	11·4	-	16·4	1·7	0·3	-	4·9	-	0·4	3·5	-	4·1	11
12	2·0	-	1·2	-	-	22·1	-	-	2·7	1·4	2·7	-	12
13	5·8	0·3	0·1	3·2	-	0·1	1·4	-	-	0·6	3·0	7·9	13
14	7·7	0·2	-	2·9	-	-	4·5	-	-	2·2	-	1·1	14
15	15·1	7·6	-	2·6	-	-	-	0·5	-	0·8	1·6	10·5	15
16	0·6	0·5	-	0·1	0·5	-	0·1	0·2	-	0·4	7·4	5·8	16
17	-	6·0	-	2·0	0·1	0·1	0·4	8·6	-	-	6·7	0·5	17
18	1·6	-	34·5	-	-	-	5·0	8·4	0·4	-	1·7	7·6	18
19	2·4	5·9	10·9	-	-	6·4	-	0·1	6·2	-	1·5	3·1	19
20	4·6	0·7	3·0	-	4·8	0·1	-	-	4·5	-	0·6	3·6	20
21	1·6	7·8	-	-	2·2	-	8·3	0·1	3·6	-	0·7	3·6	21
22	-	1·2	-	-	-	1·6	-	-	11·6	0·3	0·1	17·3	22
23	-	-	-	1·2	-	0·3	-	-	-	31·3	0·6	2·6	23
24	0·8	-	-	1·0	4·5	0·9	-	-	0·5	12·4	2·1	1·0	24
25	10·2	-	-	0·4	0·8	0·1	-	12·4	5·7	0·2	2·3	1·1	25
26	1·6	-	4·6	4·7	-	3·3	-	7·4	0·2	2·8	2·2	7·5	26
27	3·9	-	0·2	3·4	-	-	-	0·7	1·0	-	2·9	0·3	27
28	-	-	1·0	4·7	-	-	-	15·1	-	0·1	-	7·0	28
29	0·1		0·5	1·1	-	-	-	2·0	0·2	0·2	4·0	4·6	29
30	-		0·1	3·0	-	4·9	-	-	-	-	7·2	8·9	30
31	-		15·0		-		5·3	2·0		1·1		0·1	31
TOTAL	120·1	38·3	129·9	46·7	28·9	45·0	36·9	62·1	86·4	62·4	59·9	139·2	YEAR'S TOTAL 855·8
Days with 0·2 mm. or more	23	12	18	18	11	11	9	11	17	15	22	27	194

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

3924

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Holyhead

in the County of Anglesea

by William Davies, & Joseph Seal

Lat. ..... Long. .....

Time of Observation 7h

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	15·9	-	0·9	0·9	10·3	-	1·0	-	43·5	2·0	-	3·8	1
2	3·6	-	13·8	0·1	-	-	-	-	-	-	1·4	6·5	2
3	1·3	-	-	0·9	2·1	4·0	0·1	-	-	-	0·6	-	3
4	3·9	4·0	7·4	-	1·5	0·2	5·9	4·6	3·0	-	-	3·7	4
5	0·6	2·5	-	-	0·8	-	-	-	1·9	-	-	7·5	5
6	-	1·6	7·8	-	-	-	-	-	0·7	-	0·1	2·1	6
7	1·7	-	3·3	8·9	-	0·3	-	-	0·1	-	0·4	0·5	7
8	6·8	-	1·6	-	-	-	-	-	-	-	5·6	0·1	8
9	7·7	-	2·3	3·3	-	0·1	-	-	0·2	-	1·3	0·6	9
10	9·2	-	5·3	1·2	1·0	0·5	-	-	-	3·1	3·2	16·2	10
11	11·4	-	16·4	1·7	0·3	-	4·9	-	0·4	3·5	-	4·1	11
12	2·0	-	1·2	-	-	22·1	-	-	2·7	1·4	2·7	-	12
13	5·8	0·3	0·1	3·2	-	0·1	1·4	-	-	0·6	3·0	7·9	13
14	7·7	0·2	-	2·9	-	-	4·5	-	-	2·2	-	1·1	14
15	15·1	7·6	-	2·6	-	-	-	0·5	-	0·8	1·6	10·5	15
16	0·6	0·5	-	0·1	0·5	-	0·1	0·2	-	0·4	7·4	5·8	16
17	-	6·0	-	2·0	0·1	0·1	0·4	8·6	-	-	6·7	0·5	17
18	1·6	-	34·5	-	-	-	5·0	8·4	0·4	-	1·7	7·6	18
19	2·4	5·9	10·9	-	-	6·4	-	0·1	6·2	-	1·5	3·1	19
20	4·6	0·7	3·0	-	4·8	0·1	-	-	4·5	-	0·6	3·6	20
21	1·6	7·8	-	-	2·2	-	8·3	0·1	3·6	-	0·7	3·6	21
22	-	1·2	-	-	-	1·6	-	-	11·6	0·3	0·1	17·3	22
23	-	-	-	1·2	-	0·3	-	-	-	31·3	0·6	2·6	23
24	0·8	-	-	1·0	4·5	0·9	-	-	0·5	12·4	2·1	1·0	24
25	10·2	-	-	0·4	0·8	0·1	-	12·4	5·7	0·2	2·3	1·1	25
26	1·6	-	4·6	4·7	-	3·3	-	7·4	0·2	2·8	2·2	7·5	26
27	3·9	-	0·2	3·4	-	-	-	0·7	1·0	-	2·9	0·3	27
28	-	-	1·0	4·7	-	-	-	15·1	-	0·1	-	7·0	28
29	0·1		0·5	1·1	-	-	-	2·0	0·2	0·2	4·0	4·6	29
30	-		0·1	3·0	-	4·9	-	-	-	-	7·2	8·9	30
31	-		15·0		-		5·3	2·0		1·1		0·1	31
TOTAL	120·1	38·3	129·9	46·7	28·9	45·0	36·9	62·1	86·4	62·4	59·9	139·2	YEAR'S TOTAL 855·8
Days with 0·2 mm. or more	23	12	18	18	11	11	9	11	17	15	22	27	194

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

75

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 3818

REGISTER OF RAINFALL IN 1920.

Kept at Holyhead (M.O)

in the County of Anglesey

by William Davies for M.O.

Lat. 53° 18' Long. 4° 39' W

Time of Observation 7h G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	8.0	0.9	19.0	0.1	17.7	1.4	3.7	21.6	-	11.9	1
2	-	0.2	0.3	2.7	0.1	-	7.9	2.0	6.1	0.2	-	4.8	2
3	-	5.0	0.1	0.8	1.0	-	8.6	0.8	4.8	8.7	5.3	5.0	3
4	-	-	0.1	0.7	2.3	-	0.6	51.8	4.2	4.9	8.6	-	4
5	-	0.2	3.4	-	25.3	-	3.7	1.3	2.5	10.4	-	-	5
6	-	-	15.6	4.0	4.9	-	1.6	-	-	6.7	-	-	6
7	3.5	4.8	1.4	0.2	-	-	5.0	8.2	-	0.5	-	-	7
8	4.4	1.8	-	4.0	0.6	-	0.5	5.1	0.4	-	0.5	0.7	8
9	9.8	2.0	0.7	0.4	-	-	6.8	0.1	1.0	-	0.1	0.2	9
10	5.9	1.5	1.5	18.4	-	0.9	0.5	0.5	-	-	-	0.5	10
11	7.7	-	4.5	4.0	4.9	6.8	0.9	0.2	-	-	-	0.7	11
12	8.0	1.1	3.2	6.5	0.4	24.5	1.5	-	2.0	0.1	7.5	1.1	12
13	2.9	3.2	13.4	1.2	-	2.4	0.4	-	-	0.1	0.5	-	13
14	3.0	2.1	6.5	7.9	-	10.2	12.0	-	7.8	6.2	8.1	-	14
15	0.7	5.2	1.3	2.9	0.1	6.0	0.1	-	-	4.0	1.2	-	15
16	0.3	0.2	8.5	1.1	4.7	2.6	22.1	-	7.2	2.0	-	-	16
17	0.8	-	0.6	-	5.5	5.0	0.5	5.8	3.4	0.9	-	-	17
18	6.2	-	-	0.9	6.3	3.2	-	0.8	1.0	-	-	-	18
19	0.1	15.0	-	4.2	4.8	1.9	0.9	1.6	1.9	-	-	-	19
20	4.5	-	-	3.3	-	0.1	0.1	-	6.1	0.2	-	7.5	20
21	-	-	-	1.3	-	-	8.1	-	2.4	0.1	-	2.2	21
22	9.3	-	-	4.0	-	-	8.6	10.1	-	0.4	-	-	22
23	4.3	-	5.4	10.1	-	-	14.0	0.2	-	-	-	8.5	23
24	5.1	-	21.1	1.2	-	0.9	-	0.4	0.2	-	-	13.8	24
25	2.2	7.4	8.9	0.3	12.2	0.2	49.8	0.2	-	-	-	3.3	25
26	13.8	2.2	28.0	3.1	0.6	-	0.2	-	0.3	-	5.5	0.1	26
27	7.1	2.0	16.1	4.7	1.7	12.7	3.0	-	0.5	-	10.2	0.2	27
28	-	0.5	6.5	1.8	0.4	1.0	2.9	-	-	-	1.2	4.6	28
29	7.0	0.4	0.1	-	11.9	-	7.7	0.1	-	-	4.1	18.5	29
30	4.4		9.4	0.2	0.7	1.1	4.9	-	7.0	1.3	6.0	6.8	30
31	5.5		15.0		1.7		6.7	1.7		28.5		2.8	31
TOTAL	116.5	54.8	179.6	90.8	104.1	79.6	197.3	92.3	62.5	96.8	58.8	93.2	1223 YEAR'S TOTAL
Days with 0·2 mm. or more	22	18	22	27	19	15	27	17	19	15	12	18	231
Days with 1·0 mm. or more	19	13	19	19	14	12	19	10	15	10	10	13	173

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

Copied from 1d 3200.

Corr. 24.iv.11

REGIST

ANGLESEY.
LLANDDANIEL-FAB
PORTHAMEL
1911 — 1918

FORM A2.
BRITISH RAINFALL.

3 JAN 1912

Kept at Porthame... Roun... in.

in the County of Anglesey round ft. 9 in.

by Hon^ble C Irby ea Level 70 ft.

m

ame Llanfair

Distance 3½ Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·16	"	"	"	·19	"	·03	·03	"	·01	·60	·32	1
2	"	"	"	"	·36	"	·10	·15	"	·22	·02	·12	2
3	"	"	·20	"	·75	"	"	"	·14	"	·20	·18	3
4	"	"	·24	"	"	"	·02	1·20	·02	"	·17	·14	4
5	·43	"	·09	"	"	"	"	·42	"	"	"	"	5
6	·22	"	"	"	"	"	"	·24	"	·02	·06	·56	6
7	·20	"	"	·03	"	"	"	"	"	"	·30	"	7
8	·21	"	·39	"	"	"	"	"	"	"	·32	·21	8
9	"	"	"	"	"	"	"	"	"	"	·17	·80	9
10	·32	·15	·14	"	"	"	"	"	"	"	·06	·68	10
11	"	"	"	"	"	"	"	"	·05	"	·22	·06	11
12	"	"	·49	"	"	"	"	"	·02	"	·34	"	12
13	"	"	"	"	·05	"	"	"	1·23	"	·20	·08	13
14	"	·66	"	"	"	"	"	"	"	"	·12	·05	14
15	"	·20	·05	"	"	"	"	"	"	"	·39	·04	15
16	"	·10	·07	"	"	·33	"	"	"	"	·24	·11	16
17	"	"	"	·02	"	·13	"	"	"	·07	·30	·13	17
18	"	·11	"	"	"	·04	·07	·08	"	"	·37	·84	18
19	"	"	"	·22	"	"	·06	·02	·32	"	·13	·68	19
20	"	·16	"	·44	"	"	·25	·28	·06	·11	·02	·11	20
21	"	·17	"	·59	"	·03	"	"	· "	·22	"	·04	21
22	"	·13	"	·32	"	"	·01	"	·04	·29	"	·34	22
23	"	·11	"	·06	·33	"	"	·12	·24	·44	"	·14	23
24	·13	·16	"	"	"	·88	"	·05	"	·52	"	·06	24
25	"	"	"	·40	"	·11	"	"	1·40	·29	"	·02	25
26	"	·26	"	·47	"	·02	·04	·03	"	·15	·11	·05	26
27	"	·56	"	·21	"	"	·11	·56	1·18	"	·08	·07	27
28	"	·29	"	"	"	·10	·03	"	"	·03	·04	·04	28
29	"	—	"	"	"	·30	·16	"	·41	·68	"	·26	29
30	"	—	"	"	"	·06	"	"	"	·05	·07	·01	30
31	"	—	·23	—	"	—	"	"	—	·02		·01	31
Total	1·67	3·06	1·90	2·76	1·68	2·00	·88	3·18	5·11	3·12	4·53	6·15	TOTAL 36·04
No. of Rain Days.	7	13	9	10	5	10	11	12	12	15	23	28	155

6·15

W. 8,000, X. '11.

Corr. 24.IV.

FORM A2.
BRITISH RAINFALL.

8 JAN 1912

REGIST[illegible]

Ky[illegible] at Porthamel

in the County of Anglesey

by Hon[ble] C Irby

RAIN GAUGE: Pattern Ordinary Round
Diameter of top 5 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 70 ft.

Time of Observation 9 am

Nearest Railway Station: Name Llanfair
Distance 3½ Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·16	"	"	"	·19	"	·03	·03	"	·01	·60	·32	1
2	"	"	"	"	·36	"	·10	·15	"	·22	·02	·12	2
3	"	"	·20	"	·75	"	"	"	·14	"	·20	·18	3
4	"	"	·24	"	"	"	·02	1·20	·02	"	·17	·14	4
5	·43	"	·09	"	"	"	"	·42	"	"	"	"	5
6	·22	"	"	"	"	"	"	·24	"	·02	·06	·56	6
7	·20	"	"	·03	"	"	"	"	"	"	·30	"	7
8	·21	"	·39	"	"	"	"	"	"	"	·32	·21	8
9	"	"	"	"	"	"	"	"	"	"	·17	·80	9
10	·32	·15	·14	"	"	"	"	"	"	"	·06	·68	10
11	"	"	"	"	"	"	"	"	·05	"	·22	·06	11
12	"	"	·49	"	"	"	"	"	·02	"	·34	"	12
13	"	"	"	"	·05	"	"	"	1·23	"	·20	·08	13
14	"	·66	"	"	"	"	"	"	"	"	·12	·05	14
15	"	·20	·05	"	"	"	"	"	"	"	·39	·04	15
16	"	·10	·07	"	"	·33	"	"	"	"	·24	·11	16
17	"	"	"	·02	"	·13	"	"	"	·07	·30	·13	17
18	"	·11	"	"	"	·04	·07	·08	"	"	·37	·84	18
19	"	"	"	·22	"	"	·06	·02	·32	"	·13	·68	19
20	"	·16	"	·44	"	"	·25	·28	·06	·11	·02	·11	20
21	"	·17	"	·59	"	·03	"	"	· "	·22	"	·04	21
22	"	·13	"	·32	"	"	·01	"	·04	·29	"	·34	22
23	"	·11	"	·06	·33	"	"	·12	·24	·44	"	·14	23
24	·13	·16	"	"	"	·88	"	·05	"	·52	"	·06	24
25	"	"	"	·40	"	·11	"	"	1·40	·29	"	·02	25
26	"	·26	"	·47	"	·02	·04	·03	"	·15	·11	·05	26
27	"	·56	"	·21	"	"	·11	·56	1·18	"	·08	·07	27
28	"	·29	"	"	"	·10	·03	"	"	·03	·04	·04	28
29	"	—	"	"	"	·30	·16	"	·41	·68	"	·26	29
30	"	—	"	"	"	·06	"	"	"	·05	·07	·01	30
31	"	—	·23	—	"	—	"	"	—	·02		·01	31
Total	1·67	3·06	1·90	2·76	1·68	2·00	·88	3·18	5·11	3·12	4·53	6·15	TOTAL INCHES 36·04
No. of Rain Days.	7	13	9	10	5	10	11	12	12	15	23	28	155

6·15

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 2 JAN 1913

Kept at Porthamel

in the County of Anglesey

by Hon^ble C Irby.

RAIN GAUGE: Pattern Circular; Diameter of top 5 in.; Height of top above Ground — ft. 9 in.; " " " Sea Level 70 ft.

Time of Observation 9 am

Nearest Railway Station: Name Llanfair; Distance 4 m. Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	"	·18	"	·06	·04	"	·01	·27	"	"	·08	1
2	·05	"	·56	·07	·12	·47	·02	"	·03	"	"	"	2
3	·32	·08	·02	"	·03	·35	"	·17	·21	"	"	·08	3
4	·38	"	·44	"	"	·07	"	·85	·12	"	1·31	"	4
5	·05	"	·03	·04	·05	"	"	·04	·11	·16	·07	·03	5
6	·18	·09	"	"	·03	"	"	"	·02	"	"	"	6
7	"	·17	·19	"	·04	·21	·06	"	·12	"	"	·04	7
8	·15	·19	·14	·13	"	·48	"	·34	·02	"	"	·02	8
9	·14	·04	·11	·11	"	·52	"	·11	"	"	·05	·24	9
10	·11	"	"	"	·01	·09	·44	·03	"	"	·23	"	10
11	·03	"	"	"	·01	"	·45	"	"	"	·29	·46	11
12	·07	·11	·47	·03	"	"	·21	"	"	"	·09	·23	12
13	·02	"	·02	"	"	·12	"	·12	·08	·20	"	·21	13
14	"	·05	·21	"	"	·02	"	·28	·06	"	·05	·12	14
15	·36	"	·44	"	"	·39	"	·09	"	"	·15	·16	15
16	·29	·09	·30	"	"	"	"	·07	"	·07	"	"	16
17	·14	·62	·07	"	"	1·38	"	·14	"	·26	·25	·06	17
18	·10	·07	·06	"	·06	·04	"	·35	"	·34	·16	·08	18
19	"	·10	·24	"	·08	·04	"	·50	"	·10	"	·02	19
20	·01	"	·11	"	·21	·02	·02	·01	"	·62	·16	·04	20
21	·01	·05	·03	·03	·16	·01	"	·14	"	·60	·02	·27	21
22	"	·15	·23	"	·05	·09	·24	1·06	"	·02	·50	·09	22
23	"	"	·10	"	"	·04	"	·94	"	·20	·17	·02	23
24	"	·07	·12	"	"	·03	·05	·01	"	·02	"	·19	24
25	"	"	·37	"	"	·12	·17	·04	"	"	·35	·21	25
26	"	·11	·25	"	"	·01	·14	·41	"	1·13	·15	·09	26
27	"	·02	"	"	"	·58	1·60	"	"	·37	·04	"	27
28	"	·08	"	"	"	·42	·06	·20	"	·60	·62	·03	28
29	"	·05	·25	"	·15	·25	·54	·03	·12	·21	"	·02	29
30	"	—	·23	"	·08	·03	·10	"	"	·68	·10	·01	30
31	"	—	·35	—	·30	—	1·36	·20	—	·19	—	·19	31
Total	2·44	2·14	5·52	·41	1·44	5·82	5·46	6·14	1·16	5·77	4·76	3·12	TOTAL for year
No. of Rain Days.	18	18	26	6	16	25	15	24	11	17	19	25	220

W. 8,000, X. '11.

cont for audit 30.IV.14

REGISTER OF RAINFALL IN 19 13

FORM A. BRITISH RAINFALL. 4-JAN

Kept at Porthamel

in the County of Anglesey

by Hon^ble C S Irby

Lat. ..... Long. .....

Time of Observation 9 am

Nearest Railway Station Llanfair, L&NWR

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ..... ft. 9 in.

" " " " Sea Level 704 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·02	·03	·03	·25	·37	"	"	"	"	·13	"	1
2	·09	·05	·19	"	·11	"	"	"	"	"	·29	·05	2
3	·14	·20	·15	"	·27	·11	"	"	"	·06	"	·59	3
4	·50	"	·02	"	·04	·25	"	"	"	·03	"	·23	4
5	·42	·04	"	"	·11	"	·25	"	"	·52	·63	·03	5
6	·03	·06	·26	"	·12	·29	·30	"	"	"	·07	·27	6
7	·02	·24	·03	"	·04	·43	"	"	·13	·12	·08	·05	7
8	"	·22	·20	"	·16	·04	·06	"	·11	·10	"	·03	8
9	"	·13	·03	·06	·07	·64	"	·15	·09	"	·06	·20	9
10	·14	·42	·04	·02	"	"	·04	·27	"	·02	"	"	10
11	·39	·01	"	·39	"	·10	·14	·14	"	·11	·10	·09	11
12	·04	"	"	"	·11	·15	·04	·05	1·84	"	·20	"	12
13	"	"	·47	·12	·36	"	·19	·07	·73	·08	·72	"	13
14	·16	·02	·12	·69	"	"	"	·05	·18	·82	·25	·03	14
15	·18	"	·09	·23	"	"	"	·01	·03	"	·10	·05	15
16	"	"	·11	·13	"	"	·10	·16	"	"	·03	"	16
17	·10	"	·03	·21	"	"	·12	"	"	"	·42	"	17
18	·01	"	·18	·02	·05	"	·21	"	"	"	·07	"	18
19	·24	"	·01	"	·03	·48	"	"	·07	·32	·16	"	19
20	·01	"	·36	·07	·06	"	·08	·12	·02	·28	·51	"	20
21	·03	"	·12	·20	·11	·04	·34	1·20	"	·15	"	"	21
22	"	"	·68	"	"	·07	"	·17	·45	"	"	"	22
23	·29	"	"	"	·04	"	"	"	·07	"	·18	·04	23
24	·35	"	"	·16	"	·05	"	"	"	"	·09	·05	24
25	·14	"	"	·06	"	"	"	"	·25	·06	·04	"	25
26	·04	"	"	·62	"	"	"	"	·36	·01	"	·24	26
27	"	·07	"	·10	"	"	"	"	"	·07	"	·10	27
28	·04	"	·05	·02	·14	"	"	"	"	·22	"	·16	28
29	·03	—	·03	·37	·09	"	"	"	"	·66	·04	·02	29
30	"	—	"	·03	"	"	"	"	"	·21	·05	"	30
31	·40	—	·05	—	"	—	"	"	—	·12	—	"	31
Total	3·60	1·48	~~3·25~~ ~~3·26~~	~~3·53~~ ~~3·93~~	2·16	3·02	~~1·87~~ ~~1·88~~	~~3·39~~ ~~3·79~~	4·33	~~3·96~~ ~~3·86~~	4·22	2·23	~~35·24~~ ~~35·96~~
Rain Days.	24	12	22	19	18	13	12	11	13	19	21	17	201

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 2 - JAN 1915

Kept at Porthamel

in the County of Anglesey

by The Hon^ble Cecil S Irby.

Lat. ..... Long. .....

Time of Observation 9 am

Nearest Railway Station Llangefni

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ..... ft. 9 in.

" " " " Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	.03	.10	"	"	.13	1.16	.17	"	.03	.05	.14	1
2	.04	.02	.02	.02	"	"	.55	.01	"	.04	"	.30	2
3	.10	"	.40	.01	.32	"	"	.02	"	"	"	1.08	3
4	.12	"	.08	.13	.12	"	.11	"	"	"	.30	.16	4
5	.03	.04	.21	.03	.16	"	.05		"	.07	.60	"	5
6	.07	.02	.02	"	.14	.04	"	.05	"	"	.18	.04	6
7	.63	.22	.27	.09	.32	.06	.19	.03	"	"	.08	.12	7
8	.72	.05	"	.02	.55	.25	"	.10	"	"	.14	.14	8
9	.05	.42	.12	.05	.15	1.08	"	.62	.06	"	.24	"	9
10	"	.33	.04	.02	.03	.07	"	.03	.41	"	.11	"	10
11	"	.25	.18	"	"	.67	.18	"	.06	"	.26	.20	11
12	"	.53	.22	"	.08	.02	"	"	.48	"	.30	.09	12
13	"	.20	.23	.10	.02	"	"	"	.08	"	.09	.12	13
14	"	.10	.05	"	"	"	.11	"	"	.03	.17	.02	14
15	"	.02	.24	"	"	"	.03	"	.09	.02	.13	.15	15
16	"	.04	.36	"	"	"	.23	"	1.64	"	"	.06	16
17	.03	.58	.08	"	"	"	.07	"	.02	"	"	1.10	17
18	"	"	.37	"	"	"	"	"	.11	"	"	.13	18
19	"	.05	.10	"	"	"	.17	"	.05	"	"	.42	19
20	"	.58	.22	"	"	.13	.02	"	"	"	"	.21	20
21	"	.14	"	"	"	"	"	"	"	"	"	.02	21
22	"	.60	.04	.03	.06	.09	.06	.08	"	"	.07	"	22
23	"	.25	.10	"	"	.02	.08	.10	"	"	.26	"	23
24	.14	"	"	.02	.03	"	.18	.02	"	"	.15	"	24
25	.08	.02	.08	"	"	.02	.10	.32	"	.47	.30	.24	25
26	"	"	"	"	"	"	.09	.05	"	.25	.39	.21	26
27	.17	"	"	"	"	"	"	"	"	.27	.10	.47	27
28	.23	.18	.10	"	.07	"	"	.27	"	.03	.29	.42	28
29	.42	X	.02	"	.05	"	"	.29	"	.10	.09	"	29
30	.02	X	.14	"	"	"	"	"	"	.02	.12	.83	30
31	.20	X	.09	X	.04	X	.65	"	X	.04	X	.17	31
Total	3.05	4.67	3.88	.52	2.14	2.58	4.03	2.16	3.00	1.37	4.42	6.84	YEAR'S TOTAL 38.66
Rain Days.	16	22	26	11	15	12	18	15	10	12	22	24	203

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

Form A. British Rainfall

8 JAN 1916

Kept at Porthamel

in the County of Anglesey

by The Hon^ble C Irby

Lat. ____ Long. ____

Time of Observation 9

Nearest Railway Station Llanfair P.G.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ____ ft. 9 in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·34	·02	"	"	·31	.	·10	·43	·58	·30	"	"	1
2	·24	·80	·55	·36	"	·04	·52	·32	·30	"	·03	"	2
3	"	·14	·35	·25	"	"	·16	"	·07	"	-	·45	3
4	·09	"	"	"	·23	"	·03	"	"	"	"	·94	4
5	·03	·36	·08	·04	·04	·10	"	·12	"	"	"	·50	5
6	·29	·07	·03	·21	"	"	·18	·01	"	"	·04	·39	6
7	·64	·32	"	"	"	·05	·24	·32	"	"	"	·06	7
8	·09	·35	"	·02	"	"	"	·44	"	·12	·63	"	8
9	·12	·25	"	·14	"	"	·02	·02	"	"	"	·25	9
10	·63	·05	·12	·31	"	"	"	·03	"	·06	·04	·08	10
11	"	"	"	·01	·29	"	·06	"	"	·42	·46	"	11
12	·10	"	"	·19	"	"	·07	"	"	·10	1·54	"	12
13	"	·08	·03	"	"	"	"	"	"	·08	·05	·35	13
14	·12	·06	"	·02	·04	"	"	·05	·10	"	·03	·15	14
15	·24	·10	"	·05	"	"	·08	"	·03	"	·10	·20	15
16	·03	·32	"	·03	·44	"	·30	·08	"	-	·08	·42	16
17	·12	·18	·04	"	·32	"	"	"	"	"	·06	"	17
18	·07	·34	·11	"	"	"	·06	"	"	"	·10	"	18
19	·04	"	·04	·21	·05	"	·12	"	"	"	"	"	19
20	·34	·03	"	"	·02	"	"	"	"	"	-	·65	20
21	·46	·05	·05	·04	·26	"	·34	"	"	"	"	·44	21
22	·22	·08	"	"	"	·15	·14	"	"	·09	"	·20	22
23	·02	·10	"	·08	"	·20	·05	·02	·03	·41	"	·18	23
24	"	"	·10	·14	"	"	"	"	·05	·05	·04	"	24
25	"	"	"	"	"	·07	"	"	"	"	·02	·24	25
26	"	·49	"	"	"	·03	·16	"	·30	"	"	·56	26
27	"	·03	"	"	"	·06	·80	"	·02	"	"	·32	27
28	"	·03	"	"	"	·08	·02	·30	"	"	"	"	28
29	"	X	"	"	"	·03	"	·02	"	·33	·30	·05	29
30	·23	X	"	·17	"	"	·12	"	·09	·07	·20	·24	30
31	·20	X	"	X	"	X	"	·42	X	·03	X	·35	31
Total	4·66	4·22	1·50	2·27	2·00	·81	3·59	2·58	1·57	2·06	3·72	7·02	YEAR'S TOTAL 36·90
Rain Days.	22	22	11	17	10	10	20	14	10	12	16	21	185

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 4298

Kept at Porthamel

in the County of Anglesey N Wales

by The Hon^ble C Ivley.

Lat. ..... Long. .....

Time of Observation 9 am

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground ..... ft. 9 in.

" " " " Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·15	·27	·17	"	"	·07	·23	"	"	·08	·30	·09	1
2	·05	·36	·26	"	"	(·85)	·06	"	1·13	·92	·36	·05	2
3	"	·36	"	·22	·04	·24	·08	"	·54	·23	·12	·17	3
4	·06	·04	·07	·08	·65	·62	·09	"	·27	·12	·05	·05	4
5	"	·51	"	"	·38	"	"	"	·04	·62	·11	"	5
6	·07	·34	·10	"	·42	"	·75	"	"	·19	·30	·02	6
7	"	·03	·03	"	·29	·09	·05	"	"	·39	·50	·30	7
8	·08	"	·12	"	·14	"	"	"	"	"	·05	·10	8
9	·10	·07	"	"	·09	"	"	"	"	"	·02	·06	9
10	"	·72	"	"	·03	"	·11	"	"	·04	"	"	10
11	·06	·08	·03	·21	·02	"	·03	"	·09	·18	"	"	11
12	·08	·16	"	·33	·28	"	·42	"	"	·06	"	"	12
13	"	·09	·06	·08	·03	"	"	·12	·01	·40	"	"	13
14	·03	·15	"	"	·49	"	"	·17	·03	·08	"	·10	14
15	"	·20	·13	·24	·09	"	·09	·06	·17	·03	"	"	15
16	·11	·24	"	·32	"	"	·14	"	"	·07	"	"	16
17	·12	·23	"	·23	"	"	"	·15	·99	"	"	"	17
18	·21	·29	"	·20	"	"	"	·07	·07	·08	·14	·13	18
19	·10	"	·17	·05	"	"	"	·09	"	"	·21	"	19
20	·24	"	·22	·05	"	"	"	"	·02	"	·13	·32	20
21	·03	"	·04	"	·18	"	"	"	"	"	·18	"	21
22	·04	"	"	"	"	·02	"	"	"	·10	·16	·11	22
23	"	"	·16	·04	"	·04	"	·16	"	·08	·09	·21	23
24	·06	·14	·08	·07	1·44	·03	"	·07	"	·23	·25	"	24
25	·04	·02	·05	"	·17	·07	"	·63	"	·11	·15	·10	25
26	·04	·05	·03	"	"	"	"	"	·10	·09	·12	"	26
27	"	"	"	"	·12	·11	"	"	·12	·54	·05	"	27
28	·08	·24	"	"	"	"	"	"	"	·32	·02	·55	28
29	·02	·08	"	"	"	·42	"	·02	"	(·35) ·21	·14	·22	29
30	"		"	"	"	·20	"	"	"	·12	·08	·04	30
31	"		"										31
Total	1·66	4·46	1·72	2·12	5·12	1·96	2·05	1·84	3·58	5·64	3·53	2·62	YEAR'S TOTAL 36·30
Rain Days.	20	21	16	13	18	11	11	11	13	25	22	17	198

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 19

FORM A. BRITISH RAINFALL.

Kept at Porthamel

in the County of Anglesey

by The Hon^ble C Ivor

Lat. 53·12 N Long. 4·15 W

Time of Observation 9

Nearest Railway Station Llanfair P.G

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	"	"	·15	"	·05	"	-	·10	"	·21	·03	1
2	·22	"	"	"	"	"	"	·04	-	·05	·03	·03	2
3	"	·50	"	"	"	·18	"	"	"	·50	"	·11	3
4	"	·10	·16	·06	"	"	"	"	"	·70	"	"	4
5	·32	"	·09	·16	"	"	"	"	·18	·32	"	"	5
6	·20	"	·02	·10	"	"	"	"	"	·30	·46	·17	6
7	·35	"	"	·12	"	·11	"	·03	"	·06	·14	"	7
8	·05	"	"	·09	"	·10		1·00	(·21)	·36	·02	·18	8
9	"	"	"	·05	·08	"	"	·80	"	·23	·29	"	9
10	·36	"	·22	·20	·04	"	"	·05	"	·16	·10	"	10
11	·04	"	"	·24	"	"	"	·22	"	·70	"	·05	11
12	·10	"	·03	"	·78	·04	"	·10	·27	·37	·12	·03	12
13	·08	"	"	·17	·09	"	"	·90	"	·35	"	·17	13
14	·12	"		·05	"	·03	"	·34	·60	·14	"	"	14
15	"	"	"	·12	"	"	·04	"	"	·18	"	·40	15
16	"	"	"	·11	"	"	"	·90	·17	·10	·04	·43	16
17	"	"	·24	·35	·04	"	(·44)	1·05	·03	·02	"	"	17
18	"	"	·10	·20	"	"	·19	"	·25	·07	02	"	18
19	"	·42	·09	"	"	"	"	·15	"	"	·03	"	19
20	"	·25	"	"	·05	·49	"	"	"	"	·10	"	20
21	"	·06	·06	"	·05	"	"	"	"	·11	·02	"	21
22	"	·12	"	"	"	"	"	·40	·20	·31	·03	"	22
23	"	·08	·04	"	·15	·50	"	·04	·05	·04	"	·03	23
24	"	·04	"	"	"	·20	"	·05	"	·41	"	·03	24
25	"	·07	·06	"	"	·03	·50	"	·18	·03	·26	"	25
26	"	"	"	"	"	"	·21	·25	·48	·10	·68	·05	26
27	"	"	·15	"	·52	"	·33	·55	"	·13	"	"	27
28	"	·07	·24	"	·40	"	"	·49	"	·44	"	"	28
29	"	—	·06	"	"	"	"	·03	"	(·58)	"	"	29
30	"	X	·12	"	"	"	"	·22	"	·09	·15	"	30
31	"	X	·26	X	·10	X	"	1·00	X	"	X	"	31
Total	1·84	1·71	1·94	2·17	2·30	1·73	1·71	8·61	2·72	6·85	2·70	1·71	YEAR'S TOTAL 35·99
Rain Days.	10	10	16	15	11	10	6	21	12	27	17	13	168

W. 8,000, IX. 17.

Cor. for auth.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

3

16.5.19

Kept at Porthamel

in the County of Anglesey.

by the Hon^ble C Irby

Lat. ____ Long. ____

Time of Observation 9 a.m.

Nearest Railway Station Llanfair

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground ____ ft. 5" in.

" " " " Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	"	"	.08	"	"	"	.14	.11	.03	.39	.04	1
2	"	"	"	"	"	"	"	"	.03	.23	.02	.63	2
3	"	.04	"	"	.08	"	"	"	.13	.83	"	"	3
4	"	.11	"	"	"	"	"	"	.27	.28	.08	.02	4
5	"	"	"	.10	.28	"	"	.05	.08	.55	"	.02	5
6	"	.61	"	.28	"	.63	"	"	"	.46	"	.03	6
7	"	.03	"	.02	.08	"	"	"	.43	.09	.45	.03	7
8	.10	.03	"	.03	"	.20	.22	"	.17	.06	.03	"	8
9	.20	.25	"	.10	"	.43	.15	"	.55	.70	.02	.04	9
10	.06	.10	.02	"	"	"	.70	"	.06	.27	.33	.22	10
11	.07	.03	.06	"	.05	"	.05	"	.11	"	"	.30	11
12	"	.33	"	"	.25	.03	.03	"	.05	"	"	"	12
13	"	.02	"	"	.06	.02	"	"	.40	.04	"	"	13
14	1.20	"	"	"	"	.09	.11	"	.18	.02	"	.53	14
15	"	"	"	"	"	"	.63	"	2.20	.07	"	1.14	15
16	.15	"	"	"	"	.12	.16	.14	.35	.12	"	.08	16
17	.14	"	"	"	"	"	.22	"	"	.25	"	.35	17
18	.32	.12	.04	"	"	.05	"	"	.15	.03	"	.24	18
19	.05	.20	.10	.13	"	"	.83	"	.06	.02	"	.13	19
20	.30	.53	"	.15	.38	.15	.16	"	.24	"	"	"	20
21	.12	.11	"	"	"	.07	.19	"	1.00	"	"	.10	21
22	.03	"	"	"	.97	"	.20	"	.24	"	"	.45	22
23	.12	"	"	"	.61	"	.05	"	.03	"	"	.06	23
24	.04	.23	"	"	"	"	"	.35	.15	.05	.14	"	24
25	"	"	"	"	"	"	.05	.30	.35	.07	.05	"	25
26	"	.05	"	"	.54	"	.48	.14	.15	.02	.04	.18	26
27	"	.03	.58	"	"	.10	"	.35	.52	.03	.26	.20	27
28	"	.11	.12	"	"	.07	"	"	.11	"	.31	.30	28
29	"	~~X~~	.09	"	"	"	"	"	.59	"	"	.07	29
30	"	~~X~~	.08	"	"	"	"	.06	.04	.04	.12	.11	30
31	"	~~X~~	.21	~~X~~	"	~~X~~	"		~~X~~	.30	~~X~~	.16	31
Total	2.90	2.93	~~1.30~~ 1.31	.89	3.30	1.96	~~4.23~~ 4.17	1.53	8.75	4.56	2.24	5.43	~~39.97~~ 39.91
Rain Days.	14	18	9	8	10	12	16	8	28	23	13	24	183

W, 6,500, VII. 18. w w c

REGIS

LLANGADWALADR
BODORGAN

1911 - 1920

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

Kept at Bodorgan

in the County of Angle

by Mr Pilgrim

in.

ve Ground 1 ft. — in.

Sea Level 100? ft.

AM

Name Bodorgan

Distance 2½ Direction N.

IMPORTANT NOTE.—R d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·02	—	·21	—	·05	·07	·10	·01	·55	·20	1
2	—	—	·02	—	·35	—	·10	·05	—	·42	—	·17	2
3	—	—	·05	—	·58	—	·03	—	·14	—	·20	·22	3
4	—	—	·22	—	·02	—	—	1·68	—	—	·23	·16	4
5	·77	—	·06	—	—	—	—	·24	—	—	—	—	5
6	·01	—	·02	·02	—	—	—	·19	—	·01	—	·60	6
7	·36	—	·02	—	—	—	—	—	—	—	·20	—	7
8	·17	—	·24	—	—	—	—	—	—	—	·12	·16	8
9	—	—	·01	—	—	—	—	—	—	—	·80	1·04	9
10	·42	·11	·23	—	—	—	—	—	·05	—	·24	·92	10
11	·06	·02	·02	—	—	—	—	—	—	—	—	·02	11
12	—	—	·34	—	—	—	—	—	·87	—	·40	—	12
13	—	·06	·01	—	—	—	—	—	—	—	·36	·07	13
14	—	·50	—	—	—	—	—	—	—	—	·10	·09	14
15	·04	·17	·08	—	—	—	—	—	—	—	·26	·04	15
16	·02	·03	·03	—	—	·42	—	—	—	—	·30	·15	16
17	—	—	—	—	—	·24	—	·08	—	—	·21	·20	17
18	—	·11	—	·17	—	·08	—	—	—	·10	·52	·90	18
19	—	—	—	·40	—	—	·05	—	·36	·16	·09	1·05	19
20	—	·19	—	·49	—	—	·08	·23	·06	·17	·02	·10	20
21	—	·12	·04	·24	—	·03	·05	—	·06	·32	—	·06	21
22	·01	·17	·02	·02	—	·04	—	—	·01	·09	—	·36	22
23	·02	·10	—	—	·15	—	—	·12	·24	·23	—	·19	23
24	·06	·15	—	·28	·01	·78	—	—	—	·48	—	·03	24
25	·01	—	—	·27	—	·05	—	—	1·11	·21	—	·02	25
26	—	·40	—	·17	—	—	—	·02	—	·22	·12	·08	26
27	—	·31	—	·19	—	—	·11	·45	·89	—	·06	·12	27
28	—	·23	—	·24	—	·08	·02	—	—	—	·02	·03	28
29	—	—	·02	—	—	·26	·24	—	·32	·66	—	·27	29
30	—	—	·04	—	—	—	—	—	—	·20	·12	—	30
31	—	—	·26	—	—	—	—	—	—	—	—	·03	31
Total	1·95	2·67	1·75	2·69	1·32	1·98	·73	3·13	4·21	3·28	4·97	7·28	TOTAL for year 35·16
No. of Rain Days.	12	15	20	11	6	9	9	10	12	14	20	27	165

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL.

10 JAN 1912

Kept at Bodorgan Farm

in the County of Anglesey

by Mr Pilgrim

RAIN GAUGE { Pattern ; Diameter of top ... in. ; Height of top above Ground 1 ft. — in. ; " " " Sea Level 100? ft.

Time of Observation 9 AM

Nearest Railway Station { Name Bodorgan ; Distance 2½ Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·02	—	·21	—	·05	·07	·10	·01	·55	·20	1
2	—	—	·02	—	·35	—	·10	·05	—	·42	—	·17	2
3	—	—	·05	—	·58	—	·03	—	·14	—	·20	·22	3
4	—	—	·22	—	·02	—	—	1·68	—	—	·23	·16	4
5	·77	—	·06	—	—	—	—	·24	—	—	—	—	5
6	·01	—	·02	·02	—	—	—	·19	—	·01	—	·60	6
7	·36	—	·02	—	—	—	—	—	—	—	·20	—	7
8	·17	—	·24	—	—	—	—	—	—	—	·12	·16	8
9	—	—	·01	—	—	—	—	—	—	—	·80	1·04	9
10	·42	·11	·23	—	—	—	—	—	·05	—	·24	·92	10
11	·06	·02	·02	—	—	—	—	—	—	—	—	·02	11
12	—	—	·34	—	—	—	—	—	·87	—	·40	—	12
13	—	·06	·01	—	—	—	—	—	—	—	·36	·07	13
14	—	·50	—	—	—	—	—	—	—	—	·10	·09	14
15	·04	·17	·08	—	—	—	—	—	—	—	·26	·04	15
16	·02	·03	·03	—	—	·42	—	—	—	—	·30	·15	16
17	—	—	—	—	—	·24	—	·08	—	—	·21	·20	17
18	—	·11	—	·17	—	·08	—	—	—	·10	·52	·90	18
19	—	—	—	·40	—	—	·05	—	·36	·16	·09	1·05	19
20	—	·19	—	·49	—	—	·08	·23	·06	·17	·02	·10	20
21	—	·12	·04	·24	—	·03	·05	—	·06	·32	—	·06	21
22	·01	·17	·02	·02	—	·04	—	—	·01	·09	—	·36	22
23	·02	·10	—	—	·15	—	—	·12	·24	·23	—	·19	23
24	·06	·15	—	·28	·01	·78	—	—	—	·48	—	·03	24
25	·01	—	—	·27	—	·05	—	—	1·11	·21	—	·02	25
26	—	·40	—	·17	—	—	—	·02	—	·22	·12	·08	26
27	—	·31	—	·19	—	—	·11	·45	·89	—	·06	·12	27
28	—	·23	—	·24	—	·08	·02	—	—	—	·07	·03	28
29	—	—	·02	—	—	·26	·24	—	·32	·66	—	·27	29
30	—	—	·04	—	—	—	—	—	—	·20	·12	—	30
31	—	—	·26	—	—	—	—	—	—	—	—	·03	31
Total	1·95	2·67	1·75	2·49	1·32	1·98	·73	3·13	4·21	3·28	4·97	7·28	TOTAL for year 35·76
No. of Rain Days.	12	15	20	11	6	9	9	10	12	14	20	27	165

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 16 JAN 1913

Kept at Bodorgan Gdns

in the County of Anglesey

by Mr Pilgrim

Lat. ..... Long. .....

Time of Observation 9 A.M.

Nearest Railway Station Bodorgan

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10	—	.17	—	.09	.03	—	.02	.12	.01	—	.15	1
2	.06	.13	.55	.05	.11	.44	—	—	.04	—	—	—	2
3	.22	—	.06	—	.01	.20	—	.30	.13	—	.03	.14	3
4	.27	—	.53	—	.03	.07	—	.89	.08	—	1.30	.05	4
5	.18	.05	.02	—	.03	—	—	.10	—	.17	.04	.01	5
6	.18	.20	—	—	.05	—	—	—	—	—	—	—	6
7	—	.16	.09	—	.01	.18	.04	—	.03	—	.02	.08	7
8	.16	.18	.26	.07	.05	.24	—	.15	.03	—	.01	.01	8
9	.01	.03	.06	.08	.01	.04	—	.12	—	—	.05	.34	9
10	.25	—	—	—	.01	.55	.33	.06	—	—	.16	.08	10
11	.01	—	—	—	.02	—	.33	—	—	—	.13	.46	11
12	.13	.06	.47	.08	—	.02	.24	—	—	—	.10	.08	12
13	.12	—	.06	—	—	.06	—	—	—	.34	.04	.26	13
14	.15	.04	.12	—	—	.01	—	.12	.10	.01	.06	.15	14
15	.05	.04	.15	—	—	.35	—	.04	—	.14	.13	.20	15
16	.24	.06	.42	—	—	—	—	.14	—	.38	.01	—	16
17	.11	.76	.17	—	—	1.09	—	.15	—	—	.19	.05	17
18	.18	.11	.01	—	—	.02	—	.21	—	.22	.05	.11	18
19	—	.14	.15	—	.10	.06	—	.22	—	.08	.01	.03	19
20	.02	.01	.07	—	.45	.02	.02	.04	—	.49	.24	.04	20
21	—	.03	.21	.02	.25	.05	.01	.10	—	.68	—	.25	21
22	—	.17	.02	—	—	.15	.20	1.10	—	.05	.18	.06	22
23	—	—	.35	—	—	.02	.01	.45	—	.15	.26	.02	23
24	—	.10	.05	—	—	.22	.25	—	—	.09	—	.25	24
25	—	—	.06	—	—	.03	—	.09	—	—	.36	.20	25
26	—	.11	.25	—	—	.01	.12	.26	—	1.26	.29	—	26
27	—	.03	.15	—	—	.71	.98	.03	—	.36	.05	.08	27
28	—	.06	—	—	—	.74	.44	.24	.04	.40	.64	—	28
29	—	.08	.02	—	.15	—	.33	.01	.36	.19	—	.01	29
30	—		.10	.04	.04	.01	.06	—	—	.51	.02	—	30
31	—		.13		.25		1.34	.16		.11		.19	31
Total	2.44	2.55	4.70	.34	1.66	5.32 5.32	4.37	5.00	.93	5.64	4.37	3.32	YEAR'S TOTAL 40.64 40.64
Rain Days.	18	21	27	6	17	25	15	23	9	19	24	25	229

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 9 JAN 1914

Kept at Bodorgan Gdns

in the County of Anglesey

by Gt Pilgrim

Lat. ..... Long. .....

Time of Observation 9 AM

Nearest Railway Station Bodorgan

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	—	.09	—	—	—	—	—	—	—	.19	—	1
2	.25	.15	.20	—	.24	.80	—	—	—	—	.38	.09	2
3	.09	—	.15	—	.21	—	—	—	—	.29	—	.55	3
4	.75	.06	.02	—	.04	.03	—	—	—	.02	—	.15	4
5	.48	.07	—	—	.26	.22	.27	—	—	.45	.90	.02	5
6	.15	.20	.26	—	.01	.29	.10	—	—	.01	.08	.41	6
7	.02	.30	.02	—	.19	.41	—	—	—	.16	.08	.10	7
8	—	.24	.16	—	.06	—	.09	.20	.27	.01	—	.05	8
9	—	.36	.06	.07	.08	.81	—	.03	.10	—	.07	.12	9
10	.12	.02	.05	—	.01	—	.01	.19	.06	.06	.12	—	10
11	.43	.01	—	.33	.03	.09	.18	—	—	.04	.10	.05	11
12	.02	—	—	—	.45	.07	.03	.00	1.53	—	.85	—	12
13	—	—	.36	—	.60	—	.20	.02	1.42	.06	.24	—	13
14	.16	—	.09	.10	.01	—	—	.02	.11	.86	.03	.04	14
15	.18	—	.15	.66	—	—	—	.01	.05	.01	.02	.02	15
16	.02	—	.06	.10	—	—	.09	—	—	—	.07	—	16
17	.07	—	.11	.06	—	—	.11	—	—	—	—	—	17
18	—	—	.26	.15	.01	.06	.20	—	—	—	.60	—	18
19	.11	—	—	—	.02	.41	.01	—	.16	.25	.19	—	19
20	.01	—	.24	.08	.03	—	.02	—	.01	.26	.60	—	20
21	—	—	.27	.12	.16	.02	.47	.06	—	.24	.01	—	21
22	.31	—	.86	—	.01	.12	—	1.09	.76	—	—	—	22
23	.21	—	—	—	.02	.02	—	.11	.10	.01	.11	—	23
24	.26	—	—	.14	—	—	—	—	—	—	.12	.12	24
25	—	.03	—	.05	—	—	—	—	.15	—	.06	—	25
26	—	.10	—	.63	—	—	—	—	.38	.03	—	.23	26
27	.18	—	—	.07	—	—	—	—	—	.12	—	.02	27
28	.08	—	.05	.06	.05	—	—	—	—	.11	—	.12	28
29	—		.03	.43	.06	—	—	.07	—	.60	.02	—	29
30	.55		—	—	—	—	—	—	—	.04	.05	—	30
31	.01		—		—		—	—		.44		—	31
Total	4.48	1.53	3.47	3.05	2.35	2.85	1.78	1.88	5.10	4.07	4.89	2.07	YEAR'S TOTAL 37.72
Rain Days.	23	11	20	15	21	13	13	11	13	21	22	15	198

W.7,000, XI. 13

E&LMFC

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 6 - JAN 1915

Kept at Bodorgan Gardens.

in the County of Anglesey.

by Mrs Pilgrim

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Bodorgan.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 100? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.01	.14	—	—	.23	.80	.14	—	—	—	.18	1
2	—	.01	—	—	—	—	.40	—	—	—	.42	.36	2
3	—	—	.30	—	.36	—	—	.02	—	—	—	1.16	3
4	.11	—	.04	.16	.07	—	.36	.01	—	—	.24	.12	4
5	.11	.01	.20	.02	.14	—	.17	.12	—	.04	.33	—	5
6	—	—	—	.01	.12	—	—	.17	—	—	.17	.03	6
7	.06	.15	.24	—	.31	.08	.47	.62	.04	—	.03	.07	7
8	.20	.04	.01	.04	.56	.11	.04	.01	—	—	.12	.02	8
9	1.02	.42	.09	.11	.21	.72	—	—	.03	—	.16	—	9
10	.05	.28	.06	—	.02	.02	—	—	.48	—	.09	—	10
11	—	.22	.35	—	.08	.63	.08	—	—	—	.29	.16	11
12	—	.54	.22	—	.04	.08	—	—	.47	—	.28	.09	12
13	—	.29	.23	.15	.01	—	.08	—	.04	.03	.26	.10	13
14	—	.13	.04	—	—	—	—	—	—	.05	.18	.17	14
15	—	.05	.20	—	—	—	—	—	.03	—	.19	.06	15
16	—	.02	.07	—	—	—	.04	—	1.75	—	—	.01	16
17	.01	.68	.27	—	—	—	.13	—	.01	—	—	1.04	17
18	—	—	.23	—	—	—	.33	—	.05	.20	—	.30	18
19	—	.02	.10	—	—	—	.26	—	.10	—	.03	.44	19
20	—	.54	.21	—	—	.25	.02	—	.04	—	—	.11	20
21	—	.12	—	—	—	.02	—	.14	—	—	—	—	21
22	—	.67	.04	.02	.02	.06	—	.12	—	—	—	—	22
23	—	.12	.13	—	.07	—	.09	.06	—	—	.11	—	23
24	.13	—	—	—	.01	.01	.04	.03	—	—	.29	—	24
25	.15	.01	.16	—	—	—	.10	.40	—	.62	.25	.33	25
26	—	—	—	—	—	—	.07	.03	—	.47	.24	.24	26
27	.23	.02	—	—	—	—	—	—	—	.36	.36	.21	27
28	.18	.13	.16	—	—	—	—	.21	—	.01	.06	.36	28
29	.45	X	.07	—	.20	—	—	.20	—	.08	.35	—	29
30	.02	X	.11	—	—	—	—	.08	—	—	.12	.81	30
31	.28	X	.04	X	.05	X	.93	—	X	.08	X	.48	31
Total	3.00	4.48	3.71	.51	2.22	2.21	4.41	2.36	3.04	1.94	4.57	6.54	YEAR'S TOTAL 38.99
Rain Days.	14	22	25	7	16	11	18	16	11	10	22	23	195

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

4371

FORM A.
BRITISH RAINFALL.
8 JAN 1916

Kept at Bodorgan Gardens

in the County of Anglesey

by Mr Pilgrim.

Lat. ..... Long. .....

Time of Observation 9 AM

Nearest Railway Station Bodorgan

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. .. in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.37	.20	—	—	.31	—	.02	.16	.23	.35	—	—	1
2	.48	.66	.57	.42	—	.07	.30	.11	.67	.02	—	—	2
3	—	.08	.16	.20	—	—	.36	—	.07	—	—	.45	3
4	.05	—	—	—	.24	.04	.02	—	.05	—	—	.55	4
5	.06	.20	.02	.10	.01	.02	.01	.07	—	—	—	1.26	5
6	.17	.10	.01	.13	—	—	.20	.01	—	—	.02	.46	6
7	.46	.39	—	—	—	.02	.18	.24	—	.25	—	.06	7
8	.09	.21	—	—	—	—	—	.83	—	.07	.56	—	8
9	.10	.23	—	.08	—	—	—	.05	—	—	.04	.27	9
10	.57	.37	.14	.26	—	—	—	.09	—	.24	.01	.12	10
11	—	—	—	.01	.22	—	.03	.04	—	.23	.61	.09	11
12	.10	—	—	.11	—	—	.01	—	—	.04	1.75	.13	12
13	—	.02	.02	.03	—	—	—	—	.10	.10	.03	.32	13
14	.10	.08	—	.01	.02	—	—	.02	.05	—	.11	.12	14
15	.20	.01	—	—	.02	—	.02	—	.02	—	.21	.18	15
16	—	.47	—	.04	.43	—	.05	.08	—	—	—	.65	16
17	.03	.19	—	—	.27	—	—	.01	—	—	—	.01	17
18	.03	.22	.18	—	—	—	.04	—	—	.02	—	—	18
19	—	—	.04	.19	.17	—	.06	—	—	.01	—	.01	19
20	.33	.04	.02	.03	.05	—	—	.01	—	—	—	.61	20
21	.31	.03	—	.05	.11	—	.27	—	.03	—	—	.37	21
22	.12	.32	.05	—	—	.06	.16	—	—	.09	—	.27	22
23	—	—	.08	.02	—	.35	.01	—	.04	.36	—	.04	23
24	—	—	—	.10	—	—	—	—	.02	.13	—	.45	24
25	—	—	—	—	—	.06	—	—	—	—	.10	.09	25
26	—	.68	—	—	—	.14	.10	—	.09	—	—	.57	26
27	—	.03	—	—	—	—	.32	—	—	.40	—	.26	27
28	—	.03	.03	—	—	.17	.02	.17	.01	.02	—	—	28
29	—		—	—	.03	.01	—	—	.05	.04	.24	.11	29
30	.13	X	—	.15	—	—	—	.03	.04	—	.23	.31	30
31	—	X	—	X	—	X	.12	.58	X	.02	X	.39	31
Total	3.70	4.56	1.32	1.93	2.38	.94	2.30	2.50	1.47	2.39	3.91	8.15	YEAR'S TOTAL 35.55
Rain Days.	18	21	12	17	12	10	20	16	14	17	12	26	195

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

Kept at Bodorgan Gardens

in the County of Anglesey

by Mr Pilgrim

Lat. ..... Long. .....

Time of Observation 9 A.M.

Nearest Railway Station Bodorgan

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 100 ft.

FORM A. BRITISH RAINFALL. 4299

11 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.21	.29	.09	—	—	.05	.40	.01	—	.06	.27	—	1
2	.08	.20	.22	—	—	.03	.06	—	1.32	1.16	.42	.05	2
3	.04	.59	.05	.20	—	.26	.06	—	.26	.19	.19	.03	3
4	.07	.13	.03	.08	.60	.46	—	—	.06	.06	.30	.04	4
5	.06	.68	.19	—	.78	—	—	—	.02	.49	.04	—	5
6	.16	.32	.02	—	.54	—	.29	—	.01	.19	.32	.02	6
7	—	.06	.05	—	.14	.06	.33	—	—	.31	.33	.05	7
8	.01	.02	.10	—	.16	.02	—	—	—	.01	.06	.27	8
9	.02	.04	—	—	.02	—	—	—	—	—	.02	.08	9
10	.01	.67	—	.19	.04	—	.06	—	—	.01	.02	—	10
11	.09	—	—	.20	.06	—	.02	—	.02	—	—	—	11
12	.02	.12	.01	.04	.36	—	.32	.08	.01	.13	.07	—	12
13	—	.16	.19	.10	.02	—	.01	.03	—	.44	—	.03	13
14	.02	.15	—	—	.19	—	—	.18	.01	.09	—	.01	14
15	—	.21	.29	.29	.10	—	.15	—	.08	.01	—	—	15
16	—	.01	—	.27	—	—	.03	—	.01	.04	—	—	16
17	.18	.24	—	.19	—	—	—	—	.96	.09	—	.01	17
18	.08	.23	—	.14	—	—	—	.15	.14	.03	.16	.21	18
19	.22	—	.52	.09	—	—	—	.18	—	—	.22	.43	19
20	.32	—	.17	—	—	—	—	—	.02	—	.05	.27	20
21	.02	—	.03	—	.12	—	—	—	.01	—	.05	.31	21
22	—	—	—	—	—	.26	—	—	.03	.16	.04	—	22
23	.05	—	.16	.10	—	.01	—	.14	—	.26	.35	.14	23
24	—	—	—	.12	.90	.04	—	.10	—	.10	.03	.28	24
25	.01	.20	.02	—	.31	.03	—	.33	—	.06	.44	.03	25
26	.03	.05	—	—	—	.09	—	—	.10	.05	.02	.05	26
27	.01	.11	—	—	—	—	—	—	.13	.65	.08	—	27
28	.08	.26	.14 snow	—	—	.02	—	—	.01	.36	.20	.26	28
29	.04	.11	—	—	—	.12	—	—	—	.49	.10	.21	29
30	.01	X	—	—	—	.22	—	—	—	.09	.49	.01	30
31	—	X	—	X	.17	X	—	.22	X	.06	X	—	31
Total	1.86	4.74	2.28	2.01	4.53	1.64	1.73	1.42	3.19	5.63	4.20	2.99	YEAR'S TOTAL 36.28
Rain Days.	24	22	14	13	16	14	11	10	15	26	24	21	216

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

4123

FORM A. BRITISH RAINFALL.

Kept at Bodorgan Gardens

in the County of Anglesey

by Mrs Pilgrim

Lat. ..... Long. .....

Time of Observation 9 A.M.

Nearest Railway Station Bodorgan

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.02	.28	—	.01	—	—	.09	—	.24	.06	1
2	.13	—	—	.08	—	—	—	.01	—	.07	.12	.05	2
3	—	.24	—	.02	—	.22	—	—	—	.56	.05	.13	3
4	—	.22	.02	—	—	—	—	—	—	.43	.12	.05	4
5	.29	—	.04	.18	—	—	—	—	.64	.20	.15	.09	5
6	—	—	—	—	—	.31	—	—	—	.44	.09	.20	6
7	.65	—	.09	.03	—	.07	—	.05	.01	.01	.31	.01	7
8	—	—	—	.09	—	.01	.03	1.27	.15	.40	.37	.24	8
9	—	—	—	.14	.18	—	—	.53	—	.64	.11	—	9
10	.62	—	.90	.33	.07	—	—	.05	—	.20	.22	—	10
11	.10	—	—	.02	.02	—	—	.15	—	.72	—	.04	11
12	.68	—	.03	.16	.78	—	—	—	.32	.26	.08	.05	12
13	.03	—	—	—	—	.02	—	1.00	.47	.27	—	.15	13
14	—	—	—	.09	.12	—	—	.25	—	.10	—	.01	14
15	.08	—	—	.09	—	—	.04	.01	.02	.19	.05	.59	15
16	—	.08	—	.05	—	—	—	1.09	.06	.15	.01	.71	16
17	.15	.03	.22	.36	.06	—	.35	1.15	.04	.01	—	—	17
18	—	—	.10	.04	.18	—	.44	.06	.31	.07	.02	—	18
19	—	.57	.06	—	—	—	—	.07	.03	—	.06	.02	19
20	—	.22	—	—	.15	.60	—	—	.01	.05	.01	.02	20
21	—	.03	.11	—	.29	—	—	—	.03	.09	—	—	21
22	—	.18	—	—	.01	.03	—	.61	.09	.19	—	—	22
23	—	.12	—	—	.19	.61	.01	.12	.05	.10	.02	.01	23
24	—	.07	—	—	—	.01	.18	.06	.04	.48	.25	—	24
25	—	.09	.07	—	.02	—	—	.09	.30	.04	.57	—	25
26	—	—	—	—	.46	—	.01	.02	.46	.05	—	.11	26
27	—	—	.23	—	.53	(.05)	.33	1.15	—	.35	—	.01	27
28	—	.02	.09	—	.01	—	.03	.50	—	.19	—	.02	28
29	—		.06	—	—	—	—	.06	—	.66	—	—	29
30	—	X	.06	—	—	—	—	.32	—	.12	.20	—	30
31	—	X	.25	X	.31	X	—	1.05	X	—	X	—	31
Total	2.73	1.87	2.35	1.89	3.38	1.74	1.42	9.68	3.12	7.09	3.05	2.57	YEAR'S TOTAL 41.09
Rain Days.	9	12	16	15	16	11	9	23	18	25	20	20	194

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Bodorgan Gardens

in the County of Anglesey

by H B Pilgrim.

Lat. ..... Long. .....

Time of Observation 9 AM

Nearest Railway Station Bodorgan 15.1.18

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.01	.12	.07	—	—	.25	.10	.03	.20	.09	1
2	.05	.12	—	.12	.08	—	—	.01	—	.14	.07	.83	2
3	—	.03	—	—	.12	—	—	—	.21	.93	.19	.02	3
4	—	.27	—	—	—	—	—	.04	.40	.58	.20	.10	4
5	—	—	—	.07	.23	—	—	.03	.24	.44	—	—	5
6	.01	.59	—	.40	.05	.64	—	—	—	.26	—	—	6
7	.30	.03	—	.08	.05	—	—	.01	.43	.19	.31	.09	7
8	.19	—	—	.03.	—	.20	.53	—	.08	.26	.03	—	8
9	—	.25	—	.10	—	.31	.21	—	.62	.74	.01	.35	9
10	.03	.07	.23	.02	.02	—	.25	—	.05	.22	.36	.03	10
11	.12	.03	.18	—	.07	—	.19	—	.06	.09	—	.33	11
12	—	.29	—	—	.12	.03	—	—	—	.01	—	—	12
13	—	.02	—	—	.07	—	—	—	.58	.12	—	—	13
14	1.03	—	—	—	.01	—	.16	—	.26	.01	—	.36	14
15	.12	—	—	—	—	—	1.40	—	2.43	.08	—	1.10	15
16	—	.06	—	—	—	.18	.15	.20	38	.15	—	.03	16
17	.15	—	.01	—	—	—	.02	.04	.02	.07	—	.58	17
18	.25	.12	.07	—	—	.28	.01	—	.18	.03	—	.18	18
19	.11	.23	.16	.30	—	—	.88	—	.08	.01	—	.15	19
20	.44	.49	—	.19	—	.17	.13	—	.14	—	—	—	20
21	.18	.06	—	—	.10	.03	.52	—	1.23	—	—	.10	21
22	.19	.01	—	—	.66	—	.22	—	.16	—	—	.55	22
23	.14	—	—	—	.67	.02	.01	—	.02	—	.04	—	23
24	.14	.21	—	—	—	—	.01	.07	.15	.06	.25	.07	24
25	—	—	—	—	.49	—	.20	.23	.49	.05	.12	.02	25
26	—	.07	—	—	—	—	.02	.14	.04	.06	.01	.22	26
27	.04	.09	.48	—	—	.08	—	.20	.25	.05	.23	.17	27
28	—	.08	.15	—	—	—	—	.01	.07	.01	.26	.21	28
29	—		.16	—	—	—	—	—	.24	—	—	.04	29
30	—	X	.09	—	—	—	—	.03	.02	—	.06	.08	30
31	—	X	.20	X	—	X	—	.02	X	.60	X	.10	31
Total	3.79	3.12	1.94	1.43	2.81	1.94	4.89	1.28	8.96	5.19	2.27	5.80	YEAR'S TOTAL 43.15
Rain Days.	17	20	11	10	15	10	19	14	27	25	15	24	205

W, 6,500, VII. 18. W W C

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Bodorgan Gardens

in the County of Anglesey

by H. B. Pilgrim

Lat. ..... Long. .....

Time of Observation 9 A.M.

Nearest Railway Station Bodorgan

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. . . in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.49	—	.05	—	.28	—	.05	—	1.75	.20	—	.27	1
2	.18	—	.66	.02	—	—	—	—	—	—	—	.08	2
3	.19	—	—	.08	.07	.17	.02	—	—	—	—	.07	3
4	.09	.16	.26	—	.04	.01	.22	.15	.10	—	—	.34	4
5	.12	.15	—	—	.17	—	—	—	—	—	—	.24	5
6	—	.05	.44	—	—	—	—	—	.08	—	—	.07	6
7	.11	—	.09	.30	—	.03	—	—	—	—	.22	—	7
8	.13	—	.10	—	—	.02	—	—	—	—	.33	—	8
9	.19	—	.05	.13	—	—	.01	—	—	—	.06	—	9
10	.35	—	.29	.02	.09	.02	—	—	—	.19	.05	.26	10
11	.11	—	1.29	.12	.04	—	.20	—	—	.15	—	.33	11
12	.02	—	—	—	—	.73	—	—	—	.05	.13	—	12
13	.20	—	—	.16	—	—	.15	—	—	.04	—	.22	13
14	.36	—	—	.08	—	—	.22	—	—	.15	—	.03	14
15	.68	.48	—	.12	—	—	—	—	—	.12	.11	.43	15
16	—	.05	.03	.02	—	—	.05	—	—	.18	.42	.14	16
17	—	.23	.04	.14	—	.02	.06	.53	—	—	.30	.09	17
18	.11	—	1.13	—	—	—	.25	.72	.12	—	.12	.41	18
19	.05	.06	.28	—	—	.25	—	.05	.09	—	.18	.20	19
20	.31	.07	.12	—	.66	.14	—	.04	.17	—	.03	.28	20
21	.04	.31	—	—	.02	—	.40	.01	.20	—	.07	.09	21
22	—	.06	—	—	—	.09	—	.02	.65	—	—	.38	22
23	—	—	—	—	—	.09	—	—	—	—	.01	.26	23
24	.03	—	—	.07	.23	.06	—	—	—	1.26	.04	.06	24
25	.47	—	—	.04	—	—	—	.58	.18	.40	.04	.06	25
26	.02	—	.19	.28	—	.18	—	.19	—	.10	.04	.30	26
27	.59	—	.05	.37	—	—	—	.12	.15	.05	.10	—	27
28	—	—	.04	.13	—	—	—	.78	—	—	—	.24	28
29	—	—	.06	.09	—	.02	—	.04	—	.05	.07	.40	29
30	—	X	.04	.24	—	.21	—	—	—	.03	.40	.48	30
31	.05	X	.57	X	—	X	.29	.18	X	—	X	.04	31
TOTAL	4.89	1.62	5.78	2.41	1.10	2.04	1.92	3.41	3.49 2.97	2.72	2.72	6.17	38.52
Days with .01 in. or more	23	10	20	18	9	15	12	13	10	14	19	26	189

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bodargan Gardens

in the County of Anglesea

by Mrs Pilgrim

Lat. ..... Long. .....

Time of Observation 9 AM

Nearest Railway Station Bodargan

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·02	·28	·16	·55	—	·71	·09	·29	·69	—	·40	1
2	—	·02	—	·09	·02	—	·29	·05	·40	—	—	·24	2
3	—	·19	—	—	·04	—	·38	·06	·24	·37	·10	—	3
4	—	—	—	—	·07	—	·04	1·77	·29	·28	·06	—	4
5	—	—	·17	—	1·20	—	·17	·10	·16	·23	—	—	5
6	—	—	·38	·20	·18	—	·03	—	—	·27	—	—	6
7	·20	·25	·11	·02	—	—	·14	·38	·03	—	·02	—	7
8	·24	—	—	·06	·07	—	·05	·22	·04	—	·01	·07	8
9	·36	·26	—	·99	—	—	·20	·01	·05	—	·02	—	9
10	·66	·06	·14	·02	—	·13	·03	—	—	—	—	·02	10
11	·23	—	·28	·07	·25	·04	·05	·04	—	—	·01	—	11
12	·29	·09	·02	·13	—	·80	·07	—	·10	·03	·26	·04	12
13	·10	—	·30	·05	—	·12	—	—	—	—	·03	—	13
14	·07	·21	·38	·26	·01	·64	·30	—	·71	·52	·25	—	14
15	·02	·19	·07	·08	—	·11	—	—	—	·21	·05	—	15
16	·05	—	·33	·16	·17	·18	·49	—	·13	·14	—	—	16
17	·06	—	·06	—	·23	·54	—	·31	·10	—	·01	—	17
18	·34	—	—	·13	·25	·05	—	·38	·12	—	—	—	18
19	—	·95	—	·19	·27	·05	·12	·22	—	—	—	—	19
20	·22	—	—	·25	—	—	·03	—	·33	·02	—	·42	20
21	—	—	—	·05	—	—	·48	·02	·05	—	—	·07	21
22	·26	—	—	·08	—	·02	·61	·51	—	—	—	—	22
23	·06	—	·24	·30	—	—	·28	—	—	—	—	·22	23
24	·19	—	·92	·05	—	·02	—	—	—	—	—	·55	24
25	·08	·25	·24	—	·12	·40	1·23	—	—	—	—	·01	25
26	·44	·10	·78	·33	—	·25	·02	—	·03	—	·17	·03	26
27	·28	·15	·57	·16	·04	·52	·19	—	—	—	·22	—	27
28	·02	·10	·38	·09	—	·02	·06	—	—	—	·05	·24	28
29	·21	·01	·02	—	·61	—	·50	—	—	—	·10	·07	29
30	·19	X	·59	·10	·03	·11	·21	—	·24	·13	·22	·26	30
31	·15	X	·64	X	·09	X	·04	·07	X	·90	X	·03	31
TOTAL	4·71	2·85	6·92	4·02	4·20	4·00	6·72	4·23	3·31	3·79	1·58	3·29	YEAR'S TOTAL 49·62
Days with ·01 in. or more	23	15	21	24	18	17	26	15	17	12	16	15	219
Days with ·04 in. or more	21	12	19	22	15	14	22	13	15	10	10	11	184

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

82

Cwd pa auth

RE

ANGLESEY

LLANGEFNI COUNTY SCHOOL.

1912—1914

5·20 FORM A2. BRITISH RAINFALL.

25 JAN 1913

Kept at Llangefni

in the County of Angl

by F. A. Evans

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·075		·270		·054	·018		·034	·153			·090	1
2	·03	·065	·765	·24	·055	·352			·031				2
3	·225		·036			·102		·304	·105		·036	·105	3
4	·308		·657		·024	·125		·551	·032		1·260	·030	4
5	·229		·007		·018			·054	·076	·265	·024		5
6	·121	·179			·015								6
7		·359	·114		·019	·102	·061		·074		·015	·057	7
8	·193	·098	·300	·05	·015	·468		·127	·013		·017	·013	8
9		·03	·051			·551	·018	·024			·081	·255	9
10	·201	·016				·276	·282			·015	·171	·081	10
11		·005	·009		·022	·014	·320				·225	·525	11
12	·14	·067	·463	·168		·039	·229				·045	·072	12
13	·026		·015			·09		·101	·059	·288		·225	13
14	·051		·152			·015		·121	·102	·016	·075	·117	14
15	·105	·035	·169			·222		·028		·150	·090	·078	15
16	·146	·068	·435					·172		·496	·018	·075	16
17	·129	·695	·093			·989		·130		·008	·113	·051	17
18	·015	·076	·027			·024		·173		·227	·064	·099	18
19	·008	·144	·261			·051		·572		·183		·013	19
20	·015		·037		·247		·114	·009		·508	·112	·035	20
21	·017	·037	·254		·141	·024	·015	·105		·525		·260	21
22		·178	·045		·104	·036	·096	·869		·045	·210	·065	22
23			·348				·017	·468		·210	·510		23
24		·075	·045			·165	·084			·088		·237	24
25			·052				·012	·031			·274	·064	25
26		·125	·288				·103	·327		1·560	·201	·178	26
27		·037	·171			·568	1·312	·017		·150	·049	·067	27
28		·055				·510	·491	·213	·036	·360	·390	·011	28
29		·022			·142		·297		·169	·166			29
30			·153		·089		·061			·555	·030	·017	30
31			·168		·72		1·258	·084		·077		·178	31
Total	2·034	2·366	5·385	·488	1·665	4·741	4·77	4·508	·850	5·892	4·010	2·998	TOTAL for year 39·707
No. of Rain Days.	18	20	27	3	14	21	17	22	11	20	22	26	221

2·034

W. 8,000, X. '11.

82

5·20

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

RE[illegible]

Kept at Llangefni

in the County of Anglesey

by F. A. Evans

RAIN GAUGE { Pattern ... Diameter of top ... in. Height of top above Ground ... ft. ... in. ,, ,, ,, Sea Level ... ft.

Time of Observation ...

Nearest Railway Station { Name ... Distance ... Direction ...

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·075		·270		·054	·018		·034	·153			·090	1
2	·03	·065	·765	·24	·055	·352			·031				2
3	·225		·036			·102		·304	·105		·036	·105	3
4	·308		·657		·024	·125		·551	·032		1·260	·030	4
5	·229		·007		·018			·084	·076	·265	·024		5
6	·121	·179			·015								6
7		·359	·114		·019	·102	·061		·074		·015	·057	7
8	·193	·098	·300	·08	·015	·468		·127	·013		·017	·013	8
9		·03	·051			·551	·018	·024			·081	·255	9
10	·201	·016				·276	·282			·015	·171	·081	10
11		·005	·009		·022	·014	·320				·225	·525	11
12	·14	·067	·463	·168		·039	·229				·045	·072	12
13	·026		·015			·09		·101	·059	·288		·225	13
14	·051		·152			·015		·121	·102	·016	·075	·117	14
15	·105	·035	·169			·222		·028		·150	·090	·078	15
16	·146	·068	·435					·172		·496	·018	·075	16
17	·129	·695	·093			·989		·130		·008	·113	·051	17
18	·015	·076	·027			·024		·173		·227	·064	·099	18
19	·008	·144	·261			·051		·572		·183		·013	19
20	·015		·037		·247		·114	·009		·508	·112	·035	20
21	·017	·037	·254		·141	·024	·015	·105		·525		·260	21
22		·178	·045		·104	·036	·096	·869		·045	·210	·065	22
23			·348				·017	·468		·210	·510		23
24		·075	·045			·165	·084			·088		·237	24
25			·052				·012	·031			·274	·064	25
26		·125	·288				·103	·327		1·560	·201	·178	26
27		·037	·171			·568	1·312	·017		·150	·049	·067	27
28		·055				·510	·491	·213	·036	·360	·390	·011	28
29		·022			·142		·297		·169	·166			29
30			·153		·089		·061			·555	·030	·017	30
31			·168		·72		1·258	·084		·077		·178	31
Total	2·034	2·366	5·385	·488	1·665	4·741	4·77	4·508	·850	5·892	4·010	2·998	TOTAL for year 39·707
No. of Rain Days.	18	20	27	3	14	21	17	22	11	20	22	26	221

2·034

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 5·20

31 JAN 1914

Kept at Llangefni

in the County of Anglesey

by F A Evans

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·024		·120		·01						·12		1
2	·198	·171	·172			·18					·17	·02	2
3	·081		·147		·20					·12		·26	3
4	·741	·054			·03	·15				·02	·06	·15	4
5	·351	·048	·084		·23	·15	·14			·26	·80	·02	5
6	·103	·171	·234		(·01)	·13	·17				·09	·24	6
7	·015	·320			·23	·36				·08	·11	·03	7
8		·331	·189				·05	·29	·17				8
9		·549	·045	·02	·06	·46		·10	·02		·10	·10	9
10	·097	·049	·066	·01				·05	·02	·03	·13		10
11	·516	·015		·26	·10	·08	·05			·03	·09	·01	11
12	·024				·29			·03	1·19		·83	·02	12
13			·435		·39		·15	·04	·76	·03	·15		13
14	·144		·045	·05	·01				·23	·44	·01		14
15	·234			·25				·14	·02		·01	·01	15
16				·03			·03				·04		16
17	·090		·156	·07		·075	·05				·41		17
18			·300	·18		·31	·10				·02		18
19	·135								·09	·17	·15		19
20	·036		·138	·05			·10			·12	·27		20
21			·241	·17	·06		·26	·10		·48			21
22	·390		·765			·08		·67	·41	·03			22
23	·132					·025		·07	·05		·09	·02	23
24	·351			·09		·03					·07	·03	24
25		·041		·06					·12	·04	·01		25
26		·078		·26					·33			·09	26
27	·108			·07						·06		·04	27
28			·045	·03	·03					·04		·04	28
29	·014		·054	·49	·05					·63	·01		29
30	·468			·01	·01					·01	·02		30
31	·018									·28			31
Total	4·270	1·827	3·236	2·30	1·71	2·03	1·30	1·49	3·41	2·87	3·76	1·08	YEAR'S TOTAL 29·283
Rain Days.	22	11	17	17	15	12	10	9	12	18	23	15	164

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

22 JAN 1915

5·05

May 4–8 interpolated from [illegible] Ex(MeC

Kept at Llangefni County School

in the County of Anglesey

by F. A. Evans

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·075			·17							1
2		·01											2
3	·01		·19	·04	·23								3
4	·03		·02	·07	(15)								4
5	·05		·10	·02	(12)	·07							5
6			·02		(10)	·04							6
7	·02	·05	·24	·01	(28)	·14							7
8	·33	·01		·01	(15)	·61							8
9	·51	·31	·11	·14	·21	·08							9
10		·12	·01		·06	·47							10
11		·20	·24		·10								11
12		·45	·18		·06								12
13		·17	·13	·03	·01								13
14		·04											14
15		·01	·13										15
16		·03	·03										16
17	·03	·33	·27										17
18			·14										18
19		·02	·12			·35							19
20		·48	·16			·01							20
21		·07				·05							21
22		·21			·04								22
23		·07	·10		·01	·01							23
24	·05		·02		·08								24
25	·02	·01	·04										25
26													26
27	·09												27
28	·04	·08	·07		·03								28
29	·20		·05		·08	·02							29
30	·01		·02										30
31	·08		·03		·03								31
Total	1·47	2·67	2·495	·32	(1·74)	2·02							YEAR'S TOTAL
Rain Days.	14	19	24	7	17	12							

W.7,000, XI. 13

ANGLESEY

LLANGEFNI

PENRHOS

1911 - 1914
1916 - 1920

RE

Kept at Llangefni

in the County of Anglesey

by C. H. Jones

Form A. British Rainfall. 26 JAN 1912

5 in.

Ground (ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								.07			.79	.11	1
2			.10		.03		.11	.09		.15		.31	2
3			.23		.97				.11	.01	.12		3
4			.10				.01	1.87			.21		4
5	.59		.11					.51			.32		5
6	.19										.12	.23	6
7	.38		.10								.32		7
8	.21		.36								.19		8
9	.45										.39	1.24	9
10		.12	.21						.17		.03	.59	10
11			.03						.03		.18		11
12									.98		.38	.07	12
13		.06	.10						.01		.36	.10	13
14		.56									.12	.03	14
15		.23									.32	.14	15
16			.09			.09					.42	.03	16
17	.04					.63					.67		17
18		.13		.05						.04	.36	.62	18
19				.40		.05	.07		.48	.12	.11	1.01	19
20		.17		.51		.36	.06	.23	.32	.29		.37	20
21		.26	.06	.36		.03	.07		.03	.17		.21	21
22	.04	.28				.05			.02	.80			22
23					.18				.33			.09	23
24	.06	.09		.45		.94		.08	.12	.53		.03	24
25		.36		.52		.10			.86	.42		.05	25
26		.04		.03		.09	.01	.10 .70	.02				26
27		.40		.31			.15	.48	1.35		.16	.03	27
28		.32		.22		.03	.02		.03	.32		.15	28
29				.12		.20	.24		.33	.80		.20	29
30			.03			.06			.03	.12	.17		30
31			.35							.10		.05	31
Total	1.96	3.02	1.87	2.97	1.18	2.63	.74	3.43	5.22	3.18	5.74	5.66	TOTAL for year 37.60
No. of Rain Days	8	13	13	10	3	12	9	8	17	13	20	21	147

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.
26 JAN 1912

RE[illegible]

Kept at Llangefni

in the County of Anglesey

by C. H. Jones

RAIN GAUGE — Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station — Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								.07			.79	.11	1
2			.10		.03		.11	.09		.15		.31	2
3			.23		.97				.11	.01	.12		3
4			.10				.01	1.87			.21		4
5	.59		.11					.51			.32		5
6	.19										.12	.23	6
7	.38		.10								.32		7
8	.21		.36								.19		8
9	.45										.39	1.24	9
10		.12	.21						.17		.03	.59	10
11			.03						.03		.18		11
12									.98		.38	.07	12
13		.06	.10						.01		.36	.10	13
14		.56									.12	.03	14
15		.23									.32	.14	15
16			.09			.09					.42	.03	16
17	.04					.63					.67		17
18		.13		.05						.04	.36	.62	18
19				.40		.05	.07		.48	.12	.11	1.01	19
20		.17		.51		.36	.06	.23	.32	.29		.37	20
21		.26	.06	.36		.03	.07		.03	.17		.21	21
22	.04	.28				.05			.02	.00			22
23					.18				.33			.09	23
24	.06	.09		.45		.94		.08	.12	.53		.03	24
25		.36		.52		.10			.86	.42		.05	25
26		.04		.03		.09	.01	.10 .70	.02				26
27		.40		.31			.15	.48	1.35		.16	.03	27
28		.32		.22		.03	.02		.03	.32		.15	28
29				.12		.20	.24		.33	.80		.20	29
30			.03			.06			.03	.12	.17		30
31			.35							.10		.05	31
Total	1.96	3.02	1.87	2.97	1.18	2.63	.74	3.43	5.22	3.18	5.74	5.66	TOTAL for year 37.60
No. of Rain Days	8	13	13	10	3	12	9	8	17	13	20	21	147

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2. 5·20
BRITISH RAINFALL.
25 JAN 1913

Kept at Tenlos Llangefni

in the County of Anglesey

by C. H. Jones

RAIN GAUGE { Pattern ____ Diameter of top ____ in. Height of top above Ground ____ ft. ____ in. ,, ,, ,, Sea Level ____ ft.

Time of Observation ____

Nearest Railway Station { Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. [ ]

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05		·09	·02	·02	·04	·01		·16			·12	1
2	·04	·09	·70		·19	·34			·27				2
3	·34	·12			·01	·10		·41	·11		·03	·11	3
4	·37		·89	·02	·02	·04		·82	·07		1·59	·04	4
5	·27	·05	·11		·07			·08	·13	·41	·06		5
6	·22	·07			·05				·12		·03	·01	6
7	·05		·63			·12	·10		·14		·02	·10	7
8	·13			·09	·01	·52		·12	·04		·06	·03	8
9		·13		·04		·83	·04	·04			·09	·24	9
10	·05		·09			·17	·45				·23	·07	10
11	·21			·03	·03		·28				·36	·57	11
12	·14		·28			·07	·14	·09			·13	·17	12
13	·03	·17	·10						·10	·31	·05	·34	13
14	·11	·03	·17			·17		·16	·03		·09	·13	14
15	·16	·10	·17			·24		·06			·15		15
16	·18		·38					·24		·76	·04		16
17	·23	·86	·20			1·10		·26		·03	·05	·08	17
18	·14	·11	·07			·07		·15		·31	·12	·10	18
19	·02	·15	·39			·10		·01		·07	·03	·13	19
20					·25					·78	·14	·11	20
21		·11	·09		·17	·02	·01	·07		·65		·30	21
22		·19	·38		·17	·10		·96		·07	·24	·07	22
23			·01				·34	·62		·16	·52	·11	23
24		·09	·07			·17	·33			·09	·03	·23	24
25			·09			·02		·04		·03	·36	·11	25
26		·05	·37				·16	·01		1·62	·13	·17	26
27		·13	·09			·26	1·76	·26		·30		·21	27
28			·17			·81	·22		·06	·37	·04	·01	28
29		·11			·18		·14	·01	·25	·18		·02	29
30			·25	·02	·10	·02	·02		·01	·57	·14	·03	30
31	·04		·31		·48		1·47	·11		·09		·02	31
Total	2·78	2·56	6·30	·22	1·75	5·31	5·47	4·52	1·49	6·80	4·73	3·63	TOTAL 45·56
No. of Rain Days.	19	17	24	6	14	21	15	20	13	18	25	27	219

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 31 JAN 1914

Kept at Llangefni

in the County of Anglesey

by C. R. Jones

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.09	.19		.03							.06	1
2	.13	.13	.16	.05	.20	.33					.03	.09	2
3	.34	.23	.19		.28					.16	.17	.42	3
4	.48	.11	.19		.06	.25				.04		.15	4
5	.11	.09	.16		.26	.16	.11			.21	.02	.36	5
6	.42	.28	.21		.09	.45	.28			.03	.07	.38	6
7		.38	.09		.27		.09			.11			7
8		.32	.17		.13	.45		.22	.15			.03	8
9		.33	.11		.09	.78		.09	.13	.05	.09		9
10		.06			.01	.04		.26	.03	.09	.03	.17	10
11	.60			.40	.07	.16	.14				.06		11
12	.06				.48				1.51		1.17	.09	12
13			.41		.45		.19		.82	.06	.06		13
14			.06	.30					.29	.94	.70	.11	14
15	.43		.23	.26					.06		.09		15
16			.06	.17			.10	.07					16
17	.11		.07	.04	.04		.15	.03		.07			17
18	.19		.27	.21			.32						18
19	.01		.11			.33				.18	.17		19
20	.07		.06	.07						.09	.01		20
21	.15		.38	.17	.03	.02		.09		.84			21
22	.03		.88			.10		1.09	.20	.06			22
23	.21					.04		.02	.44		.09		23
24	.43	.03		.23		.08					.06	.03	24
25	.23	.11		.09					.12	.07		.10	25
26	.32			.62					.34	.05		.20	26
27	.09			.13					.04	.10		.12	27
28	.31		.04	.05	.09					.10	.06	.03	28
29	.42		.06	.56	.09					.85			29
30	.48			.02	.08					.03	.03		30
31	.23									.30			31
Total	5.90	2.16	4.10	3.37	2.75	3.39	1.38	1.87	4.13	4.43	2.91	2.34	YEAR'S TOTAL 38.73
Rain Days.	24	12	21	16 17	18	13	8	8	12	21	17	15	185

W. 7,500, XI. 12

82

B & UNICC

REGISTER OF RAINFALL IN 1914

554

FORM A. BRITISH RAINFALL.

22 JAN 1915

Kept at Llangefni

in the County of Anglesey

by C. H. Jones

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01	.03	.05									1
2	.05	.09	.60										2
3	.03		.35										3
4	.10		.62	.04	.15								4
5	.12		.09	.09	.12								5
6			.12	.11	.10								6
7	.17	.03	.18	.17	.28								7
8	.56	.07	.10	.08	.15								8
9	.72	.43	.04	.12									9
10		.32	.34										10
11		.35	.03										11
12		.53	.28										12
13		.31		.04									13
14		.15	.19										14
15		.05	.23										15
16		.04	.32										16
17	.03	.62	.45										17
18			.29										18
19		.03	.10										19
20		.65	.29										20
21		.12											21
22		.62	.05	.08									22
23		.10											23
24	.19		.07	.10									24
25			.02										25
26	.03	.05	.08										26
27	.09	.07	.02										27
28	.26	.14	.11										28
29	.12		.03										29
30	.15		.08										30
31	.30												31
Total	2.92	4.78	5.11	.88									YEAR'S TOTAL
Rain Days.	15	21	25	10									

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1916

FORM A.2. BRITISH RAINFALL. 21 MAR 1917

Kept at Llangefni

in the County of Anglesey

by A. H. Williams Esqre

RAIN GAUGE — Pattern ____ Diameter of top 8" in. Height of top above Ground ____ ft. 9 in. " " " Sea Level 132 ft.

Time of Observation 9.30 am Llangefni

Nearest Railway Station — Name A. H. Williams Esqre Distance ____ mile Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.28	.36	.06			.14	.09		.36	.15	.23		1
2		.26	.76			.14	.79		.27	.98	.34	.04	2
3	.02	.34	.06	.23		.22			2.02	.38	.15	.14	3
4	.15	.05		.08		1.01			.19	.11		.10	4
5	.04	.74	.20				.10			.22	.21		5
6	.15	.44			.48		.07			.44	.23	.16	6
7		.07	.08		.08	.11	.16				.45	.30	7
8		.05	.13		.12					.19	.10	.05	8
9		.19	.03		.04		.44					.09	9
10	.03	.57		.26						.05			10
11	.06	.08		.27	.13		.34		.08	.12			11
12	.08	.15	.08		.27			.12	.04	.25			12
13		.24	.09	.12				.02	.05	.88			13
14	.06	.12			.41		.04	.29	.06	.08			14
15			.21		.10		.06	1.07	.08	.02			15
16		.09		.59	.10			.03		.06			16
17	.22	.31		.27				.09	1.09	.08			17
18	.11	.40	.05	.23				.19	.14			.12	18
19	.25			.05					.03		.57	.09	19
20	.27			.06							.16	.26	20
21	.04			.02	.10						.28		21
22	.09		.05					.07	.02	.09		.08	22
23			.13	.04				.20		.30	.42	.31	23
24	.06	.14	.10	.18	1.18			.25			.20	.08	24
25	.04	.04			.22	.03		.38	.11	.08		.06	25
26		.05	.10			.04			.15	.15	.04		26
27		.11			.14	.04			.26	.29	.58		27
28	.10	.08								.24	.23	.65	28
29		.10				.30		.03		.54	.33	.41	29
30	.12					.60				.07	.52	.03	30
31					.33			.36		.19		.02	31
Total	2.20	5.04	2.13	2.40	3.70	2.66	2.12	3.10	4.95	5.96	5.07	2.99	TOTAL for year 42.32
No. of Rain Days	19	23	15	13	14	10	9	13	16	24	14	18	191

7,000. X. '09.

REGISTER OF RAINFALL IN 1917.

FORM A. BRITISH RAINFALL.

18 JAN 1918

Kept at Anglesey. Llanfechell

in the County of Anglesey

by The Meteorological Office, R.N. Airship Station Llanfechell Anglesey.

Lat. 53° 20' N. Long. 4° 28'

Time of Observation 9 am

Nearest Railway Station Llanfechell

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 189 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Nil	Nil	Nil	.85	Nil	Nil	Nil	Nil	.12	Nil	.04	.16	1
2	.22	Nil	Nil	Nil	Nil	.05	Nil	Nil	Nil	.06	.28	nil	2
3	Nil	.40	Nil	Nil	Nil	.35	Nil	Nil	Nil	.71	.08	.04	3
4	.01	.06	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.51	nil	.16	4
5	.25	Nil	.05	.17	Nil	Nil	Nil	Nil	.12	.29	.245	.08	5
6	Nil	Nil	.01	.01	Nil	.22	Nil	Nil	Nil	.46	.12	.08	6
7	.55	Nil	Nil	.16	Nil	.06	Nil	.05	Nil	.03	.2	.28	7
8	Nil	Nil	Nil	.09	Nil	Nil	Nil	1.26	.23	.45	.205	.04	8
9	Nil	Nil	.03	.03	.20	Nil	Nil	.72	Nil	.64	.04	.16	9
10	.63	Nil	.96	.35	.09	Nil	Nil	.06	Nil	.24	.08	nil	10
11	Nil	Nil	Nil	Nil	.02	Nil	Nil	.16	Nil	.89	.08	nil	11
12	.35	Nil	.05	.15	1.06	Nil	Nil	.01	.33	.28	.16	.12	12
13	.04	Nil	.01	.19	Nil	.02	Nil	1.17	.59	.38	nil	~~.04~~ nil	13
14	(.08)	Nil	Nil	.07	.10	Nil	Nil	.04	Nil	.08	.12	~~.31~~ nil	14
15	Nil	Nil	Nil	.11	Nil	Nil	.02	Nil	.06	.24	nil	.04	15
16	Nil	.06	Nil	.16	Nil	Nil	Nil	1.26	.08	.12	nil	.31	16
17	.08	Nil	.22	.43	.06	Nil	.55	.91	.07	.01	.04	~~1.10~~ nil	17
18	Nil	Nil	.05	.01	.24	Nil	.25	.02	.69	.02	nil	~~1.10~~ nil	18
19	Nil	.54	.13	Nil	Nil	Nil	Nil	.02	.02	Nil	nil	.16	19
20	Nil	.23	Nil	Nil	.31	.54	Nil	Nil	.02	.06	.04	nil	20
21	Nil	Nil	.06	Nil	.25	Nil	Nil	Nil	.03	.18	.12	.12	
22	Nil	.27	Nil	Nil	Nil	.03	Nil	.52	.14	.22	.08	.04	
23	Nil	.09	Nil	Nil	.20	.74	Nil	.25	.04	.04	nil	nil	
24	Nil	Nil	Nil	Nil	Nil	Nil	.17	.08	.06	.49	.04	nil	
25	Nil	.09	.06	Nil	.01	Nil	.01	.12	.35	.03	nil	nil	25
26	Nil	Nil	Nil	Nil	.51	Nil	Nil	.06	.34	.14	.55	.04	26
27	Nil	.01	.20	Nil	.43	.04	.35	1.29	Nil	.24	.24	nil	27
28	Nil	.01	.05	Nil	Nil	Nil	.03	.28	Nil	.34	nil	nil	28
29	Nil	X	.02	Nil	Nil	Nil	Nil	.01	Nil	.90	nil	.08	29
30	Nil	X	.10	Nil	Nil	Nil	Nil	.17	Nil	.08	.04	nil	30
31	Nil	X	.07	X	.33	X	Nil	1.04	X	Nil	X	nil	31
Total	2.21	1.76	2.07	2.78	3.81	2.05	1.38	9.50	3.29	8.13	2.8	3.36	YEAR'S TOTAL 43.14
Rain Days.	9	10	16	14	14	9	7	22	17	28	~~20~~ 19	~~17~~ 19	184

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Pernhos Llangefni

in the County of Anglesey

by M. H. Jones

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.13				.51	.10	.50	.15	.19	1
2	.04	.05		.09				.01	.02	.31	.02	.90	2
3		.02			.26				.15	.85	.05		3
4		.30						.05	.42	.54	.15	.10	4
5		.07			.22			.10	.13	.56			5
6	.02	.60		.27					.02	.05		.09	6
7	.10	.04		.02	.07	.67			.18	.06	.19		7
8	.67	.15		.07		.25	.37		.10	.47	.05	.03	8
9	.03	.16		.10		.47	.32		.04	.80		.29	9
10	.05	.13	.21				.36		.74	.27	.16	.03	10
11	.08	.03	.17	.01	.02		.07		.02			.33	11
12		.34			.12	.02			.29				12
13		.01			.04				.37	.10			13
14	1.58					.12	.29	.02	.06			.95	14
15	.16	.09					.80		2.83	.14		.83	15
16		.01				.06	.50	.10	.57	.05		.06	16
17	.17	.01					.11			.16		.39	17
18	.35	.25	.08			.21		.03	.10			.23	18
19	.08	.28	.08	.22			.83		.05	.03		.19	19
20	.32	.50		.22	.19	.28	.19		.25				20
21	.20	.10		.01		.09	.28		1.33			.14	21
22	.13	.02			.54		.40		.21				22
23	.20				.83		.07		.11		.05		23
24	.07	.29				.01	.06	.08	.32	.08	.17		24
25	.02				.41		.20	.21	.62	.04	.12	.07	25
26	.01	.05					.21	.35	.13	.04		.20	26
27		.31	.57			.08		.03	.30	.07	.45	.37	27
28	.08	.07	.19					.01	.19		.30	.40	28
29			.18						.50			.10	29
30		X	.06					.02	.11		.10	.31	30
31		X	.03	X		X	.03		X	.41	X	.16	31
Total	4.36	3.88	1.57	1.14	2.70	2.26 ~~2.36~~	5.09 ~~5.10~~	1.52 ~~1.44~~	10.26 ~~10.29~~	5.53	1.96	6.36	YEAR'S TOTAL 40.63 ~~40.69~~
Rain Days.	20	24	9	10	10	11	17	13	29	20	13	22	198

W. 8,000, IX. 17.

Exa 970

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

Kept at Llangefni

in the County of Anglesey

by P.T. Creswell, in charge of R.A.F. Met. Station, Llangefni, Anglesey

Lat. 53° 15' 5" N Long. 4° 22' 21" W

Time of Observation 9 a.m. G.M.T 21.1.18

Nearest Railway Station Llangefni.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 189 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	2.2	-	4.9	0.4	-	-	9.3	2.9	0.9	5.1	4.8	1
2	1.0	1.8	-	0.5	-	-	-	-	-	5.5	0.8	22.4	2
3	-	1.0	-	-	4.9	-	-	-	5.0	21.0	2.1	0.5	3
4	0.2	4.1	-	-	-	-	-	2.1	9.0	10.4	8.4	2.9	4
5	-	1.8	-	4.5	6.9	-	-	0.8	3.4	11.5	-	0.3	5
6	0.5	11.8	-	4.5	-	14.9	-	-	-	4.4	-	1.9	6
7	0.9	0.4	-	0.4	1.5	-	-	0.3	10.4	1.1	4.5	0.3	7
8	8.1	2.2	-	1.8	-	8.2	16.3	-	0.4	9.4	0.5	0.5	8
9	-	3.2	-	3.2	-	6.3	5.2	-	14.1	19.2	0.2	4.9	9
10	1.2	2.2	6.5	0.5	-	-	5.5	-	0.2	5.2	8.4	3.3	10
11	1.8	0.6	5.9	-	0.4	-	0.2	0.4	1.4	0.8	-	9.2	11
12	-	8.3	-	-	4.5	0.4	1.5	-	0.6	-	-	-	12
13	-	0.2	-	-	0.8	-	-	-	12.1	2.9	-	-	13
14	34.2	-	-	-	-	1.5	5.0	0.2	2.8	-	-	11.3	14
15	3.9	-	-	-	-	0.6	23.1	-	66.1 2.60	1.0	-	33.6	15
16	-	2.0	-	-	-	2.5	4.0	3.0	12.5	1.3	-	3.5	16
17	3.1	0.4	0.3	-	-	0.9	0.5	0.6	0.3	1.9	-	13.3	17
18	4.4	4.3	1.9	-	-	6.4	-	-	1.5	1.1	-	5.4	18
19	3.4	5.4	2.6	6.3	-	-	23.2	-	0.4	0.5	-	3.9	19
20	9.1	11.2	-	3.8	2.0	5.8	1.4	0.2	5.9	-	-	-	20
21	4.1	1.0	-	-	-	1.6	11.5	-	28.4	-	-	3.5	21
22	4.3	0.2	-	-	15.5	-	10.2	0.9	3.4	-	-	15.8	22
23	4.9	-	-	-	15.8	0.3	2.4	-	0.2	-	1.8	0.5	23
24	2.0	5.6	-	-	-	-	1.8	3.6	4.0	1.4	4.4	1.1	24
25	-	-	-	-	11.0	-	4.6	3.5	15.1	0.8	3.4	-	25
26	1.8	1.3	-	-	-	-	2.3	0.6	1.0	1.0	0.3	5.4	26
27	.8	8.2	13.6	-	-	2.3	-	11.3	9.9	2.0	4.8	8.1	27
28	-	0.4	3.5	-	-	-	-	0.2	0.4	0.2	4.8	8.3	28
29	0.3	X	4.4	-	-	-	-	-	5.3	-	-	1.2	29
30	-	X	1.4	-	-	-	-	0.3	0.9	1.1	1.9	1.5	30
31	-	X	1.5	X	-	X	-	0.5	X	13.4	X	5.1	31
Total	96.3	80.4	41.9	30.4	66.4	51.4	122.0	34.8	224.5	118.6	60.4	143.1	YEAR'S TOTAL 1104.1
Rain Days.	20	24	10	10	11	13	14	14	28	24	15	24	216
	3.79	3.17	1.64	1.20	2.62	2.04	4.80	1.49	8.84	4.67	2.39	6.81	43.46

W. 6,500, VII. 18.

3918

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL. 1570.20

Kept at Llangefni check 9.

in the County of Anglesey

by Air Ministry (Extracted from Hyetograph charts)

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	mm	mm	mm	mm	mm	mm							
1	9.7	-	2.1	trace	7.6	-							1
2	4.7	-	17.5	2.7	-	-							2
3	3.9	-	-	trace	1.4	5.4							3
4	3.4	2.2	7.6	-	0.8	trace							4
5	4.7	2.3	0.3	-	5.2	-							5
6	-	1.3	11.3	-	-	-							6
7	2.3	trace	2.0	10.1	-	0.9							7
8	3.2	-	2.6	-	-	0.2							8
9	2.4	-	1.4	3.8	-	-							9
10	9.1	-	6.5	0.3	0.7	trace							10
11	2.7	-	32.4	2.5	0.6	0.5							11
12	3.1	trace	-	0.4	0.2	9.3							12
13	7.2	0.8	-	3.8	-	-							13
14	8.9	0.5	-	3.1	-	-							14
15	13.4	9.5	-	3.1	trace	-							15
16	1.2	2.1	0.3	0.8	-	0.3							16
17	-	9.1	0.8	3.6	trace	0.6							17
18	2.8	-	27.7	-	-	-							18
19	1.8	2.8	8.0	-	-	7.7							19
20	6.6	0.9	3.6	-	5.1	3.6							20
21	1.1	9.5	-	-	-	-							21
22	-	1.2	-	-	-	4.3							22
23	-	-	-	0.6	-	0.4							23
24	0.8	trace	-	0.4	4.6	1.1							24
25	11.2	-	-	1.4	-	-							25
26	1.5	0.2	-	5.7	-	3.0							26
27	18.2	-	-	1.0	-	-							27
28	-	-	0.5	2.6	-	-							28
29	0.2	X	0.6	1.6	-	-							29
30	0.4	X	5.9	6.5	-	6.0							30
31	0.7	X	4.7	X	-	X			X		X		31
													YEAR'S TOTAL
Total	125.2	42.4	135.8	54.0	26.2	43.3							
Rain Days.	26	13	19	19	9	14							

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Penrhos Llangefni

in the County of Anglesey

by M. N. Jones

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Funnel of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.31		.05		.35		.12		1.55	.25		.31	1
2	.19	.01	.69	.09							.05	.28	2
3	.04			.05	.01	.30					.02		3
4	.10	.10	.30		.11		.24	.20	.11			.41	4
5	.41	.08	.02		.15				.01			.27	5
6			.49						.11				6
7	.06		.09	.39		.01					.30	.06	7
8	.20		.08								.25		8
9	.13		.07	.12							.03	.06	9
10	.10		.30							.18		.14	10
11	.30		1.32	.15					.01	.08	.05	.36	11
12			.05			.45			.07	.05	.12		12
13	.28			.22			.10			.04	.57	.21	13
14	.07	.11		.03			.18			.30		.03	14
15	.50	.22		.09						.11		.36	15
16	.43	.13	.01								.56	.23	16
17		.41	.02			.04	.01	.58			.35		17
18	.09	.04	1.98	.04	.05		.30	.48	.16		.23	.45	18
19	.10	.12	.36			.49		.20	.02		.10	.12	19
20	.19	.02	.17			.15			.35		.06	.16	20
21	.02	.47					.33		.46		.08	.50	21
22		.09				.21			.87			.96	22
23										1.70	.21	.04	23
24	.18				.20	.01		.01	.12	.03	.02	.49	24
25	.40			.09	.15			.71	.36		.15	.01	25
26	.17			.51		.13		.38	.11	.11	.05	.28	26
27	.23	.01	.22	.06				.09	.09	.01		.01	27
28	.19							1.15		.09	.20	.30	28
29			.05	.11				.12	.01	.03	.05	.37	29
30	.03	X	.03	.25		.29	.29		.12		.27	.36	30
31	.02	X	.49	X		X		.06	X	.03	X		31
Total	4.74	1.81	6.79	2.20	1.02	2.08	1.57	3.98	4.73	3.01	3.72	6.77	YEAR'S TOTAL 42.62
Rain Days.	25	13	20	14	7	10	8	11	17	14	21	25	185

W. 6,500, VII. 18. W W & S

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Llangefni, Penrhos

in the County of Anglesey

by Miss M. Nicholls-Jones

Lat..... Long.....

Time of Observation.....

Nearest Railway Station.....

Diameter of Funnel of Rain Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

" " " " Sea Level.....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.27	.10	.56	.01	.77	.04	.24	.70		.31	1
2				.17	.01		.22	.25	.38			.22	2
3		.19		.07	.03		.25	.10	.25	.27			3
4					.03		.35	2.00	.25	.25			4
5			.21		1.50		.05	.13	.14	.45			5
6			.58	.18	.18		.02			.20			6
7	.22	.38	.04	.05			.12	.20	.03				7
8	.24			.16	.10		.81	.41			.06	.10	8
9	.35	.20	.03	.79			.22		.09		.09		9
10	.58	.06	.10				.04						10
11	.20		.25	.14	.28	.02	.05						11
12	.31	.10	.15	.30		.96	.09		.07				12
13	.12	.10	.11	.07		.05			.02		.29		13
14	.07	.37	.51	.36		.10	.46		.62	.33	.18		14
15	.02			.10		.42				.20	.30		15
16	.07		.27	.12	.13	.31	.67		.15	.14			16
17	.13		.07		.14	.48		.29	.19				17
18	.31	.04		.08	.25	.27		.33	.18				18
19	.03	1.46		.16	.32	.07	.23						19
20	.21			.15	.08		.05		.35			.22	20
21	.01			.08			.41	.04				.20	21
22	.26			.14			.79	.16					22
23	.27		.28	.41			.36						23
24	.01		.90	.04								.56	24
25	.30	.28	.49		.22	.10	1.68					.36	25
26	.21	.26	1.08	.32					.08		.23		26
27	.11	.02	.53	.20	.08	.50	.10				.22		27
28	.11	.08	.40			.03	.30				.03	.48	28
29					.58		.20				.14	.70	29
30	.26		.40	.11	.04	.11	.20		.37		.28		30
31	.27		.33		.10			.16		.01		.06	31
TOTAL	4.67	3.54	7.00	4.30	4.63	3.43	8.44	4.11	3.41	2.55	1.82	3.21	YEAR'S TOTAL 51.11
Days with .01 in. or more	24	13	20	23	18	14	24	12	16	9	10	10	193
	04	20	12	19	23	15	11	23	12	14	8	9	10	176

(44,283). Wt. 11058—218. 7500. 10/19. Gp.132. A.&E.W.

Removed Ra

LLANGWILOG
TRESCAWEN
1911 - 1920

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

L IN 1911

Kept at

in the County of

by J. H. Pr

Pattern
Diameter of top 5 in.
Height of top above Ground ft. 12 in.
" " " Sea Level 239 ft.
of Observation g.A.M.
t Railway Station { Name Llangwillog / Distance Direction

IMPORTAN at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0.04	—	0.21	—	—	0.15	—	0.02	0.71	0.22	1
2	—	—	0.04	—	0.42	—	0.05	0.07	—	0.17	—	0.25	2
3	—	—	0.30	—	0.57	—	0.03	—	0.09	—	0.36	0.36	3
4	—	—	0.19	—	0.08	—	—	1.96	0.02	—	0.44	0.12	4
5	0.60	—	0.13	0.02	—	—	—	0.42	—	0.17	—	—	5
6	0.15	—	0.03	0.03	—	—	—	0.51	—	—	—	0.52	6
7	0.30	—	0.07	—	—	—	—	—	—	—	0.41	—	7
8	0.19	—	0.25	—	—	—	—	—	—	—	0.10	0.10	8
9	—	—	—	—	—	—	—	—	—	—	0.36	1.04	9
10	0.45	0.06	0.22	—	0.06	—	—	—	0.03	—	0.02	0.84	10
11	0.06	—	—	—	—	—	—	—	—	—	0.19	0.02	11
12	—	—	0.40	—	—	—	—	0.02	0.84	—	0.29	—	12
13	0.01	0.08	—	—	—	—	—	—	—	—	0.50	0.12	13
14	—	0.62	—	—	—	—	—	—	—	—	0.18	0.12	14
15	0.05	0.26	0.02	—	—	—	—	—	0.01	—	0.25	0.03	15
16	0.02	—	0.06	—	—	0.73	—	—	—	—	0.36	0.27	16
17	—	—	—	—	—	0.23	—	0.08	—	—	0.31	0.28	17
18	—	0.07	—	0.08	—	0.05	—	—	—	0.12	0.35	0.98	18
19	—	—	—	0.43	—	—	0.04	—	0.64	0.19	0.11	0.76	19
20	—	0.22	—	0.55	—	0.02	0.16	0.18	0.29	0.20	—	0.11	20
21	—	0.17	0.04	0.26	—	0.05	0.04	—	0.04	0.19	—	0.02	21
22	0.03	0.16	—	0.03	—	0.04	0.02	—	—	0.03	—	0.22	22
23	—	0.17	—	—	0.16	—	—	0.12	0.39	0.34	—	0.22	23
24	0.04	0.17	—	0.51	0.02	0.99	—	—	0.02	0.56	—	0.05	24
X25X	—	0.02	—	0.29	X—	0.08	—	—	0.87	0.37	—	0.10	25
26	—	0.30	—	0.16	—	—	0.06	0.20	—	0.43	0.02	0.13	26
27	—	0.43	0.02	0.04	—	—	0.15	0.45	0.80	—	0.03	0.09	27
28	—	0.14	—	0.13	—	0.10	—	—	—	—	0.07	0.08	28
29	—		—	—	—	0.22	0.30	—	0.42	0.80	—	0.28	29
30	—		0.02	—	—	0.03	—	—	—	0.25	0.21	—	30
31	—		0.21	2.53	—		—	—		0.09		0.05	31
Total	1.90	2.87	2.04	~~2.48~~	1.52	2.54	0.85	4.16	4.46	3.93	5.27	7.38	TOTAL for year 39.45
No. of Rain Days	11	14	16	12	7	11	9	11	13	15	20	27	166

9,000, IX. '10.

2·53

39·45

Removed Re

REGISTER OF RAINFALL IN 1911

FORM A 2.
BRITISH RAINFALL.
20 JAN 1912

Kept at Trescawen

in the County of Anglesey

by J. H. Pritchard Rayner Esqre

RAIN GAUGE: Pattern ____ Diameter of top 5 in. Height of top above Ground ____ ft. 12 in. " " " Sea Level 239 ft.

Time of Observation 9. AM

Nearest Railway Station: Name Llangwyllog; Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0.04	—	0.21	—	—	0.15	—	0.02	0.71	0.22	1
2	—	—	0.04	—	0.42	—	0.05	0.07	—	0.17	—	0.25	2
3	—	—	0.30	—	0.57	—	0.03	—	0.09	—	0.36	0.36	3
4	—	—	0.19	—	0.08	—	—	1.96	0.02	—	0.44	0.12	4
5	0.60	—	0.13	0.02	—	—	—	0.42	—	0.17	—	—	5
6	0.15	—	0.03	0.03	—	—	—	0.51	—	—	—	0.52	6
7	0.30	—	0.07	—	—	—	—	—	—	—	0.41	—	7
8	0.19	—	0.25	—	—	—	—	—	—	—	0.10	0.10	8
9	—	—	—	—	—	—	—	—	—	—	0.36	1.04	9
10	0.45	0.06	0.22	—	0.06	—	—	—	0.03	—	0.02	0.84	10
11	0.06	—	—	—	—	—	—	—	—	—	0.19	0.02	11
12	—	—	0.40	—	—	—	—	0.02	0.84	—	0.29	—	12
13	0.01	0.08	—	—	—	—	—	—	—	—	0.50	0.12	13
14	—	0.62	—	—	—	—	—	—	—	—	0.18	0.12	14
15	0.05	0.26	0.02	—	—	—	—	—	0.01	—	0.25	0.03	15
16	0.02	—	0.06	—	—	0.73	—	—	—	—	0.36	0.27	16
17	—	—	—	—	—	0.23	—	0.08	—	—	0.31	0.28	17
18	—	0.07	—	0.08	—	0.05	—	—	—	0.12	0.35	0.98	18
19	—	—	—	0.43	—	—	0.04	—	0.64	0.19	0.11	0.76	19
20	—	0.22	—	0.55	—	0.02	0.16	0.18	0.29	0.20	—	0.11	20
21	—	0.17	0.04	0.26	—	0.05	0.04	—	0.04	0.19	—	0.02	21
22	0.03	0.16	—	0.03	—	0.04	0.02	—	—	0.03	—	0.22	22
23	—	0.17	—	—	0.16	—	—	0.12	0.39	0.34	—	0.22	23
24	0.04	0.17	—	0.51	0.02	0.99	—	—	0.02	0.56	—	0.05	24
X25X	—	0.02	—	0.29	X—	0.08	—	—	0.87	0.37	—	0.10	25
26	—	0.30	—	0.16	—	—	0.06	0.20	—	0.43	0.02	0.13	26
27	—	0.43	0.02	0.04	—	—	0.15	0.45	0.80	—	0.03	0.09	27
28	—	0.14	—	0.13	—	0.10	—	—	—	—	0.07	0.08	28
29	—		—	—	—	0.22	0.30	—	0.42	0.80	—	0.28	29
30	—		0.02	—	—	0.03	—	—	—	0.25	0.21	—	30
31	—		0.21	2.53	—		—	—		0.09		0.05	31
Total	1.90	2.87	2.04	~~2.53~~	1.52	2.54	0.85	4.16	4.46	3.93	5.27	7.38	TOTAL for year 39.45
No. of Rain Days	11	14	16	12	7	11	9	11	13	15	20	27	166

9,000, IX. '10.

2.53

39.45

FORM A2.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1912

Kept at Trescawen

in the County of Anglesey

by J. H. Pritchard Rayner. Esqr.

RAIN GAUGE — Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 239 ft.
Time of Observation 9 A.m.
Nearest Railway Station — Name Llangwyllog
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.10	0.02	0.28	—	0.10	0.02	0.02	0.02	0.15	—	—	0.11	1
2	0.02	0.09	0.76	0.12	0.07	0.36	—	—	0.03	—	—	—	2
3	0.00	—	0.05	—	—	0.10	—	0.29	0.15	—	0.04	0.24	3
4	0.32	—	0.56	—	0.04	0.10	—	0.77	0.07	—	1.58	0.08	4
5	0.20	—	—	—	0.04	—	—	0.13	0.14	0.53	0.05	0.02	5
6	0.29	0.25	—	—	0.03	—	—	—	—	—	—	—	6
7	—	0.17	0.09	0.03	0.05	0.11	0.13	—	0.11	—	0.02	0.50	7
8	0.30	0.19	0.35	0.13	0.04	0.45	—	0.05	0.03	—	0.05	—	8
9	—	0.04	0.10	0.10	—	0.28	0.07	0.02	—	—	0.10	0.33	9
10	0.20	—	—	—	—	0.13	0.42	—	—	—	0.17	0.10	10
11	0.04	—	—	—	0.02	—	0.38	—	—	—	0.31	0.56	11
12	0.19	0.14	0.55	0.03	—	0.06	0.25	—	—	—	0.09	0.11	12
13	0.08	—	0.13	—	—	0.09	—	0.11	—	0.40	0.02	0.27	13
14	0.09	0.05	0.17	—	—	0.10	—	0.15	0.08	—	0.09	0.24	14
15	0.11	0.03	0.09	—	—	0.16	—	0.06	—	0.13	0.18	0.07	15
16	0.18	0.10	0.41	—	—	—	—	0.26	—	0.45	0.02	—	16
17	0.31	0.70	0.11	—	—	1.10	—	0.28	—	—	0.13	0.09	17
18	0.12	0.12	0.07	—	—	0.05	—	0.11	—	0.26	0.15	0.15	18
19	—	0.04	0.28	—	0.04	0.10	—	0.69	—	0.30	—	0.03	19
20	0.05	—	0.05	—	0.22	—	0.03	—	—	0.72	0.11	0.03	20
21	—	0.04	0.30	0.03	0.20	0.07	0.05	0.04	—	0.57	—	0.41	21
22	—	0.26	—	—	0.14	0.06	0.13	0.86	—	0.04	0.34	0.06	22
23	—	—	0.39	—	—	—	0.02	0.65	—	0.33	0.47	0.05	23
24	—	0.07	0.03	—	—	0.15	0.25	—	—	0.04	—	0.31	24
25	—	—	0.07	—	—	—	—	0.03	—	—	0.37	0.17	25
26	—	0.07	0.31	—	—	—	0.15	0.41	—	1.57	0.13	0.03	26
27	—	0.08	0.21	—	—	0.65	1.68	0	—	0.33	0.06	0.08	27
28	—	0.06	—	—	—	0.56	0.27	0.34	—	0.33	0.41	—	28
29	—	0.06	—	—	0.11	—	0.34	0.02	0.30	0.19	—	—	29
30	—		0.21	—	0.53	—	0.04	—	—	0.62	0.07	0.03	30
31	0.1		0.26		0.51		1.54	0.05		0.08		0.34	31
Total	2.91	2.58	5.83	0.44	2.14	4.70	5.77	5.34	1.06	6.91	4.88	4.41	TOTAL for year 46.97
No. of Rain Days.	18	20	24	6	15	20	17	21	9	17	23	25	215

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 16 JAN 1914

Kept at Trescawen, Llangwyllog

in the County of Anglesey

by J. H. Pritchard Rayner

RAIN GAUGE { Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 239 ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name Llangwyllog
Distance 1½ m. Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.03	—	0.18	0.15	—	—	—	—	—	—	0.25	—	1
2	0.25	0.18	0.22	—	0.23	0.34	—	—	—	—	0.32	0.10	2
3	0.10	—	0.16	—	0.25	[illegible]	—	—	—	0.12	—	0.42	3
4	0.59	0.12	—	—	0.05	0.41	—	—	—	0.02	0.09	0.29	4
5	0.43	0.15	0.08	—	0.28	0.21	0.19	—	—	0.24	0.61	—	5
6	0.12	0.21	0.27	—	—	0.35	0.11	—	—	—	0.14	0.25	6
7	0.04	0.32	0.03	—	0.27	0.50	—	—	—	0.10	0.16	0.14	7
8	—	0.28	0.18	—	0.06	—	0.08	0.21	0.10	—	—	0.08	8
9	—	0.56	0.14	0.04	0.08	0.74	0.02	0.08	0.15	—	0.19	0.16	9
10	0.05	0.05	0.06	0.02	0 —	—	—	0.12	0.03	0.05	0.12	—	10
11	0.48	—	—	0.40	0.12	0.11	0.10	—	—	0.07	0.11	0.16	11
12	0.04	—	—	—	0.41	0.19	0.03	0.06	1.70	—	0.82	0.02	12
13	—	—	0.45	—	0.45	—	0.15	0.06	0.90	0.12	0.32	—	13
14	0.03	—	0.05	0.20	—	—	—	—	0.23	0.85	—	0.04	14
15	0.25	—	0.14	0.60	—	—	—	0.03	0.02	—	0.11	0.05	15
16	—	—	0.06	0.05	—	—	0.05	—	—	—	0.08	—	16
17	0.08	—	0.03	0.03	—	—	0.09	—	—	—	0.65	—	17
18	0.02	—	0.39	0.19	0.04	0.11	0.16	—	—	—	0.04	—	18
19	0.13	—	—	—	0.04	0.47	—	—	0.13	0.22	0.28	—	19
20	0.03	—	0.20	0.08	0.07	—	0.13	—	—	0.23	0.81	—	20
21	—	—	0.39	0.10	0.08	—	0.54	0.12	—	0.22	—	—	21
22	0.42	—	0.90	—	0.02	0.12	—	0.77	0.43	0.05	—	—	22
23	0.27	—	—	—	—	0.04	—	0.09	0.10	0.02	0.10	0.01	23
24	0.35	—	—	0.25	—	0.07	—	—	—	—	0.32	0.04	24
25	—	0.10	—	0.11	—	—	—	—	0.16	0.04	0.03	0.25	25
26	—	0.08	—	0.63	—	—	—	—	0.34	0.02	—	0.20	26
27	0.12	—	—	0.87	—	—	—	—	—	0.09	—	0.08	27
28	0.33	—	0.03	0.05	0.07	—	—	—	—	0.15	—	0.22	28
29	—		0.09	0.66	0.03	—	—	—	—	0.74	0.04	—	29
30	0.59		—	—	0.02	—	—	—	—	0.08	0.04	—	30
31	—		—		—		—	—		0.38		—	31
Total	4.75	2.05	4.05	3.63	2.57	3.66	1.65	1.54	4.29	3.81	5.63	2.51	TOTAL for year 40.14
No. of Rain days.	22	10	20	17	18	13	12	9	12	20	22	17	192

REGISTER OF RAINFALL IN 1914

ex Lyce

FORM A. BRITISH RAINFALL. 18 FEB 1915

Kept at Trescawen, Llangwyllog

in the County of Anglesey.

by J. H. Pritchard Raynes.

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Llangwyllog

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level 239 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0.02	0.13	—	—	0.14	0.73	0.10	—	—	—	0.22	1
2	—	0.13	—	—	0.01	—	0.32	0.04	—	—	0.13	0.38	2
3	0.06	—	0.45	0.09	0.37	—	—	0.01	—	—	—	1.11	3
4	0.17	0.01	0.04	0.18	0.11	—	0.24	—	—	—	—	0.33	4
5	0.02	—	0.23	0.11	0.25	—	0.14	0.07	—	0.03	0.47	—	5
6	0.06	—	0.03	—	0.12	—	—	0.12	—	—	0.01	0.07	6
7	0.13	0.11	0.28	—	0.20	—	0.18	0.14	—	—	0.02	0.15	7
8	0.57	0.02	0.03	0.05	0.45	0.14	—	0.73	—	—	0.04	0.03	8
9	0.53	0.37	0.16	0.15	0.18	0.54	—	—	—	—	0.30	—	9
10	0.02	0.27	0.02	—	0.07	0.01	—	—	0.36	—	0.62	—	10
11	—	0.24	0.42	—	—	0.12	0.05	—	0.05	—	0.24	0.23	11
12	—	0.57	0.26	—	0.06	—	—	—	0.37	—	0.19	0.05	12
13	—	0.37	0.25	0.24	—	—	0.04	—	0.09	—	0.29	0.08	13
14	—	0.31	0.04	—	—	—	—	—	—	0.06	0.19	0.04	14
15	—	0.02	0.22	—	—	—	—	—	0.10	—	0.13	0.06	15
16	—	0.03	0.02	—	—	—	—	—	1.62	—	—	—	16
17	0.10	0.87	0.29	—	—	—	0.23	—	—	—	—	1.37	17
18	—	—	0.22	—	—	—	0.13	—	0.36	0.20	—	0.34	18
19	—	0.02	0.09	—	—	—	0.16	—	0.11	—	0.03	0.30	19
20	—	0.61	0.24	—	—	0.32	0.10	—	—	—	—	0.31	20
21	—	0.05	—	—	0.06	—	—	—	—	0.05	—	0.08	21
22	—	0.63	—	0.01	0.04	0.04	0.08	0.15	—	—	—	—	22
23	—	0.09	0.13	—	—	—	0.12	0.09	—	—	0.04	—	23
24	0.28	—	—	—	0.05	0.02	0.21	0.05	—	—	0.16	—	24
25	0.14	0.04	—	—	—	—	0.02	0.49	—	0.79	0.40	0.41	25
26	—	0.02	—	—	—	—	0.25	0.04	—	0.50	0.36	0.28	26
27	0.17	0.06	—	—	—	0.01	—	—	—	0.11	0.40	0.19	27
28	0.07	0.28	0.12	—	0.04	—	—	0.22	—	0.01	0.11	0.86	28
29	0.34		0.09	—	0.10	—	—	0.34	—	0.01	0.55	—	29
30	0.04		0.15	—	—	—	—	0.09	—	0.12	0.15	0.97	30
31	0.27		0.07		0.03		0.84	—		—	—	0.18	31
Total	2.97	5.14	4.00	0.83	2.14	1.34	3.87	2.68	3.06	1.28	4.30	7.54	YEAR'S TOTAL 40.28
Rain Days.	16	23	24	7	16	9	17	15	8	10	21	23	189

W[illegible]000, XI. 13

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 7 JAN 1916

Kept at Tresawen Llangefni

in the County of Anglesey

by J. H. Richard Rayner

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Llangefni

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level 239 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.45	0.25	—	—	0.32	—	0.22	0.34	0.18	0.29	—	0.01	1
2	0.29	0.76	0.43	0.44	—	0.12	0.27	0.09	0.56	—	0.05	—	2
3	—	0.15	0.17	0.29	—	—	0.29	—	0.10	—	0.04	0.63	3
4	0.05	—	—	—	0.31	0.17	—	—	0.03	—	—	0.74	4
5	0.12	0.22	0.04	0.06	0.05	0.03	—	0.07	—	—	—	1.37	5
6	0.20	0.11	0.02	0.26	—	—	0.31	0.09	—	—	0.06	0.43	6
7	0.37	0.36	—	0.04	—	0.04	0.28	0.52	—	0.34	—	—	7
8	0.10	0.18	—	—	—	—	—	0.99	—	0.21	0.74	—	8
9	0.14	0.30	—	0.15	—	—	—	0.06	—		—	0.52	9
10	0.70	0.24	0.17	0.24	—	—	—	0.09	—	0.19	—	0.13	10
11	—	—	—	—	0.27	—	0.35	0.01	—	0.26	0.29	0.11	11
12	0.12	—	—	0.12	—	—	0.02	—	—	0.04	1.84	0.10	12
13	—	0.11	0.03	—	—	—	—	—	0.06	0.10	0.13	0.39	13
14	0.22	0.6	—	—	0.06	—	0.02	0.05	0.05	—	0.05	0.09	14
15	0.33	—	—	0.05	0.02	—	0.09	—	0.04	—	0.13	0.27	15
16	—	0.58	—	—	0.24	—	0.19	0.10	—	—	—	0.36	16
17	0.05	0.14	0.02	—	0.48	—	—	—	—	—	—	—	17
18	—	0.15	0.10	—	—	—	0.08	—	—	—	—	—	18
19	—	—	0.03	0.22	0.25	—	0.05	—	—	—	—	—	19
20	0.37	0.1	—	—	0.06	—	—	—	—	—	—	0.84	20
21	0.53	0.1	—	0.06	0.26	—	0.39	—	0.05	0.05	—	0.39	21
22	0.27	—	0.03	—	—	0.11	0.14	—	0.01	0.14	0.01	0.37	22
23	—	0.18	0.11	0.10	—	0.90	0.05	—	—	0.47	—	0.05	23
24	—	—	0.06	—	—	—	—	—	0.05	0.08	—	0.41	24
25	—	—	—	—	—	0.14	—	—	0.08	—	0.10	0.36	25
26	—	0.75	—	—	—	0.02	0.42	—	0.16	—	—	0.53	26
27	—	0.4	—	—	—	—	0.36	—	0.03	0.42	—	0.33	27
28	—	0.02	0.01	—	—	0.09	0.02	0.28	—		—	0.01	28
29	—		—	—	0.08	—	—	—	0.08	0.04	0.25	0.09	29
30	0.28		—	0.16	—	—	—	—	0.05	0.33	0.21	0.23	30
31	—		—		—		0.10	0.35		—		0.56	31
Total	4.79	4.62	1.22	2.19	2.40	0.92	3.55	3.29	1.53	2.96	3.90	9.31	YEAR'S TOTAL 40.68
Rain Days.	17	20	13	13	12	9	19	13	15	14	13	25	183

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

4300

FORM A. BRITISH RAINFALL.

4 JAN 1917

Kept at Trescawen, Llangwyllog

in the County of Anglesea

by J. H. Pritchard-Rayner

Lat. ..... Long. .....

Time of Observation 9 A.M.

Nearest Railway Station Llangwyllog

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level 239 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·27	0·29	0·17	—	0·05	[illegible]	0·49	0·05	—	0·03	0·19	—	1
2	0·20	0·23	[illegible]	—	—	[illegible]	0·16	—	1·17	[illegible]	0·41	0·09	2
3	0·05	0·62	—	0·23	0·02	0·18	0·02	—	0·60	0·50	0·22	0·17	3
4	0·17	—	0·05	0·05	0·71	0·76	—	—	0·22	—	0·37	0·05	4
5	0·06	0·69	0·14	—	0·82	—	—	—	0·01	0·62	0·01	—	5
6	0·16	0·27	0·01	—	0·48	—	0·50	—	—	0·21	0·25	0·04	6
7	—	—	0·02	—	0·13	0·09	0·23	—	—	0·16	0·50	0·27	7
8	—	0·04	0·10	—	0·02	—	0·01	—	—	—	0·06	0·14	8
9	0·04	0·05	—	—	0·06	—	—	—	—	—	0·02	0·10	9
10	0·04	0·66	—	0·24	0·05	—	0·15	—	—	—	0·01	—	10
11	0·09	0·09	0·04	0·25	0·03	—	0·10	—	0·09	0·04	—	0·02	11
12	0·08	0·17	0·01	0·03	0·29	—	0·40	0·11	0·08	0·13	—	0·13	12
13	—	0·17	0·13	0·08	0·02	—	—	0·12	0·01	1·11	—	0·03	13
14	0·05	0·13	—	—	0·43	—	—	0·55	0·02	0·08	—	—	14
15	—	0·27	0·27	0·26	0·07	—	0·07	0·75	0·11	0·05	—	—	15
16	0·01	0·02	—	0·31	—	—	0·06	0·03	—	0·06	—	—	16
17	0·26	0·27	—	0·32	—	—	—	—	1·00	0·06	—	0·04	17
18	0·08	0·27	—	0·24	—	—	—	0·13	0·07	0·07	0·26	0·43	18
19	0·20	—	0·18	0·05	—	—	—	0·14	—	—	0·39	0·25	19
20	0·40	—	0·44	0·05	—	—	—	—	—	—	0·23	0·31	20
21	0·02	—	0·08	0·04	0·09	—	—	—	—	—	0·14	—	21
22	—	—	—	—	—	0·19	—	—	0·01	0·21	0·09	0·33	22
23	0·08	—	0·14	0·17	—	—	—	0·15	—	0·19	0·43	0·30	23
24	—	—	0·04	0·28	0·91	0·09	—	0·10	—	0·24	0·03	0·04	24
25	0·02	[illegible]	0·03	—	0·50	0·02	—	0·34	0·04	0·08	0·60	0·04	25
26	0·08	0·03	0·03	—	—	0·03	—	—	0·11	0·06	0·10	—	26
27	—	[illegible]	—	—	0·14	0·01	—	—	0·19	0·43	0·13	0·01	27
28	0·13	0·31	—	—	—	—	—	—	—	0·34	0·28	0·67	28
29	0·14	0·30	—	—	—	0·17	—	0·02	—	0·32	0·41	0·26	29
30	0·02	X	—	—	—	0·37	—	—	—	0·17	0·69	0·05	30
31	—	X	—	X	[illegible]	X	—	0·30	X	0·07	X	0·01	31
Total	2·65	5·20	2·38	2·60	5·14	2·01	2·19	2·80	3·72	6·01	5·82	3·78	YEAR'S TOTAL 44·27
Rain Days.	23	21	18	15	19	12	11	13	15	24	23	23	217

W. 5000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Trescawen, Llangwyllog

in the County of Anglesey

by J. H. Pritchard Rayner

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Llangwyllog

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level 239 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	0·35	—	—	—	—	0·09	—	0·35	0·05	1
2	0·33	—	—	0·18	—	—	—	—	—	0·06	0·07	0·03	2
3	0·01	0·43	—	—	—	0·63	—	0·02	—	0·80	—	0·15	3
4	—	0·12	—	—	—	—	—	—	—	0·46	0·06	0·06	4
5	0·31	—	0·08	0·21	—	—	—	—	0·08	0·90	0·72	0·08	5
6	—	—	0·01	—	—	0·19	—	—	—	0·42	0·19	0·35	6
7	0·70	—	—	0·11	—	0·06	—	0·05	—	0·08	0·04	0·04	7
8	—	—	—	0·11	—	0·02	—	0·33	0·19	0·50	0·42	0·16	8
9	—	—	0·04	0·09	0·16	—	—	0·53	—	0·26	0·12	—	9
10	0·62	—	0·96	0·41	0·09	—	—	0·10	—	0·21	—	—	10
11	0·05	0·02	—	0·02	0·06	—	—	0·30	—	0·95	0·25	0·03	11
12	0·28	—	0·04	0·09	1·15	—	—	0·02	0·20	0·26	—	0·09	12
13	0·01	—	—	0·05	—	—	—	1·03	0·67	0·50	0·11	0·33	13
14	—	—	—	0·11	0·07	—	—	0·21	—	0·11	—	0·15	14
15	0·09	—	—	0·14	—	—	—	—	0·07	0·39	—	0·53	15
16	—	0·14	—	0·24	—	—	—	1·15	0·10	0·18	—	0·62	16
17	0·04	0·08	0·27	0·40	0·08	—	0·27	1·19	0·14	0·70	—	—	17
18	—	—	0·07	0·02	0·21	—	0·42	0·08	0·73	0·04	—	—	18
19	—	0·48	0·18	—	—	—	—	—	—	—	0·05	0·22	19
20	—	0·20	—	—	0·24	0·59	—	—	0·06	0·05	0·12	0·02	20
21	—	—	0·04	—	0·22	—	—	—	0·02	0·23	—	—	21
22	—	0·19	—	—	—	0·02	—	0·51	0·27	0·25	—	—	22
23	—	0·12	—	—	0·23	0·75	—	0·28	0·04	0·02	—	0·05	23
24	—	—	—	—	—	—	0·10	0·18	0·10	0·56	—	0·02	24
25	—	0·14	0·08	—	0·01	—	0·03	0·13	0·32	0·06	0·25	—	25
26	—	—	—	—	0·48	—	0·02	0·15	0·40	0·25	0·65	0·09	26
27	—	—	0·18	—	0·53	0·08	0·35	1·85	—	0·09	—	—	27
28	—	0·04	0·07	—	—	—	—	0·39	—	0·60	0·01	—	28
29	—	—	0·04	—	—	—	—	—	—	0·91	—	—	29
30	—	X	0·18	—	—	—	—	0·15	—	0·11	0·23	—	30
31	—	X	0·32	X	0·31	X	—	1·02	X	—	X	—	31
Total	2·44	1·96	2·56	2·53	3·84	2·34	1·17	9·87	3·48	8·65	3·64	2·97	YEAR'S TOTAL 45·47
Rain Days.	10	11	15	15	14	8	6	21	16	28	16	19	179

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Tresaewen Llangwyllog

in the County of Anglesey

by J. H. Prichard Rayner Esq

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Llangwyllog

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ..... in.

" " " " Sea Level 239 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0·10	—	0·15	—	—	—	1·41	—	0·06	0·17	0·29	1
2	0·07	0·09	—	0·09	—	—	—	—	—	0·31	0·06	0·88	2
3	—	0·05	—	—	0·47	—	—	—	0·11	0·85	0·10	0·03	3
4	—	0·21	—	—	—	—	—	0·04	0·45	0·46	0·31	0·19	4
5	—	0·09	0·02	0·09	0·26	—	—	0·06	0·18	0·69	—	0·02	5
6	0·03	0·59	—	0·30	—	0·65	—	—	—	0·23	—	0·09	6
7	0·08	0·07	—	0·12	0·02	—	—	0·04	0·43	0·02	0·35	0·01	7
8	0·15	0·05	—	0·09	—	0·29	0·69	—	—	0·31	0·09	0·03	8
9	0·02	0·16	—	0·17	—	0·27	0·25	—	0·78	0·48	—	0·16	9
10	0·07	2·10	0·30	0·02	—	—	0·39	—	0·25	0·30	0·38	0·23	10
11	0·10	0·04	0·29	0·01	—	—	—	—	0·14	0·02	—	0·32	11
12	—	0·41	—	—	0·18	—	0·02	—	0·08	—	—	—	12
13	—	0·02	—	—	0·04	—	—	—	0·27	0·12	—	—	13
14	1·47	—	—	—	—	0·25	0·25	0·03	0·06	—	—	0·43	14
15	0·21	—	—	—	0·02	—	0·95	—	2·75	0·07	—	1·57	15
16	—	0·11	—	—	—	—	0·19	0·12	0·04	—	—	0·22	16
17	0·18	—	—	—	—	—	0·13	0·05	0·13	0·16	—	0·44	17
18	0·33	0·09	0·08	—	—	0·31	—	—	0·06	0·06	—	0·18	18
19	0·16	0·27	0·10	0·33	—	—	0·97	—	0·05	0·05	—	0·20	19
20	0·45	0·46	—	0·19	0·09	0·22	—	—	0·33	—	—	—	20
21	0·30	0·17	—	0·02	—	0·07	0·31	0·03	1·21	—	—	0·16	21
22	0·18	0·03	—	—	0·57	0·02	0·16	0·07	0·10	—	—	0·51	22
23	0·24	—	—	—	0·76	0·07	0·17	—	0·07	—	0·05	0·02	23
24	0·13	0·21	—	—	—	—	0·06	0·10	0·37	0·07	0·20	0·04	24
25	—	—	—	—	0·43	—	0·29	0·30	0·64	0·02	0·13	—	25
26	0·03	0·06	—	—	—	—	0·29	0·03	0·08	0·05	0·4	0·36	26
27	0·05	0·14	0·60	—	—	0·06	—	0·48	0·32	0·08	0·40	0·36	27
28	—	0·05	0·43	—	—	—	—	—	—	0·01	0·30	0·60	28
29	0·02	X	0·23	—	—	—	—	—	0·41	—	—	0·11	29
30	—	X	0·07	—	—	—	—	0·03	0·11	0·08	0·12	0·09	30
31	—	X	0·03	X	—	X	—	0·06	X	0·41	X	0·21	31
Total	4·77	3·78	1·84	1·38	2·90	2·27	5·40 ~~5·74~~	2·85	9·50	5·28	2·70	~~7·62~~ 7·68	~~50·29~~ 50·33 Years Total
Rain Days.	20	23	10	12	10	10	15	15	25	24	14	27	205

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 19

3922

FORM A. BRITISH RAINFALL.

Kept at Trescair

in the County of

by

Lat. Long.

Time of Observation a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0·36	—	0·09	0·18	0·45	—	0·09	—	2·24	0·23	—	0·36	1
2	0·18	—	0·61	0·04	—	—	—	—	—	—	0·04	0·30	2
3	0·13	—	—	0·04	0·09	0·25	0·02	—	—	—	0·05	0·01	3
4	0·24	0·09	0·34	—	0·05	0·01	0·30	0·26	0·15	—	—	0·36	4
5	0·22	0·07	—	—	0·16	—	—	—	0·02	—	—	0·24	5
6	—	0·05	0·49	—	—	—	—	—	0·10	—	—	0·07	6
7	0·10	—	0·06	0·39	—	0·04	—	—	—	—	0·14	0·02	7
8	0·12	—	0·06	—	—	—	—	—	—	—	0·31	—	8
9	0·15	—	0·07	0·13	—	—	—	—	—	—	0·03	—	9
10	0·33	—	0·34	0·04	0·07	0·01	—	—	—	0·12	—	0·24	10
11	0·10	—	1·27	0·15	0·01	—	0·15	—	—	0·18	—	0·36	11
12	0·06	—	0·02	0·10	—	0·22	—	—	0·15	0·10	0·24	0·01	12
13	0·09	—	—	0·15	—	—	0·05	—	0·01	0·20	—	0·26	13
14	0·38	0·05	—	0·08	—	—	0·14	—	—	0·22	—	0·05	14
15	0·47	0·30	—	0·14	0·04	—	—	—	—	0·21	0·02	0·29	15
16	0·04	0·14	0·03	0·01	—	0·01	—	—	—	—	0·44	0·22	16
17	—	0·28	0·04	0·12	—	0·02	0·05	0·65	—	—	0·40	0·06	17
18	0·07	—	1·04	—	0·04	—	0·45	0·44	0·17	—	0·15	0·39	18
19	0·07	0·16	0·41	—	—	0·42	0·02	0·07	0·10	—	0·11	0·18	19
20	0·24	0·03	0·15	—	0·16	0·18	—	0·01	0·41	—	0·04	0·37	20
21	0·08	0·40	0·02	—	0·03	—	0·38	—	0·20	—	0·07	0·05	21
22	—	0·09	—	—	—	0·18	—	0·04	0·56	—	0·02	1·00	22
23	—	—	—	0·03	—	—	—	—	—	1·18	0·14	0·08	23
24	0·03	—	—	—	0·16	0·04	—	0·04	0·12	0·18	0·09	0·14	24
25	0·49	—	—	0·05	0·02	—	—	0·53	0·35	0·15	0·15	0·05	25
26	0·14	—	0·35	0·18	—	0·15	—	0·40	—	—	0·07	0·38	26
27	0·15	—	0·05	0·30	—	—	—	0·10	0·14	—	0·07	—	27
28	0·18	—	0·05	0·09	—	—	—	1·18	—	0·06	—	0·91	28
29	0·03	—	—	0·08	—	0·02	—	0·19	—	0·02	—	0·34	29
30	—	X	0·04	0·25	—	0·35	—	—	—	0·01	0·37	0·51	30
31	0·03	X	0·40	X	—	X	0·44	0·11	X	0·02	X	—	31
Total	4·71	1·66	5·88	2·45	1·28	2·10	2·11	4·02	4·72	3·38	2·95	6·35	Year's Total.
Rain Days.	21	11	21	19	12	14	11	13	14	14	20	27	

W. 8,000, IX. 17.

W.R.R.

TRESCAWEN,
LLANGWYLLOG, R.S.O.
ANGLESEY.

26. 1. 1920

Dear Sir

I enclose yearly register
Please return me a copy

Yours faithfully
J. H. Pritchard-Hughes

METEOROLOGICAL OFFICE
RECEIVED
JAN 30
C. M.

sent P
1.6.20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

4 JAN 1921

Kept at Treowen Llangwyllog

in the County of Anglesey

by J. H. Pritchard Rayner

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Llangwyllog

Diameter of Funnel of Rain Gauge 15 in.

Height of top of Gauge above Ground 1 ft. ..... in.

" " " " Sea Level 239 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0·01	0·28	0·09	0·67	—	0·70	—	0·19	0·93		0·35	1
2	—		—	0·20	0·02	—	0·42	0·18	0·39	0·06		0·27	2
3	—		—	0·04	0·08	—	0·38	0·08		0·22	0·18	—	3
4	—	—	—	—	0·07	—	0·09	2·05	0·25	0·42	0·01	—	4
5	—	—	0·19	—	1·90	—	0·21	0·08		0·27	—		5
6	—	—	0·45	0·18	0·22	—	0·01	—	—	0·28	—	—	6
7	0·33	0·36	0·02	0·02	—	—	0·17	0·16	—	—	—	—	7
8	0·26	—		0·18	0·11	—	0·09	0·43	—	—	—	—	8
9	0·39	0·24	—	0·75	—	—	0·31	—	0·09	—	0·08	0·10	9
10	0·53	0·05		0·07	—	0·03		—	—	—	—	—	10
11	0·28	—			0·25	0·11		—	—	—		0·03	11
12	0·35	0·13	0·18		—			—	0·06		0·24	—	12
13		0·15	0·31	0·10	—	0·05	—	—	—	—	0·06	—	13
14	0·08	0·09			—	0·18		—		0·26	0·30	—	14
15				0·18	—	0·83	—	—	—	0·10	0·02	—	15
16			0·35	0·10	—		0·61	—	0·38	0·13	—	—	16
17	0·09	—		—		0·17	—	0·30		—	—	—	17
18	0·27		—	0·14	0·36	0·15	—	0·40		—	—	—	18
19	—		—		0·22	0·09		0·02		—	—	—	19
20		—	—	0·19	—	—		—	0·40	—	—	0·49	20
21	—	—	—	0·10	—	—	0·41			—	—	—	21
22		—	—		—	—		0·49	—	—	—	—	22
23	0·18	—	0·27	0·42	—	—	0·55	—	—	—	—	0·39	23
24	0·13	—	0·93	0·05	—	—	—	—	—	—	—		24
25	0·22		0·37	—	0·14	—	1·90	—		—	—		25
26	0·24	0·18	0·76	0·35	—	—	—	—	0·09	—	0·25	0·03	26
27	0·23		0·65	0·18		0·58	0·24	—	—	—	0·24	—	27
28	0·03	0·07	0·39		—	0·05	0·10	—	—	—	0·04	—	28
29				—	0·52	—	0·55	—	—	—	—	1·25	29
30				0·05		0·07		—	0·38	—	0·29	0·32	30
31													31
TOTAL	5·18	3·13	6·67			3·36		4·36					YEAR'S TOTAL
Days with ·01 in. or more													

(44,283). Wt. 21,958—218. 7500. 10/19. Gp.182. A.&E.W.

ANGLESEY

LLANTRISANT RECTORY

1912 – 1914

RI ...2

Kept at Llantri...

in the County of An...

by Rev. D. ...

Form A2. British Rainfall.

...6 in.

Ground 1 ft. 6 in.

Sea Level 300 ft.

9. am

Name Llanerchymedd

Distance 2¼ Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07	.00	.21	.00	.07	.02	.01	.02	.16	.00	.00	.11	1
2	.01	.03	.70	.03	.05	.40	.00	.00	.05	.00	.00	.00	2
3	.18	.00	.03	.00	.00	.12	.00	.23	.12	.00	.04	.29	3
4	.24	.00	.45	.00	.03	.08	.00	.64	.04	.00	1.37	.07	4
5	.22	.07	.01	.00	.04	.00	.00	.14	.04	.40	.04	.01	5
6	.29	.18	.00	.00	.01	.00	.00	.01	.00	.00	.00	.02	6
7	.00	.21	.09	.00	.04	.11	.08	.00	.07	.01	.03	.31	7
8	.40	.16	.32	.07	.04	.47	.00	.02	.02	.00	.05	.01	8
9	.01	.03	.15	.05	.00	1.26	.07	.15	.00	.00	.07	.27	9
10	.19	.00	.01	.00	.01	.11	.47	.05	.00	.00	.09	.06	10
11	.02	.00	.00	.00	.01	.00	.40	.00	.00	.00	.14	.35	11
12	.13	.05	.44	.03	.00	.02	.25	.00	.00	.00	.01	.07	12
13	.14	.00	.10	.00	.00	.09	.01	.05	.07	.37	.00	.15	13
14	.08	.06	.15	.00	.00	.06	.00	.10	.02	.00	.04	.16	14
15	.11	.03	.06	.00	.00	.13	.00	.05	.00	.03	.10	.06	15
16	.23	.05	.29	.00	.00	.00	.00	.15	.00	.40	.02	.00	16
17	.29	.60	.11	.00	.00	.94	.00	.18	.00	.00	.12	.04	17
18	.08	.16	.03	.00	.00	.08	.00	.30	.00	.14	.09	.10	18
19	.01	.08	.14	.00	.02	.06	.00	.78	.00	.23	.00	.01	19
20	.03	.05	.11	.00	.37	.02	.01	.00	.00	.44	.13	.01	20
21	.01	.00	.29	.02	.14	.07	.04	.04	.00	.50	.00	.36	21
22	.05	.20	.03	.00	.11	.13	.08	.84	.00	.04	.35	.05	22
23	.00	.01	.34	.00	.00	.00	.03	.54	.00	.29	.39	.25	23
24	.00	.09	.02	.00	.00	.22	.49	.00	.00	.00	.01	.25	24
25	.00	.00	.03	.00	.00	.00	.00	.05	.00	.00	.27	.28	25
26	.00	.06	.29	.00	.00	.00	.09	.30	.00	1.35	.11	.01	26
27	.00	.03	.15	.00	.00	.69	1.20	.00	.00	.30	.12	.04	27
28	.00	.04	.00	.00	.00	.42	.27	.30	.08	.26	.26	.00	28
29	.00	.02	.00	.00	.02	.01	.25	.00	.21	.19	.00	.00	29
30	.00		.15	.02	.06	.00	.05	.08	.01	.31	.02	.01	30
31	.01		.14		.46		1.36	.05		.08		.16	31
Total	2.80	2.21	4.84	0.22	2.48	5.51	5.16	5.07	.89	5.34	3.87	3.46	TOTAL for year
No. of Rain Days.	22	21	27	6	16	22	18	23	12	15	23	27	

W. 8,000, X. '11.

5.34.

FORM A2.
BRITISH RAINFALL.

R[illegible] 2

2 JAN 1913

Kept at Lieutenant-Rectory

in the County of Anglesey

by Rev. D. Morgan

RAIN GAUGE
- Pattern [illegible]
- Diameter of top 6 in.
- Height of top above Ground 1 ft. 6 in.
- " " " Sea Level 300 ft.

Time of Observation 9 a.m.

Nearest Railway Station
- Name Llanerchymedd
- Distance 2¼ Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07	.00	.21	.00	.07	.02	.01	.02	.16	.00	.00	.11	1
2	.01	.03	.70	.03	.05	.40	.00	.00	.05	.00	.00	.00	2
3	.18	.00	.03	.00	.00	.12	.00	.23	.12	.00	.04	.29	3
4	.24	.00	.45	.00	.03	.08	.00	.64	.04	.00	1.37	.07	4
5	.22	.07	.01	.00	.04	.00	.00	.14	.04	.40	.04	.01	5
6	.29	.18	.00	.00	.01	.00	.00	.01	.00	.00	.00	.02	6
7	.00	.21	.09	.00	.04	.11	.08	.00	.07	.01	.03	.31	7
8	.40	.16	.32	.07	.04	.47	.00	.02	.02	.00	.05	.01	8
9	.01	.03	.15	.05	.00	1.26	.07	.15	.00	.00	.07	.27	9
10	.19	.00	.01	.00	.01	.11	.47	.05	.00	.00	.09	.06	10
11	.02	.00	.00	.00	.01	.00	.40	.00	.00	.00	.14	.35	11
12	.13	.05	.44	.03	.00	.02	.25	.00	.00	.00	.01	.07	12
13	.14	.00	.10	.00	.00	.09	.01	.05	.07	.37	.00	.15	13
14	.08	.06	.15	.00	.00	.06	.00	.10	.02	.00	.04	.16	14
15	.11	.03	.06	.00	.00	.13	.00	.05	.00	.03	.10	.06	15
16	.23	.05	.29	.00	.00	.00	.00	.15	.00	.40	.02	.00	16
17	.29	.60	.11	.00	.00	.94	.00	.18	.00	.00	.12	.04	17
18	.08	.16	.03	.00	.00	.08	.00	.30	.00	.14	.09	.10	18
19	.01	.08	.14	.00	.02	.06	.00	.78	.00	.23	.00	.01	19
20	.03	.05	.11	.00	.37	.02	.01	.00	.00	.44	.13	.01	20
21	.01	.00	.29	.02	.14	.07	.04	.04	.00	.50	.00	.36	21
22	.05	.20	.03	.00	.11	.13	.08	.84	.00	.04	.35	.05	22
23	.00	.01	.34	.00	.00	.00	.03	.54	.00	.29	.39	.25	23
24	.00	.09	.02	.00	.00	.22	.49	.00	.00	.00	.01	.25	24
25	.00	.00	.03	.00	.00	.00	.00	.05	.00	.00	.27	.23	25
26	.00	.06	.29	.00	.00	.00	.09	.30	.00	1.35	.11	.01	26
27	.00	.03	.15	.00	.00	.69	1.20	.00	.00	.30	.12	.04	27
28	.00	.04	.00	.00	.00	.42	.27	.30	.08	.26	.26	.00	28
29	.00	.02	.00	.00	.02	.01	.25	.00	.21	.19	.00	.00	29
30	.00		.15	.02	.06	.00	.05	.08	.01	.31	.02	.01	30
31	.01		.14		.46		1.36	.05		.08		.16	31
Total	2.80	2.21	4.84	0.22	2.48	5.51	5.16	5.07	.89	5.34	3.87	3.46	TOTAL for year
No. of Rain Days.	22	21	27	6	16	22	18	23	12	15	23	27	

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

Form A2. British Rainfall. 2 JAN 1914

Kept at Llantrisant Rectory

in the County of Anglesey

by D. Morgan

Rain Gauge: Pattern ____ Diameter of top 6 in. Height of top above Ground 1 ft. 6 in. " " " Sea Level 300 ft.

Time of Observation 9. am

Nearest Railway Station: Name Llanerchymedd Distance 2¼ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.00	.10	.05	.00	.00	.00	.00	.00	.00	.19	.03	1
2	.14	.13	.16	.00	.26	.36	.00	.00	.00	.00	.26	.09	2
3	.07	.01	.16	.00	.24	.00	.00	.00	.00	.30	.01	.36	3
4	.36	.13	.01	.00	.02	.05	.00	.00	.00	.04	.17	.26	4
5	.38	.07	.03	.00	.24	.20	.22	.00	.00	.17	.71	.06	5
6	.16	.12	.19	.00	.02	.21	.02	.00	.00	.01	.15	.24	6
7	.07	.28	.00	.00	.16	.42	.00	.00	.00	.30	.20	.12	7
8	.00	.19	.13	.00	.02	.01	.12	.32	.10	.02	.00	.04	8
9	.00	.42	.14	.04	.11	.54	.20	.00	.14	.00	.17	.14	9
10	.11	.05	.04	.01	.01	.01	.00	.08	.03	.12	.05	.00	10
11	.49	.01	.00	.32	.06	.08	.23	.00	.00	.04	.11	.15	11
12	.01	.01	.00	.00	.24	.13	.04	.05	1.49	.02	.77	.02	12
13	.01	.00	.40	.00	.48	.00	.18	.04	1.28	.11	.17	.00	13
14	.09	.00	.03	.19	.02	.00	.00	.00	.09	.81	.02	.02	14
15	.22	.00	.04	.55	.00	.00	.00	.02	.03	.01	.04	.02	15
16	.02	.00	.06	.05	.00	.00	.05	.00	.01	.00	.07	.00	16
17	.04	.00	.04	.02	.00	.00	.09	.00	.01	.00	.55	.00	17
18	.03	.00	.37	.20	.04	.03	.18	.00	.00	.00	.02	.00	18
19	.08	.00	.01	.00	.03	.32	.01	.00	.10	.15	.13	.00	19
20	.05	.00	.22	.08	.04	.01	.13	.00	.01	.20	.63	.00	20
21	.00	.00	.20	.13	.10	.10	.67	.11	.00	.03	.00	.00	21
22	.41	.00	.72	.00	.01	.00	.00	.69	.57	.01	.00	.00	22
23	.27	.00	.01	.00	.01	.02	.00	.02	.11	.09	.09	.01	23
24	.20	.01	.00	.20	.01	.04	.00	.00	.00	.00	.15	.03	24
25	.00	.03	.00	.04	.01	.00	.00	.00	.16	.03	.02	.36	25
26	.09	.05	.00	.44	.00	.00	.00	.00	.28	.07	.01	.15	26
27	.29	.00	.00	.03	.00	.00	.00	.00	.00	.11	.00	.03	27
28	.01	.00	.05	.08	.06	.00	.00	.00	.02	.26	.00	.10	28
29	.00		.09	.59	.02	.00	.00	.02	.00	.80	.01	.00	29
30	.49		.00	.03	.02	.00	.00	.00	.00	.09	.03	.00	30
31	.01		.00		.00		.00	.00		.83		.00	31
Total	4.11	1.51	3.20	3.05	2.23	2.53	1.94	1.35	4.93	4.62	4.73	2.23	TOTAL for Year 36.43
No. of Rain Days.	26	14	22	18	23	16	12	9	16	24	25	19	225

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL

Kept at Llanbrynmair Rectory

in the County of Montgomery

by David Morgan

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Llanerchymedd

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.00	.02	.24	.00	.00	.19	.50	.08	.00	.00	.00	.11	1
2	.00	.08	.00	.03	.02	.01	.26	.08	.00	.00	.12	.35	2
3	.02	.00	.29	.03	.37	.00	.00	.01	.00	.00	.02	.91	3
4	.06	.00	.03	.19	.19	.00	.22	.00	.00	.00	.13	.15	4
5	.08	.00	.23	.12	.17	.00	.12	.05	.00	.02	.40	.01	5
6	.01	.00	.02	.02	.10	.01	.00	.04	.00	.00	.03	.05	6
7	.06	.20	.30	.01	.18	.01	.17	.12	.00	.03	.01	.03	7
8	.48	.09	.02	.03	.38	.12	.01	.55	.00	.02	.03	.01	8
9	.47	.24	.08	.12	.21	.35	.00	.00	.00	.00	.23	.00	9
10	.02	.29	.01	.02	.07	.02	.00	.00	.37	.01	.25	.00	10
11	.00	.20	.38	.01	.00	.01	.02	.00	.03	.00	.24	.45	11
12	.00	.45	.26	.00	.05	.00	.00	.00	.39	.00	.12	.04	12
13	.00	.29	.28	.20	.01	.00	.08	.00	.07	.00	.20	.07	13
14	.00	.18	.04	.00	.00	.00	.00	.00	.01	.01	.25	.08	14
15	.00	.02	.14	.00	.00	.00	.00	.00	.11	.00	.19	.09	15
16	.00	.02	.04	.00	.00	.00	.00	.00	1.77	.00	.00	.01	16
17	.14	.57	.24	.00	.00	.00	.25	.00	.01	.00	.00	.98	17
18	.00	.00	.08	.00	.00	.00	.14	.00	.16	.24	.00	.29	18
19	.00	.03	.10	.00	.00	.00	.14	.00	.17	.00	.00	.28	19
20	.00	.58	.16	.00	.00	.20	.05	.00	.00	.00	.00	.29	20
21	.00	.09	.01	.00	.05	.00	.03	.00	.00	.04	.00	.05	21
22	.00	.39	.03	.02	1.06	.04	.00	.14	.00	.00	.00	.00	22
23	.00	.04	.16	.00	.00	.01	.17	.08	.00	.00	.07	.00	23
24	.30	.01	.01	.00	.07	.02	.20	.02	.00	.00	.24	.02	24
25	.11	.04	.00	.00	.00	.00	.12	.53	.00	.77	.42	.44	25
26	.01	.02	.00	.00	.00	.00	.16	.05	.00	.44	.24	.24	26
27	.18	.04	.00	.00	.00	.01	.01	.00	.00	.09	.32	.15	27
28	.04	.17	.17	.00	.03	.01	.00	.26	.00	.02	.07	.35	28
29	.21		.10	.00	.14	.00	.00	.34	.00	.01	.50	.01	29
30	.02		.10	.00	.00	.00	.00	.15	.01	.00	.06	.77	30
31	.21		.09		.03		.80	.01		.15		.29	31
Total	2.42	4.96	3.61	.80	2.13	1.01	3.55	2.51	3.10	1.84	4.14	6.41	YEAR'S TOTAL
Rain Days.	17	23	27	12	17	14	19	16	11	12	22	27	

W. 7,500, XI. 12

Cond for auth 24.V.16 SF RA

4375

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 3.1.1916

Kept at Llantrisant Rectory

in the County of Anglesey

by Dan' Morgan

Lat. ..... Long. .....

Time of Observation 9. a.m

Nearest Railway Station Llanerchymedd

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.43	.25	.04	.01	.35	.00	.27	.15	.14	.32	.00	.01	1
2	.21	.63	.41	.42	.00	.13	.16	.10	.54	.03	.00	.00	2
3	.02	11	.12	.22	.00	.00	.35	.00	.10	.00	.03	.40	3
4	.09	.00	.01	.00	.23	.21	.01	.00	.00	.00	.25	.61	4
5	.13	.24	.02	.04	.01	.04	.00	.12	.00	.00	.01	1.20	5
6	.12	.07	.04	.30	.00	.02	.22	.02	.00	.00	.00	.19	6
7	.50	.34	.00	.04	.00	.02	.23	.50	.00	.39	.01	.01	7
8	.07	.22	.00	.03	.00	.00	.00	.83	.00	.23	.47	.00	8
9	.12	.28	.00	.11	.00	.00	.00	.08	.00	.00	.02	.45	9
10	.59	.46	.17	.22	.00	.00	.00	.02	.00	.19	.34	.08	10
11	.01	.00	.04	.01	.29	.00	.17	.01	.00	.17	.00	.15	11
12	.10	.00	.00	.09	.01	.00	.00	.00	.00	.03	1.47	.07	12
13	.01	.09	.02	.07	.00	.00	.10	.00	.06	.09	.16	.34	13
14	.15	.02	.00	.01	.05	.00	.02	.03	.08	.01	.03	.05	14
15	.30	.01	.00	.05	.03	.00	.12	.00	.02	.00	.05	.26	15
16	.03	.58	.00	.01	.26	.00	.00	.07	.00	.01	.00	.29	16
17	.11	.27	.03	.00	.72	.00	.00	.02	.00	.00	.00	.00	17
18	.04	.22	.04	.00	.00	.00	.03	.00	.00	.01	.00	.01	18
19	.04	.00	.03	.18	.22	.00	.03	.00	.00	.03	.00	.01	19
20	.28	.01	.00	.00	.01	.00	.00	.00	.01	.00	.00	.83	20
21	.23	.00	.00	.07	.06	.00	.26	.00	.00	.06	.00	.41	21
22	.18	.25	.02	.00	.00	.06	.03	.00	.03	.15	.02	.27	22
23	.00	.07	.11	.08	.00	.24	.02	.00	.00	.44	.00	.06	23
24	.00	.00	.06	.04	.00	.00	.00	.00	.06	.14	.00	.27	24
25	.00	.00	.00	.00	.00	.15	.00	.00	.13	.00	.03	.26	25
26	.00	.61	.00	.00	.00	.01	.13	.00	.08	.00	.00	.63	26
27	.00	.04	.00	.00	.00	.00	.30	.00	.10	.39	.00	.18	27
28	.00	.01	.00	.00	.04	.06	.03	.29	.00	.03	.00	.01	28
29	.00		.00	.00	.00	.00	.00	.01	.17	.03	.26	.10	29
30	.30	X	.00	.19	.00	.00	.01	.00	.12	.33	.24	.23	30
31	.01	X	.00	X	.00	X	.13	.40	X	.02	X	.55	31
Total	4.07 5.07	4.78	1.16	2.19	2.28	.96	2.62	2.65	1.64	3.10	3.39	7.96	YEAR'S TOTAL 36.90
Rain Days.	20	21	15	19	13	10	15	14	14	21	15	28	213

W. 8,000. X. 14.

4303

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1916

Kept at Llantrisant Rectory

in the County of Anglesey

by Revd Morgan

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Llanerchymedd

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09	.25	.13	.00	.25	.05	.55	.15	.00	.12	.20	.81	1
2	.19	.14	.37	.00	.04	.03	.05	.00	1.28	.84	.56	.08	2
3	.03	.47	.00	.21	.01	.15	.09	.00	.63	.24	.21	.04	3
4	.12	.01	.06	.04	.60	.68	.05	.00	.12	.04	.36	.07	4
5	.05	.50	.19	.00	1.08	.00	.31	.00	.04	.37	.02	.00	5
6	.16	.19	.02	.00	.47	.00	.08	.00	.01	.09	.30	.03	6
7	.02	.08	.01	.00	.14	.09	.01	.00	.00	.13	.50	.27	7
8	.00	.00	.06	.00	.16	.00	.00	.00	.00	.01	.02	.15	8
9	.04	.00	.01	.00	.05	.00	.01	.00	.00	.00	.02	.09	9
10	.03	.66	.00	.22	.00	.00	.14	.00	.00	.02	.05	.00	10
11	.08	.00	.02	.16	.04	.00	.09	.00	.03	.00	.01	.05	11
12	.05	.16	.00	.02	.42	.00	.46	.15	.02	.12	.01	.24	12
13	.01	.11	.17	.06	.04	.00	.00	.08	.00	.83	.00	.02	13
14	.02	.20	.01	.00	.30	.00	.00	.57	.02	.07	.00	.00	14
15	.00	.24	.33	.25	.04	.00	.08	.42	.07	.09	.00	.00	15
16	.00	.02	.01	.29	.01	.00	.04	.01	.01	.07	.00	.00	16
17	.20	.25	.00	.18	.00	.00	.00	.00	.94	.08	.00	.11	17
18	.09	.19	.01	.18	.00	.00	.00	.04	.07	.05	.33	1.18	18
19	.17	.00	.45	.06	.00	.00	.00	.17	.00	.00	.44	.43	19
20	.34	.00	.34	.12	.00	.00	.00	.00	.00	.05	.17	.84	20
21	.02	.00	.12	.00	.06	.00	.00	.00	.00	.00	.10	.02	21
22	.01	.00	.00	.01	.01	.19	.00	.00	.01	.16	.04	.50	22
23	.10	.00	.04	.12	.00	.01	.00	.17	.00	.26	.36	.25	23
24	.01	.21	.17	.13	1.11	.09	.00	.14	.00	.16	.01	.04	24
25	.00	.04	.00	.02	.35	.08	.00	.41	.05	.03	.45	.05	25
26	.05	.01	.03	.00	.00	.04	.00	.00	.12	.04	.04	.00	26
27	.01	.12	.00	.00	.06	.01	.00	.00	.16	.50	.08	.02	27
28	.12	.08	.05	.00	.00	.00	.00	.00	.01	.22	.18	.60	28
29	.17	.35	.00	.00	.00	.15	.00	.00	.00	.43	.31	.17	29
30	.02	X	.00	.00	.00	.36	.00	.00	.00	.20	.66	.04	30
31	.01	X	.00	X	.24	X	.00	.18	X	.01	X	.01	31
Total	2.21	4.28	2.66	2.05	5.42	1.93	1.96	2.49	3.61	5.23	5.45	4.41 / 5.31	YEAR'S TOTAL 42.64 / 42.524
Rain Days.	27	21	21	15	22	13	13	12	17	26	25	25	237

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 19

FORM A. BRITISH RAINFALL

Kept at Llantrisant Rectory

in the County of Anglesey

by Rev. Dan. Morgan

Lat. ..... Long. .....

Time of Observation 9. a.m.

Nearest Railway Station Llanerchymedd

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.00	.04	.00	.02	.00	.00	.05	.00	.42	.16	1
2	.20	.00	.00	.20	.00	.00	.00	.00	.01	.07	.08	.05	2
3	.01	.38	.00	.06	.00	.57	.00	.00	.00	.74	.01	.15	3
4	.01	.20	.00	.00	.03	.00	.00	.00	.01	.32	.05	.06	4
5	.23	.00	.13	.12	.00	.00	.00	.00	.12	.19	.59	.03	5
6	.00	.00	.00	.16	.00	.13	.00	.00	.01	.41	.17	.21	6
7	.54	.01	.00	.03	.00	.17	.00	.07	.00	.04	.03	.03	7
8	.01	.00	.01	.08	.00	.01	.00	.74	.15	.48	.37	.25	8
9	.00	.00	.06	.04	.07	.00	.00	.61	.00	.69	.22	.00	9
10	.66	.00	.89	.39	.05	.00	.00	.08	.00	.36	.01	.01	10
11	.08	.01	.02	.01	.04	.00	.00	.26	.00	.10	.31	.02	11
12	.47	.00	.04	.05	.85	.00	.00	.01	.25	.31	.01	.06	12
13	.02	.00	.00	.04	.04	.00	.00	.90	.59	.41	.13	.27	13
14	.03	.00	.00	.09	.12	.00	.04	.08	.00	.08	.01	.04	14
15	.08	.00	.00	.01	.01	.00	.00	.01	.06	.21	.01	.53	15
16	.00	.12	.00	.18	.00	.00	.00	.94	.04	.14	.00	.31	16
17	.03	.08	.23	.38	.11	.00	.26	1.21	.02	.08	.01	.00	17
18	.01	.00	.10	.02	.33	.00	.42	.05	.29	.01	.00	.01	18
19	.00	.57	.12	.00	.01	.00	.00	.01	.00	.00	.00	.10	19
20	.00	.20	.00	.00	.32	.52	.00	.00	.00	.04	.07	.02	20
21	.00	.01	.05	.00	.34	.00	.00	.00	.06	.17	.01	.00	21
22	.00	.17	.00	.00	.00	.02	.00	.66	.25	.19	.00	.00	22
23	.00	.14	.00	.00	.12	.67	.00	.24	.03	.03	.00	.01	23
24	.00	.01	.01	.00	.00	.01	.14	.11	.04	.47	.00	.00	24
25	.00	.12	.00	.00	.00	.00	.02	.13	.34	.04	.10	.00	25
26	.00	.00	.00	.00	.40	.00	.00	.05	.34	.08	.40	.08	26
27	.00	.00	.22	.00	.57	.08	.48	1.59	.00	.05	.31	.00	27
28	.00	.02	.05	.00	.01	.01	.05	.23	.00	.31	.00	.00	28
29	.00	.	.04	.00	.00	.00	.00	.01	.00	.87	.00	.00	29
30	.00	X	.19	.00	.00	.00	.00	.21	.00	.07	.17	.00	30
31	.05	X	.19	X	.26	X	.01	.87	X	.01	X	.01	31
Total	2.43	2.04	2.35	1.90	3.65	2.21	1.42	7.07	2.66	7.57	3.19	2.31	YEAR'S TOTAL 35.91
		2.04									3.19	2.31	40.80
Rain Days.	15		15	16	17	11	8	23	18	29	22	21	205

W. 8,000, VIII. 16

211

Cwd. hydrol. 12.V.12

DL

REG 1911

FORM A2. BRITISH RAINFALL. 20 JAN 1912

2/56

LLIGWY

1911 – 1920

Kept at Lligwy

in the County of I Ang

by Lord Boston

top 5 in.

p above Ground 1 ft. in.

„ Sea Level 470 ft.

stion { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.04		.35		.01				.59	.20	1
2					.07		.02			.22	.06	.12	2
3			.17		.61				.08		.29	.17	3
4					.06			1.89	.03	.03	.30	.06	4
5	.62		.13					.55					5
6	.01		.01									.34	6
7	.17		.21							.03	.43	.01	7
8	.09		.18								.08	.05	8
9	.08										.20	.98	9
10	.04	.02							.11		.01	.75	10
11	.33		.41						.02		.16	.01	11
12			.16						.88		.08		12
13		.14									.25	.07	13
14	.01										.12	.12	14
15	.05	.33	.04			.02					.28	.02	15
16		.25	.03			.53					.29	.12	16
17						.14					.22	.15	17
18		.05		.02		.40		.03		.12	.27	.58	18
19				.26					.44	.17	.09	.58	19
20		.16		.35			.03	.15	.22	.15		.03	20
21		.04	.02	.26			.06			.04		.02	21
22	.07	.31		.48		.04			.01	.03		.14	22
23	.06	.14	.01		.04		.02	.10	.23	.16		.12	23
24	.04	.21		.68		.66	.01		.01	.73		.03	24
25		.01		.27		.11			.79	.22		.02	25
26		.27		.19			.01	.25		.44		.12	26
27		.32		.15		.01		.36	.60	.05	.05	.05	27
28		.17		.13		.11	.03		.01		.03	.05	28
29			.01			.23	.55		.28	.67		.20	29
30						.01				.01	.12	.01	30
31			.30							.08		.01	31
Total	1.51	2.42	1.72	2.99	1.13	2.26	.74	3.33	3.71	3.15	3.92	5.13	TOTAL for year 32.01
No. of Rain Days	12	14	14	10	5	11	9	7	14	16	20	29	161

9,000, IX. '10.

Cond. Inspector. 12.V.11

REGISTER OF RAINFALL IN 1911

FORM A 2. BRITISH RAINFALL. 20 JAN 1912 2/56

Kept at Lligwy

in the County of Anglesey

by Lord Boston

RAIN GAUGE — Pattern ; Diameter of top 5 in. ; Height of top above Ground 1 ft. in. ; " " " Sea Level 170 ft.

Time of Observation

Nearest Railway Station — Name ; Distance ; Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.04		.35		.01				.59	.20	1
2					.07		.02			.22	.06	.12	2
3			.17		.61				.08		.29	.17	3
4					.06			1.59	.03	.03	.30	.06	4
5	.62		.13					.55					5
6	.01		.01									.34	6
7	.17		.21							.03	.43	.01	7
8	.09		.18								.08	.05	8
9	.08										.20	.98	9
10	.04	.02							.11		.01	.75	10
11	.33		.41						.02		.16	.01	11
12			.16						.88		.08		12
13		.14									.25	.07	13
14	.01										.12	.12	14
15	.05	.33	.04			.02					.28	.02	15
16		.25	.03			.53					.29	.12	16
17						.14					.22	.15	17
18		.05		.02		.40		.03		.12	.27	.58	18
19				.26					.44	.17	.09	.58	19
20		.16		.35			.03	.15	.22	.15		.03	20
21		.04	.02	.26			.06			.04		.02	21
22	.01	.31		.48		.04			.01	.03		.14	22
23	.06	.14	.01		.04		.02	.10	.23	.16		.12	23
24	.04	.21		.68		.66	.01		.01	.73		.03	24
25		.01		.27		.11			.79	.22		.02	25
26		.27		.19			.01	.25		.44		.12	26
27		.32		.15		.01		.36	.60	.05	.05	.05	27
28		.17		.13		.11	.03		.01		.03	.05	28
29			.01			.23	.55		.28	.67		.20	29
30						.01				.01	.12	.01	30
31			.30							.08		.01	31
Total	1.51	2.42	1.72	2.99	1.13	2.26	.74	3.33	3.71	3.15	3.92	5.13	TOTAL for year 32.01
No. of Rain Days	12	14	14	10	5	11	9	7	14	16	20	29	161

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

25 JAN 1913

Kept at Lligwy

in the County of Anglesey

by Lord Boston

RAIN GAUGE — Pattern ..... Diameter of top ..... in. Height of top above Ground ..... ft. ..... in. " " " Sea Level ..... ft.

Time of Observation .....

Nearest Railway Station — Name ..... Distance ..... Direction .....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.02	.25		.03	.01	.01		.10			.08	1
2	.01	.02	.67		.03	.22			.13			.01	2
3	.13		.01	.03		.07		.22	.11			.06	3
4	.22		.56		.01	.09		.60	.09		1.09	.04	4
5	.14	.05-			.03			.04		.56	.02	.01	5
6	.14	.11			.01			.04					6
7		.10	.04		.04	.12	.10		.04		.01	.39	7
8	.30	.13	.22	.05-	.01	.30		.01	.02		.04	.01	8
9		.05-	.12	.10		.03	.04				.10	.21	9
10	.13			.12		.08	.45-	.03			.13	.05-	10
11	.01				.01		.28				.26	.58	11
12	.10	.05-	.43			.13	.14	.01			.01	.12	12
13	.01		.03			.03				.25-		.36	13
14	.04	.02	.18			.05-		.10				.22	14
15	.10	.03	.07			.14		.06		.05-		.09	15
16	.15-	.10	.27					.13		.36	.12		16
17	.20	.55-	.13			.75-		.16			.01	.12	17
18	.01	.06	.04			.04		.12		.13	.08	.11	18
19	.01	.01	.28			.04		.61		.20	.06	.01	19
20	.01		.08		.35-	.01		.05-		.46	.04	.03	20
21		.01	.27	.04	.13	.01	.01	.01		.43		.32	21
22		.25-			.10	.04		.70		.01	.30	.04	22
23			.31			.03	.34	.65-		.15-	.40	.05-	23
24		.06	.01			.06	.33			.04		.23	24
25			.03			.01		.08			.19	.22	25
26		.08	.27				.16	.37		1.33	.21	.01	26
27		.02	.22			.40	1.76			.33	.01	.05-	27
28		.06				.65-	.22	.24		.20	.22		28
29		.03			.07		.14	.01	.30	.10			29
30			.25-		.01	.01	.02			.32	.02	.01	30
31	.01		.25-		.19		1.47	.03		.02		.40	31
Total	1.73	1.81	4.99	.34	1.02	3.32	5.47	4.27	.79	4.94	3.32	3.83	TOTAL for year 35.83
No. of Rain Days	19	21	24	5	14	24	15	22	7	17	20	27	215

3-32

9,000, IX. '10.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 2/57

28 JAN 1914

Kept at Llugwy

in the County of Anglesey

by Lord Boston

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.12	.14	.06							.20		1
2	.11	.05	.16		.10	.29					.26	.06	2
3	.08		.20		.30							.60	3
4	.68	.05			.10	.02	.13			.08	.05	.25	4
5	.20	.07	.16		.20	.09	.22			.09	.44		5
6	.09	.19	.24		.07	.25					.30	.19	6
7	.01	.23	.01		.13	.42				.24	.15	.08	7
8		.20	.21		.03		.04	.27		.01		.09	8
9		.35	.06	.03	.07	.74	.01		.21		.21	.08	9
10	.04	.02	.05	.04				.02	.03	.02	.05		10
11	.50			.30	.17	.08	.05			.06	.10	.16	11
12	.02		.46		.28	.18	.01	.02	1.10		.89		12
13			.07		.42		.07	.01	.44	.06	.23	.01	13
14	.01			.26				.02	.27	.68	.03		14
15	.25		.05	.50					.02		.10	.03	15
16	.01			.05			.01				.07		16
17	.04		.12	.02			.02				.66		17
18	.02		.27	.20	.01	.02	.10						18
19	.13		.01		.04	.50			.13	.19	.29		19
20	.03		.26	.06	.03		.05			.18	.70		20
21			.35	.05	.09		.40	.13		.23	.03		21
22	.41		.60		.01	.06		.65	.35	.06			22
23	.33		.01			.01		.05	.08		.07	.03	23
24	.14			.15		.10					.17	.01	24
25		.05		.12					.10	.04	.01	.18	25
26		.01		.50					.31	.01		.16	26
27	.17			.13						.06		.10	27
28	.30			.01	.02					.07		.20	28
29	.01		.01	.50	.01			.01		.52	.01		29
30	.38									.04	.03		30
31	.03									.25			31
Total	4.01	1.34	3.44	2.98	2.08	2.76	1.11	1.18	3.04	3.19	5.05	2.23	YEAR'S TOTAL 32.41
Rain Days.	25	11	20	17	18	13	12	9	11	19	23	16	194

W. 7,500, XI. 12

82

contbyB. 28.IV.15

REGISTER OF RAINFALL IN 1914

2/57

FORM A. BRITISH RAINFALL.

23 JAN 1915

Kept at Lligwy

in the County of Anglesey

by Lord Boston

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02	.12			.04	.57	.09				.16	1
2		.09	.01	.02			.24	.01			.12	.36	2
3	.01		.21	.01	.25							1.17	3
4	.11	.01	.03	.10	.20		.15				.15	.12	4
5	.01		.23	.15	.15		.07			.01	.28		5
6	.05				.05			.08			.02	.04	6
7	.08	.03	.23	.01	.18	.01	.10	.04				.14	7
8	.37	.01	.01		.38	.10		.51		.01	.03	.06	8
9	.35	.25	.14	.12	.10	.33					.23	.01	9
10	.02	.20	.01						.25		.46		10
11		.22	.30		.05				.14		.24	.27	11
12		.54	.18		.03		.08		.41		.17		12
13		.33	.16	.26	.01				.07		.23	.07	13
14		.29	.02							.01	.16	.02	14
15		.02	.15						.06		.27	.05	15
16		.01	.01				.13		1.62				16
17	.05	.61	.18				.11		.08			1.23	17
18		.02	.22				.12		.10	.07		.22	18
19		.01	.08				.02		.28			.32	19
20		.56	.11			.26			.01			.28	20
21		.05	.01		.04		.01	.01		.05		.07	21
22		.53		.01	.01	.03	.08	.02					22
23		.10	.08				.11	.12			.09		23
24	.35	.01				.01	.14	.29					24
25	.12	.01					.10	.01		.63	.16	.25	25
26		.02						.01		.38	.66	.16	26
27	.14	.03					.12			.07	.40	.19	27
28		.22	.05		.05			.05		.08	.14	.29	28
29	.31		.03		.02			.35		.01	.50		29
30	.03		.08					.01			.12	.67	30
31	.27		.04				.45			.06		.12	31
Total	2.27	4.19	2.69	.68	1.52	.78 .78	2.60	1.60	3.02	1.38	4.43	6.27	YEAR'S TOTAL 31.43
Rain Days.	15	25	25	8	14	7	17	14	10	11	19	23	188

W.7,000, XI. 13

82

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Lligwy

in the County of Anglesey

by Lord Boston

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.44	.25	.01		.29		.07	.60	.13	.22			1
2	.25	.52	.25	.40		.05	.20	.12	1.04				2
3		.09	.15	.23			.30		.07	.01	.10	.42	3
4	.03		.01		.41	.17		.16	.01			.60	4
5	.09	.25	.01		.03	.01						.87	5
6	.43	.03		.25			.18					.32	6
7	.29	.23		.04		.13	.30	.38		.20		.01	7
8	.21	.18						.76		.25	.82		8
9	.19	.22		.10				.02			.02	.20	9
10	.42	.03	.08	.16				.12		.22		.08	10
11				.01	.19		.11			.11	.14	.16	11
12	.04			.11						.26	1.15	.04	12
13			.01	.01			.07			.08	.08	.24	13
14	.12								.03		.28	.11	14
15	.48			.01					.01		.10	.19	15
16	.06	.33		.02	.17		.17	.05				.20	16
17		.09			.51								17
18	.01	.11	.11				.03						18
19			.01	.19	.21		.05			.01			19
20	.42			.05	.01					.01		.76	20
21	.22			.03	.01		.25		.01			.13	21
22	.11	.24	.01			.06	.24			.11		.21	22
23	.26	.05	.04	.05		.16			.01	.43		.05	23
24			.01	.03						.11		.36	24
25						.09			.05		.06	.24	25
26		.63				.03	.10		.14			.39	26
27		.06					1.70		.04	.22		.17	27
28		.04	.01			.01		.19		.03			28
29					.02	.04				.01	.22	.04	29
30				.13						.40	.12	.10	30
31			.01				.10	.16		.01		.43	31
Total	4.07	3.35	.72	1.82	1.85	.75	3.87	2.56	1.54	2.69	3.09	6.32	32.63
Rain Days.	18	17	14	17	10	10	15	10	11	18	11	24	175

YEAR'S TOTAL 6.32 32.63

W. 8,000. X. 14.

from C. Used 9.9.15

4377

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

11 SEP 1916

Kept at Llugwy,

in the County of Anglesey,

by Boston

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·44	·25	·01	–	·29	–	·07	·60	·13	·22	–	–	1
2	·25	·52	·25	·40	–	·05	·20	·12	1·04	–	–	–	2
3	–	·09	·15	·23	–	–	·30	–	·07	·01	·10	·42	3
4	·03	–	·01	–	·41	·17	–	·16	·01	–	–	·60	4
5	·09	·25	·01	–	·03	·01	–	–	–	–	–	·87	5
6	·43	·03	–	·25	–	–	·18	–	–	–	–	·32	6
7	·29	·23	–	·04	–	·13	·30	·38	–	·20	–	·01	7
8	·21	·18	–	–	–	–	–	·76	–	·25	·82	–	8
9	·19	·22	–	·10	–	–	–	·02	–	–	·02	·20	9
10	·42	·03	·08	·16	–	–	–	·12	–	·22	–	·08	10
11	–	–	–	·01	·19	–	·11	–	–	·11	·14	·16	11
12	·04	–	–	·11	–	–	–	–	–	·26	1·15	·04	12
13	–	–	·01	·01	–	–	·07	–	–	·08	·08	·24	13
14	·12	–	–	–	–	–	–	–	·03	–	·28	·11	14
15	·48	–	–	·01	–	–	–	–	·01	–	·10	·19	15
16	·06	·33	–	·02	·17	–	·17	·05	–	–	–	·20	16
17	–	·09	–	–	·51	–	–	–	–	–	–	–	17
18	·01	·11	·11	–	–	–	·03	–	–	–	–	–	18
19	–	–	·01	·19	·21	–	·05	–	–	·01	–	–	19
20	·42	–	–	·05	·01	–	–	–	–	·01	–	·76	20
21	·22	–	–	·03	·01	–	·25	–	·01	–	–	·13	21
22	·11	·24	·01	–	–	·06	·24	–	–	·11	–	·21	22
23	·26	·05	·04	·05	–	·16	–	–	·01	·43	–	·05	23
24	–	–	·01	·03	–	–	–	–	–	·11	–	·36	24
25	–	–	–	–	–	·09	–	–	·05	–	·06	·24	25
26	–	·63	–	–	–	·03	·10	–	·14	–	–	·39	26
27	–	·06	–	–	–	–	1·70	–	·04	·22	–	·17	27
28	–	·04	·01	–	–	·01	–	–	–	·03	–	–	28
29	–		–	–	·02	·04	–	·19	–	·01	·22	·04	29
30	–	X	–	·13	–	–	–	–	–	·40	·12	·10	30
31	–	X	·01	X	–	X	·10	·16	X	·01	X	·43	31
Total	4·07	3·36	·72	1·82	1·85	·75	3·87	2·56	1·54	2·69	3·09	6·32	YEAR'S TOTAL 32·63
Rain Days.	18	17	14	17	10	10	15	10	11	18	11	24	175

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Sligwy

in the County of Anglesey

by Lord Boston

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.33	.16	.14		.04	.05	.58	.08			.14		1
2	.01	.27	.25			.05	.06		.83	.78	.28	.06	2
3	.02	.40		.15		.13	.01		.51	.28	.20	.20	3
4	.12		.03	.03	.57	.47			.11	.02	.15	.01	4
5	.03	.63	.08		.71	.02				.42	.01		5
6		.14	.01		.47	.07	.55			.32	.23	.01	6
7					.12		.03			.06	.38	.22	7
8		.02	.02		.03					.09	.06	.09	8
9	.02	.05			.03						.01	.02	9
10	.03	.51		.15	.02		.11			.01	.02		10
11	.04	.05	.01	.13			.07		.05			.01	11
12	.04	.25	.01		.12		.28	.08		.10		.27	12
13		.17	.17	.03	.01			.10		1.04		.01	13
14	.01	.26			.30			.35		.08			14
15		.10	.10	.16	.01		.03	.37		.04			15
16		.03		.26			.05	.01	.03	.02			16
17	.20	.20		.24					.72	.07		.14	17
18	.06	.18		.15				.06	.07	.10	.21	.30	18
19	.15		.17	.02				.07			.22	.18	19
20	.47		.44	.01							.06	.23	20
21	.03		.05	.01	.03						.10		21
22						.11				.19	.08	.22	22
23	.10		.13	.14		.07		.13		.13	.19	.22	23
24		.10		.18	1.17			.06		.17		.03	24
25		.03	.02		.47	.01		.31	.02		.43	.02	25
26	.10		.01			.01			.09	.05			26
27		.07			.13				.13	.20		.01	27
28	.09	.05			.01	.01				.31	.23	.66	28
29	.08	.32				.13				.24	.31	.25	29
30	.11	X				.15				.16	.34	.05	30
31		X		X	.28	X		.29	X	.04	X	.01	31
Total	1.98	3.99	1.64	1.66	4.52	1.28	1.77	1.91	2.56	4.92	3.65	3.22	YEAR'S TOTAL 33.10
Rain Days.	20	21	16	14	18	13	10	12	10	24	20	23	201

W. 8,000. X. 15.

cmbyc

4305

FORM B.
BRITISH RAINFALL

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

9 JAN 1917

RAINFALL IN 1916

At Llanfair

In the County of Anglesey

Rain Gauge { Diameter of Funnel 6 in.
Height of Top { *Above Ground* 1 ft. in.
Above Sea Level 170 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	1·98	·47	20th	20
FEB.	3·99	·63	5th	21
MAR.	1·64	·44	20th	16
APR.	1·66	·26	16th	14
MAY	4·52	1·17	24th	18
JUNE	1·28	·47	4th	13
JULY	1·77	·58	1st	10
AUG.	~~1·87~~ 1·91	·37	15th	12
SEPT.	2·56	·83	2nd	10
OCT.	4·92	1·04	13th	24
NOV.	3·65	·43	25th	20
DEC.	3·22	·66	28th	23
Total	~~33·06~~ 33·10	8·41		201

Signed Boston

[*Please fill in the other side also.*

W 16,000. viii.16.

P.T.O.

If Gauge has been moved during year state—

Date.	Distance.	Direction.

How was height above sea level ascertained?

State pattern and maker of Gauge, if known.

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.

In order that the position may be accurately entered on a map please mention

Latitude ..... N.

Longitude .....

Nearest Railway Station and Parish Church.

Name.	Distance.	Direction.
Station		
Church		

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

Absolute Drought-
July 17 - Aug 11. 26 days.
Partial Drought
None.
H201

102 03.33.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Llugwy

in the County of Anglesey

by Lord Boston

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.99		.01			.04		.32		1
2	.19									.05	.06	.10	2
3		.25	.04	.35		.63				1.16		.12	3
4	.02		.04							.27	.03	.06	4
5	.17								.02	.48	.60	.02	5
6				.09		.03				.38	.18	.31	6
7	.52			.04		.05				.10		.06	7
8								.22	.16	.41	.37	.17	8
9			.02	.08				.26		.28	.19		9
10	.28		.47	.32	.11			.12		.17			10
11	.03				.05			.30		.91	.16		11
12	.16	.10	.02		.98				.12	.18		.02	12
13		.02			.01	.02		.90	.49	.42	.05	.05	13
14	.01			.18	.05			.30		.04		.38	14
15		.03		.45					.06	.34		.63	15
16				.30				.95	.06	.08		.30	16
17	.01		.20	.40	.11		.24	1.02	.11	.04	.02		17
18		.20	.18		.11		.23		.39	.02			18
19		.30	.20						.11		.01	.20	19
20			.02		.25	.59				.08	.14		20
21					.21					.09			21
22								.45	.27	.16			22
23		.14			.13	.67		.30	.04	.07		.03	23
24							.10	.05	.05	.41			24
25		.11			.02			.15	.17	.02	.25		25
26					.15	.02	.02	.47	.32	.09	.32	.04	26
27			.01		.60	.10	.30	1.26		.03	.06	.01	27
28		.06			.01		.03	.29		.29			28
29	.01		.17					.03		.92	.01		29
30		X	.10					.17		.04	.28		30
31		X	.19	X	.20	X		.89	X		X		31
Total	1.40	1.21	1.66	3.20	2.99	2.12	.92	8.13	2.41	7.53	3.25	2.50	YEAR'S TOTAL 37.32
Rain Days.	10	9	13	10	15	9	6	18	15	28	17	16	166

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Lligwy

in the County of Anglesey

by Lord Boston

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.19				.20	.05	.05	.25	.30	1
2	.03	.14		.07						.36	.04	.59	2
3		.02			.49					.77	.12	.03	3
4		.10			.06			.02	.22	.62	.21	.07	4
5		.17		.18				.06		.70		.02	5
6		.61		.10	.27				.10	.25		.06	6
7		.07		.05	.04	.44		.03	.42	.04	.28	.01	7
8	.55	.02		.14			.51		.05	.10	.10	.02	8
9		.25		.10		.69	.20		.41	.82	.06	.14	9
10	.04	.07	.18	.04			.47		.10	.34	.41	.20	10
11	.05	.03	.23				.03	.02	.05	.05		.22	11
12		.29			.11		.01		.01	.01		.02	12
13		.02			.04				.15	.03			13
14	1.12					.02	.27	.01	.08	.04		.51	14
15	.05						.73		2.48	.10		1.32	15
16		.06					.11	.09	(.38)	.21		.18	16
17	.25						.05	.05	.02	.14		.29	17
18	.29	.27	.10			.19	.01		.08	.03		.31	18
19	.13	.21	.06	.18			.81		.04	.02		.28	19
20	.49	.46		.09	.22	.18	.09		.29			.02	20
21	.23	.10		.02		.04	.12		.76			.14	21
22	.15	.03			.64	.01	.19	.02	.09			.30	22
23	.11				.70		.09		.05		.07	.04	23
24	.21	.22					.05	.10	.18	.03	.21	.18	24
25					.37		.27	.28	.36	.05	.10	.02	25
26	.03	.02					.16	.04	.14	.03	.05	.14	26
27		.07	.48			.05		.44	.22	.06	.07	.36	27
28	.02	.13	.09						.03	.04	.51	.43	28
29	.01		.19						.49			.18	29
30		X	.08					.02	.05	.03	.10	(.33)	30
31		X	.04	X		X		.01	X	.13	X	.05	31
Total	3.76	3.36	1.45	1.16	2.94	1.62	4.17	1.39	7.29	5.05	2.58	6.76	41.53
Rain Days.	17	22	9	11	10	8	18	15	27	26	15	30	208

YEAR'S TOTAL

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL

Kept at Lligwy

in the County of Anglesey

by Lord Boston

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.35		.06		.44		.03		1.94	.18		.26	1
2	.26		.59	.12		.26						.44	2
3	.08			.05	.10	.02					.13	.04	3
4	.10	.06	.38		.05			.12	.08			.29	4
5	.25	.05			.05		.21					.25	5
6	.02	.04	.41						.09			.02	6
7	.05		.09	.24		.02					.04	.05	7
8	.10		.07								.01		8
9	.19		.02	.08							.20		9
10	.35		.26	.14						.14		.10	10
11	.18		1.17	.08			.13			.10		.25	11
12	.03		.03			.30			.04	.12	.37	.01	12
13	.15	.03		.06			.09			.30		.11	13
14	.38	.07		.19			.14			.32		.01	14
15	.44	.13		.03	.04					.35		.27	15
16	.06	.10	.01		.01	.01	.02				.39	.20	16
17		.15		.02		.03		.60			.41	.02	17
18	.05		.89		.05		.24	.39	.07		.10	.19	18
19	.10	.18	.41			.41	.01	.04	.07		.05	.10	19
20	.08	.02	.06		.15	.05			.24			.24	20
21	.06	.40					.31	.02	.16		.03	.05	21
22		.05				.12			.44		.05	.87	22
23			.02			.01				1.24	.10	.02	23
24	.02				.15	.01		.05	.11	.28	.16	.25	24
25	.43			.10				.53	.38	.16	.22	.07	25
26	.16		.30	.05		.07		.30	.05		.05	.30	26
27	.45		.02	.27				.08	.05				27
28			.04	.04				.87				.27	28
29			.03			.02		.01				.28	29
30			.18	.32		.29					.28	.41	30
31			.14				.43	.02		.02		.04	31
Total	4.34	1.28	5.18	1.79	1.04	1.62	1.61	3.03	3.72	3.21	2.59	5.41	YEAR'S TOTAL 34.82
Rain Days.	24	12	21	15	9	14	10	12	13	11	16	28	185

W, 6,500, VII. 18. w w c

FORM A. I. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Lligwy

in the County of Anglesey

by Lord Boston

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.02	.25	.15	.47		.85	.02	.06	.71		.24	1
2		.02		.17	.01		.19	.30	.28	.04		.16	2
3		.14		.08			.29	.02	.21	.23	.02	.04	3
4					.01		.08	1.69	.17	.45	.23		4
5			.15		1.23		.17	.28	.13	.14			5
6			.40	.16	.24		.02		.02	.43			6
7	.28	.35	.01				.10	.11	.02		.01		7
8	.22		.05	.17	.03		.05	.49	.05		.02		8
9	.20	.18	.03	.54			.22	.03	.04		.07	.02	9
10	.38	.08	.08	.11		.04	.07	.01				.06	10
11	.27		.18	.10	.30	.10	.05	.01			.03		11
12	.35	.10	.16	.13	.02	1.02	.08			.01	.17		12
13	.10	.16	.30	.11		.44					.08		13
14	.05	.08	.21	.35		.05	.35		.37	.35	.20		14
15	.02	.25	.05	.08		.08				.12			15
16	.03	.01	.30	.05	.10	.18	.53		.24	.05			16
17	.02		.12		.14	.09	.04	.25	.21				17
18	.22			.10	.45	.52		.37	.13				18
19		.78		.14	.21	.06	.15	.02	.04				19
20	.11			.13			.03		.27			.28	20
21				.11			.45	.02	.04			.10	21
22	.33			.06			.67	.40					22
23	.02		.21	.32		.05	.03					.29	23
24	.21		1.03	.05				.02			.01	.50	24
25	.12	.26	.45	.01			1.39					.08	25
26	.25	.15	.78	.20		.48			.08		.12	.05	26
27	.10	.12	.71	.10	.14	.02	.15				.22	.01	27
28	.04	.03	.24	.05	1.05		.10				.02	.49	28
29	.06	.01	.02	.11	.02	.06	.40				.16	.78	29
30	.25		.40	.02		.02	.08		.41	.01	.20	.25	30
31	.28		.36				.14	.12		.71		.02	31
TOTAL	3.91	2.74	6.49	3.60	4.42	3.21	6.68	4.16	2.77	3.25	1.56	3.37	YEAR'S TOTAL 46.16
Days with .01 in. or more	~~23~~ 22	17	23	26	15	15	26	17	18	12	15	16	223

(44,283). Wt.21,958—218.7500. 10/19. Gp.132. A.&E.W.

LLANERCHI/MEDD
LLWI/DIARTH ESGOB
1911-20

FORM A.2. BRITISH RAINFALL. 26 JAN 1912

IN 1911

Kept at Llwyd

in the County of C

by J. Pricha

Pattern

Diameter of top in.

Height of top above Ground ft. in.

" " " Sea Level ft. 440?

Observation

Railway Station { Name / Distance Direction

IMPORTANT t 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.04	.01	.21	—	.01	.22	—	.01	.64	.30	1
2	—	—	.04	.01	.43	—	.04	.04	—	.18	.05	.16	2
3	—	—	.26	—	.42	—	.02	.01	.09	—	.21	.21	3
4	—	—	.13	.02	.05	—	—	1.67	.05	—	.37	.09	4
5	.79	—	.14	.02	—	—	—	.26	—	.02	.01	.01	5
6	—	—	.02	.02	—	—	—	.42	—	—	—	.54	6
7	.22	—	.06	—	—	—	—	.01	—	—	.25	.01	7
8	.11	—	.24	—	—	—	—	—	—	—	.09	.08	8
9	—	—	—	—	—	—	—	—	—	—	.54	1.11	9
10	.41	.05	.20	—	.21	—	—	—	—	—	.02	.90	10
11	.07	.01	.04	—	—	—	—	—	.01	—	.15	.01	11
12	—	—	.40	—	—	—	—	.11	.73	—	.21	.01	12
13	.02	.05	.01	—	—	—	—	—	—	—	.39	.05	13
14	—	.45	—	—	—	—	—	—	—	—	.12	.15	14
15	.04	.22	.02	—	—	.04	—	—	—	—	.19	.02	15
16	.01	.01	.09	—	—	.53	—	—	—	—	.33	.22	16
17	—	—	.14	—	—	.20	—	.06	—	—	.22	.15	17
18	—	.07	—	.10	—	.23	—	—	—	.09	.38	.72	18
19	—	—	—	.45	—	.23	.05	—	.55	.18	.11	.66	19
20	—	.22	—	.48	—	—	.11	.12	.24	.11	—	.06	20
21	—	.17	.01	.25	—	.02	.04	.01	—	.23	—	.02	21
22	.02	.14	.01	.02	—	.06	.03	—	.02	.04	—	.20	22
23	.05	.24	.01	—	.14	—	—	.08	.02	.49	.01	.20	23
24	.02	.15	.01	.41	.01	.87	.01	—	.26	.64	—	.04	24
25	—	.03	—	.18	—	.08	—	—	.02	.31	—	.03	25
26	—	.30	—	.19	—	.01	.07	.19	.96	.57	.01	.14	26
27	.01	.35	.01	.01	—	—	.07	.45	—	—	.06	.08	27
28	—	.19	—	.10	—	.05	.01	—	.75	—	.68	.08	28
29	—	—	.01	.01	—	.19	.33	—	—	.60	.01	.26	29
30	—	—	.06	—	—	.02	—	—	.34	.16	.16	.01	30
31	—	—	.29	—	—	—	.01	—	.02	.01	—	.04	31
Total	1.77	2.65	2.24	2.28	1.47	2.53	.80	3.65	4.08	3.64	5.21	6.56	TOTAL for year 36.86
No. of Rain Days	12	16	23	16	7	13	13	14	14	15	24	31	198

99

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL. 26 JAN 1912

Kept at Llwydiarth Esgob

in the County of Anglesey

by J. Prichard

RAIN GAUGE { Pattern ____ Diameter of top ____ in. Height of top above Ground ____ ft. ____ in. „ „ „ Sea Level ____ ft. 440'

Time of Observation ____

Nearest Railway Station { Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.04	.01	.21		.01	.22		.01	.64	.30	1
2			.04	.01	.43		.04	.04		.18	.05	.16	2
3			.26		.42		.02	.01	.09		.21	.21	3
4			.13	.02	.05			1.67	.05		.37	.09	4
5	.79		.14	.02				.26		.02	.01	.01	5
6			.02	.02				.42				.54	6
7	.22		.06					.01			.25	.01	7
8	.11		.24								.09	.08	8
9											.54	1.11	9
10	.41	.05	.20		.21						.02	.90	10
11	.07	.01	.04						.01		.15	.01	11
12			.40					.11	.73		.21	.01	12
13	.02	.05	.01								.39	.05	13
14		.45									.12	.15	14
15	.04	.22	.02			.04					.19	.02	15
16	.01	.01	.09			.53					.33	.22	16
17			.14			.20		.06			.22	.15	17
18		.07		.10		.23				.09	.38	.72	18
19				.45		.23	.05		.55	.18	.11	.66	19
20		.22		.48			.11	.12	.24	.11		.06	20
21		.17	.01	.25		.02	.04	.01		.23		.02	21
22	.02	.14	.01	.02		.06	.03		.02	.04		.20	22
23	.05	.24	.01		.14			.08	.02	.49	.01	.20	23
24	.02	.15	.01	.41	.01	.87	.01		.26	.64		.04	24
25		.03		.18		.08			.02	.31		.03	25
26		.30		.19		.01	.07	.19	.96	.57	.01	.14	26
27	.01	.35	.01	.01			.07	.45			.06	.08	27
28		.19		.10		.05	.01		.75		.68	.08	28
29			.01	.01		.19	.33			.60	.01	.26	29
30			.06			.02			.34	.16	.16	.01	30
31			.29				.01		.03	.01		.04	31
Total	1.77	2.65	2.24	2.28	1.47	2.53	.80	3.65	4.08	3.64	5.21	6.56	TOTAL for year 36.86
No. of Rain Days	12	16	23	16	7	13	13	14	14	15	24	31	198

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

Form A2. British Rainfall. 25 JAN 1913

Kept at Llwydiarth Esgob, Llanerchymedd

in the County of Anglesey

by T. Prichard

Rain Gauge: Pattern ..... Diameter of top ..... in. Height of top above Ground ..... ft. ..... in. " " " Sea Level ..... ft. 4409

Time of Observation .....

Nearest Railway Station: Name ..... Distance ..... Direction .....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	—	.24	—	.06	.02	.01	.02	.05	—	.01	.06	1
2	.01	—	.70	.07	.05	.40	—	—	.04	—	—	—	2
3	.25	.04	.09	.01	.01	.13	—	.30	.10	—	.02	.18	3
4	.28	—	.46	—	.03	.06	—	.70	.07	—	1.28	.05	4
5	.23	.06	—	—	.03	—	—	.19	.12	.73	.05	.02	5
6	.22	.10	—	.01	.02	.14	—	—	.01	.01	.02	.01	6
7	.01	.16	.09	.01	.04	.27	.12	—	.06	—	.47	.34	7
8	.31	.15	.26	.08	.02	.22	—	.02	.03	—	.04	.01	8
9	.01	.07	.11	.11	—	.09	.04	.02	—	—	.09	.26	9
10	.15	—	—	.01	.01	—	.45	—	—	—	.10	.07	10
11	.02	—	—	—	.01	.05	.35	—	—	—	.32	.38	11
12	.13	.08	.39	.02	—	.05	.22	—	—	—	.03	.09	12
13	.07	.01	.07	—	—	.07	—	.07	.06	.31	.01	.22	13
14	.09	.05	.16	—	—	.08	—	.15	.01	—	.08	.15	14
15	.09	.01	.04	—	—	.01	—	.07	—	.04	.08	.06	15
16	.23	.05	.32	—	—	.87	—	.18	—	.36	.02	—	16
17	—	.67	.08	—	—	.05	—	.14	—	.01	.11	.08	17
18	.09	.08	.04	—	—	.05	—	.35	—	.17	.07	.10	18
19	—	.04	.22	—	.08	.01	—	.57	—	.43	—	.02	19
20	.05	—	.10	—	.18	.06	—	.01	—	.49	.08	.02	20
21	—	.03	.42	.04	.18	.10	.02	.08	—	.50	.01	.36	21
22	.03	.18	.02	—	.10	—	.10	.75	—	.03	.33	.05	22
23	—	.21	.33	—	.01	.13	.02	.59	—	.15	.40	.13	23
24	—	.06	.02	—	—	.01	.30	.01	—	.01	.01	.23	24
25	—	—	.03	—	—	.01	.02	.07	—	—	.31	.25	25
26	—	.05	.27	—	—	.62	.10	.37	—	1.37	.10	.02	26
27	—	.01	.26	—	—	—	1.69	—	—	.34	.05	.04	27
28	—	.05	—	—	—	.41	.36	.27	.03	.33	.32	—	28
29	—	.05	.01	—	.07	.01	.24	.04	.25	.16	.01	—	29
30	—	—	.20	.02	.40	—	.10	.01	.01	.44	.03	.02	30
31	.02	—	.23	—	.64	—	1.52	.04	—	.10	—	.26	31
Total	2.35	2.01	5.16	.38	1.94	3.92	5.66	5.02	.84	5.98	4.45	3.48	TOTAL for year 41.19
No. of Rain Days.	20	22	26	10	18	25	17	24	13	19	28	27	249

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 5-21

31 JAN 1914 4409

Kept at Llwydiarth Esgob

in the County of Anglesey

by T. Prichard

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge 6' in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.01	.02	.09	.02	.01	—	—	—	—	—	.16	.02	1
2	.14	.11	.14	—	.25	.30	—	—	—	—	.25	.06	2
3	.07	—	.20	—	.24	—	—	—	—	.08	—	.41	3
4	.53	.11	.01	—	.05	.34	—	—	—	.09	.11	.25	4
5	.44	.04	.05	—	.25	.20	.09	—	—	.17	.60	.01	5
6	.09	.14	.28	—	—	.19	.02	—	—	.102	.23	.25	6
7	.03	.23	.01	—	.35	.42	—	.50	—	.25	.21	.09	7
8	—	.21	.15	—	.04	.01	.10	.02	.17	.01	.01	.03	8
9	—	.44	.10	.04	.09	.53	.02	—	.09	—	.19	.13	9
10	.10	.01	.04	.04	.02	.02	.01	.05	.03	.07	.07	.01	10
11	.53	—	—	.28	.16	.09	.12	—	—	.07	.20	—	11
12	.01	—	—	—	.33	.13	.02	.06	1.65	—	.75	.09	12
13	—	—	.47	—	.90	.01	.12	.04	.83	.09	.22	.01	13
14	.11	—	.04	.21	.01	—	—	.01	.28	.64	.01	.01	14
15	.27	—	.04	.60	—	—	—	—	.02	—	.07	.03	15
16	.01	—	.06	.04	—	—	.03	—	—	—	.06	—	16
17	.03	—	.02	.02	—	—	.06	—	—	—	.53	—	17
18	.02	—	.36	.20	.03	.06	.15	—	—	—	.02	—	18
19	.10	—	.02	.01	.03	.49	.01	—	.10	.19	.15	—	19
20	.03	—	.27	.06	.03	—	.10	—	.01	.15	.05	—	20
21	—	—	.16	.09	.10	—	.45	.18	—	.14	.01	—	21
22	.48	—	.85	—	.01	.09	.01	.66	.45	.09	—	—	22
23	.39	—	.01	—	.01	.02	—	.03	.06	.03	.08	.02	23
24	.15	.01	—	.18	.01	.04	—	—	—	—	.14	.02	24
25	—	.05	—	.08	.01	.01	—	—	.10	.05	.01	.21	25
26	—	.03	—	.56	—	—	—	—	.34	.03	—	.15	26
27	.14	.01	—	.03	—	—	—	—	.01	.08	.01	.07	27
28	.35	—	.03	.07	.04	—	—	—	—	.29	—	.16	28
29	—	—	.09	.71	.02	—	—	.02	—	.69	.01	.10	29
30	.50	—	.01	.03	.02	—	—	—	—	.09	.03	.01	30
31	.04	—	—	—	—	—	—	—	—	.84	—	—	31
Total	4.57	1.41	3.50	3.27	3.01	2.95	1.31	1.57	4.14	4.14	4.68	2.14	YEAR'S TOTAL 36.69
Rain Days.	24	13	24	19	24	17	15	10	14	22	26	22	230

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

Kept at Llwydiarth Esgob

in the County of Anglesey

by T. Prichard

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

FORM A. BRITISH RAINFALL.

22 JAN 1915

4407

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.03	.24	.01	—	.12	.72	.08	—	—	.01	.17	1
2	—	.09	.01	.01	.02	—	.30	.03	—	.01	.11	.35	2
3	.02	.01	.36	.06	.31	—	—	.02	—	—	.01	1.07	3
4	.08	—	.04	.12	.16	—	.19	—	—	—	.20	.10	4
5	.02	—	.20	.13	.17	—	.08	—	—	.02	.40	.01	5
6	.02	—	.01	.01	.11	.03	.01	.12	—	.01	.01	.06	6
7	.05	.09	.25	.01	.18	.02	.15	.09	—	.02	.02	.04	7
8	.42	.04	.04	.02	.42	.14	.01	.40	—	—	.03	.04	8
9	.50	.20	.18	.08	.19	.44	—	—	—	—	.22	.01	9
10	.02	.23	.04	.02	.03	.01	—	—	.30	—	.59	—	10
11	—	.20	.33	—	.01	.02	.03	—	.18	—	.31	.33	11
12	—	.43	.25	—	.06	—	—	—	.43	—	.16	.03	12
13	—	.29	.21	.24	.01	—	.07	—	.08	.01	.17	.08	13
14	—	.18	.05	—	—	—	.01	—	.01	.01	.24	.01	14
15	—	.01	.20	—	—	—	—	—	.10	—	.26	.07	15
16	—	.03	.02	—	—	—	—	—	1.65	—	.01	.01	16
17	.12	.46	.24	—	—	—	.16	—	.01	.05	—	1.01	17
18	—	—	.28	—	—	—	.14	—	.26	.08	—	.30	18
19	—	.02	.09	—	—	—	.15	—	.22	—	.02	.27	19
20	—	.49	.26	—	—	.23	.04	.01	.01	—	—	.28	20
21	—	.03	—	—	.05	—	.01	—	—	.05	—	.06	21
22	—	.46	—	.02	.03	.05	.10	.09	—	—	—	—	22
23	—	.05	.12	—	—	—	.10	.07	—	—	.04	—	23
24	.28	—	—	—	.07	.03	.14	.03	—	—	.13	—	24
25	.13	.03	.01	—	—	—	.01	.44	—	.66	.30	.38	25
26	—	.02	—	—	—	—	.25	.10	—	.44	.27	.14	26
27	.16	.04	—	—	—	.01	—	—	.01	.11	.37	.18	27
28	.03	.22	.10	—	—	.01	—	.01	.01	.01	.09	.32	28
29	.22		.05	—	.09	—	—	.16	—	.02	.40	.01	29
30	.02		.10	—	—	—	—	.32	—	.01	.03	.79	30
31	.25		.05		.02		.87	.06		.15		.19	31
Total	2.34	3.65	3.73	.73	1.93	1.11	3.54	2.03	3.27	1.66	4.40	6.31	YEAR'S TOTAL 31.70
Rain Days.	16	23	26	12	17	12	21	16	13	16	25	27	224

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Llwydiarth Esgob

in the County of Anglesey

by T. Prichard

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

4409

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.38	.22	.01	.03	.32	—	.30	.34	.51	.24	—	.01	1
2	.19	.69	.36	.38	—	.08	.17	.10	.25	.02	.08	—	2
3	—	—	.10	.24	—	—	.33	—	.08	—	.19	.38	3
4	.06	.01	—	—	.35	.22	.01	—	.02	—	—	.78	4
5	.09	.22	.02	.06	.08	.04	—	.18	.37	—	—	1.22	5
6	.13	.11	.01	.25	—	—	.34	—	—	—	.03	.21	6
7	.32	.32	—	.06	—	.02	.21	.44	—	.28	.01	.01	7
8	.05	.19	—	—	—	—	—	.70	—	.20	.50	—	8
9	.16	.23	—	.15	—	—	.01	.05	—	—	.01	.53	9
10	.51	.21	.15	.19	—	—	—	.05	—	.16	.01	.05	10
11	.01	—	.01	.01	.28	—	.13	—	—	.17	.29	.14	11
12	.08	—	—	.12	.01	—	—	—	—	.09	2.04	.09	12
13	—	.09	.01	.01	—	—	.08	—	.06	.11	.14	.33	13
14	.13	.05	—	—	.03	—	—	.02	.04	—	.03	.17	14
15	.36	—	—	.04	.02	—	.13	—	.02	.01	.06	.19	15
16	.01	.51	—	.01	.17	—	.15	.08	—	—	—	.22	16
17	.05	.16	.04	—	.62	—	—	—	—	—	—	—	17
18	.01	.23	.06	—	—	—	.04	—	—	.01	—	—	18
19	.08	.01	.02	.19	.22	—	.04	—	—	.02	—	.02	19
20	.32	—	—	.01	.03	—	—	.02	—	—	—	.77	20
21	.49	.02	—	.07	.25	—	.25	—	—	.04	—	.33	21
22	.22	(.19)	.03	—	—	.09	.05	—	.06	.13	.01	.17	22
23	—	.07	.07	.07	—	.17	—	—	.01	.35	—	.07	23
24	—	—	.03	.04	—	.01	—	—	.04	.15	—	.35	24
25	—	—	—	—	—	.07	—	—	.11	—	.11	.28	25
26	—	.66	—	—	—	.02	.39	—	.12 .23	—	—	.65	26
27	—	.05	—	—	—	—	.31	—	.03	.37	—	.23	27
28	—	.03	.01	—	.01	.04	.01	.25	—	.02	—	.01	28
29	—	X	—	—	.01	.02	—	—	.05	.03	.27	.09	29
30	.32	X	—	.17	—	—	—	—	.04	.36	.19	.20	30
31	—	X	—	X	—	X	.10	.39	X	.01	X	.39	31
Total	4.17	4.27	.93	2.10	2.40	.78	3.05	2.62	1.81	2.77	3.97	7.89	YEAR'S TOTAL 36.76
Rain Days.	21	21	15	19	14	11	19	12	16	20	16	27	211

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 4409

Kept at Llwydiarth Esgob

in the County of Anglesey

by T. Prichard

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.24	.20	.27	—	.10	.03	.55	.11	—	.04	.27	—	1
2	.09	.19	.28	—	.01	.04	.19	—	1.17	.80	.50	.07	2
3	.03	.45	.01	.22	.02	.20	.05	—	.69	.25	.20	.10	3
4	.12	.01	.05	.06	.72	.57	.35	—	.18	.03	.45	.04	4
5	.03	.60	.17	—	.93	—	—	—	.02	.39	—	—	5
6	.19	.18	.01	—	.47	—	.42	—	.01	.13	.29	.04	6
7		.01	—	—	.13	.10	.01	—	—	.15	.45	.37	7
8	—	.06	.07	—	.01	—	.01	—	—	.01	.05	.18	8
9	—	.03	—	—	.04	—	.16	—	—	—	.02	.06	9
10	.03	.70	—	.23	.04	—	.09	—	—	.01	.01	—	10
11	.04	.04	.02	.18	.03	—	.43	—	.08	—	—	.03	11
12	.08	.23	—	.01	.27	—	—	.16	.01	.12	.01	.21	12
13	.05	.13	.12	.06	.03	—	—	.04	.01	.95	—	.04	13
14	.04	.25	—	.01	.38	—	—	.70	.03	.03	—	—	14
15	—	.24	.26	.21	.04	—	.05	.33	.10	.02	—	—	15
16	—	.02	.01	.20	—	—	.03	.01		.04	—	—	16
17	.16	.26	—	.23	—	—	—	—	.85	.06	—	.09	17
18	.10	.22	—	.19	—	—	—	.04	.08	.05	.44	.72	18
19	.16	—	.28	.05	—	—	—	.18	—	—	.53	.31	19
20	.33	—	.52	.09	—	—	—	—	—	—	.15	.55	20
21	.02	—	.13	.02	.06	—	—	—	—	—	.16	—	21
22	—	—	—	—	—	.16	—	—	—	.18	.05	.35	22
23	.09	—	.12	.08	—	.01	—	.15	—	.20	.28	.30	23
24	—	.18	.04	.16	1.16	.03	—	.11	—	.25	.02	.97	24
25	—	.01	.02	.01	.30	.05	—	.27	.05	.02	.39	.01	25
26	.07	.01	.02	—	—	.03	—	.01	.10	.04	.10	—	26
27	.01	.09	—	—	.16	.02	—	—	.19	.54	.09	.01	27
28	.10	.17	—	—	—	.01	—	—	.01	.25	.20	.57	28
29	.14	.35	—	—	—	.02	—	.01	—	.39	.39	.22	29
30	.01	X	—	—	—	.30	—	—	—	.23	.58	.05	30
31	—	X	—	X	.22	X	—	.24	X	.02	X	.01	31
Total	2.13	4.63	2.40	2.01	5.12	1.57	2.34	2.36	3.58	5.20	5.63	5.30	YEAR'S TOTAL 42.27
Rain Days.	22	24	18	17	20	14	13	14	16	26	23	23	229

W. 8,000. X.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Llwydiarth Esgob

in the County of Anglesey

by T. Prichard

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in. 4409

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	.41	–	.05	–	–	.07	–	.37	.04	1
2	.26	–	–	–	–	–	–	.01	–	.07	.07	.03	2
3	–	.19	–	.02	–	.49	–	–	–	1.11	–	.14	3
4	.01	.13	–	.01	–	–	–	–	.01	.31	.05	.07	4
5	.25	–	.10	.22	–	–	–	–	.05	.26	.47	.06	5
6	–	–	.02	.01	–	.17	–	.04	.01	.43	.19	.20	6
7	.61	–	–	.01	–	.04	–	–	–	.05	.08	.04	7
8	.01	–	–	.11	–	.01	–	.44	.18	.46	.34	.23	8
9	–	–	.06	.06	.11	–	–	.41	–	.23	.12	.01	9
10	.52	–	.80	.08	.10	–	–	.46	–	.18	–	–	10
11	.03	.05	.01	.01	.06	–	–	.18	–	.88	.23	.03	11
12	.30	.04	.03	.10	1.19	–	–	.21	.19	.27	–	.07	12
13	–	–	–	.14	–	.01	–	.01	.46	.42	.09	.34	13
14	.02	–	–	.03	.06	–	–	1.25	–	.13	–	.01	14
15	–	–	–	.15	–	–	–	.05	.05	.22	–	.45	15
16	.04	.04	.01	.23	–	–	–	1.08	.08	.10	–	.59	16
17	.03	.04	.26	.32	.10	–	.30	1.20	.01	.09	.03	–	17
18	–	–	.15	.01	.21	–	.40	.04	.41	.05	.01	–	18
19	–	.51	.09	.01	.01	–	–	–	.01	.01	.01	.19	19
20	–	.12	–	–	.33	.59	–	–	.08	.07	.11	.02	20
21	–	.01	.03	–	.12	–	–	–	.02	.10	–	–	21
22	–	.18	–	–	–	.02	–	.53	.24	.21	.01	–	22
23	–	.04	.01	–	.19	.69	–	.15	.04	.09	.01	.04	23
24	–	–	–	–	.07	–	–	.13	.04	.40	.01	.02	24
25	–	.12	.04	–	.01	–	.01	.15	.51	.04	.22	–	25
26	–	–	–	–	.50	–	–	.03	.09	.25	.44	.11	26
27	–	.02	.13	–	.54	.11	–	1.98	.01	.18	.01	–	27
28	–	.01	.05	–	–	.01	.35	.28	–	.51	–	–	28
29	–	X	.03	–	–	–	.07	.01	–	.80	.01	–	29
30	–	X	.12	–	–	–	.01	.22	–	.06	.16	–	30
31	.01	X	.44	X	.20	X	–	.93	X	.01	X		31
99 Total	2.09	1.50	2.38	1.93	3.80	2.19	1.14	9.79	2.56	7.99	3.04	2.69	YEAR'S TOTAL 41.10
Rain Days.	12	14	18	18	16	11	6	23	20	30	22	20	210

W. 8,000/VIII. 16

W. days 6 11 11 10 14 7 4 19 14 28 14 14 152

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Llwydiarth Esgob

in the County of Anglesey

by T. Prichard

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date 18	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·08	–	·50	·02	–	–	1·15	·02	·06	·22	·24	1
2	·03	·06	–	·07	–	–	–	·01	–	·19	·03	·68	2
3	–	·04	–	·01	–	–	–	–	·15	·58	·09	·01	3
4	·01	·13	–	–	·58	–	–	·06	·38	·29	·20	·08	4
5	–	·12	·02	·14	·25	–	–	·03	·12	·35	·01	·02	5
6	·02	·41	–	·41	·01	·50	–	–	–	·09	–	·05	6
7	·14	·04	–	·03	·09		–	·05	·56	·06	·33	·01	7
8	·60	·07	–	·09	–	·26	·59	·01	·08	·38	·07	·02	8
9	·01	·08	–	·17	–	·52	·22	–	·67	·49	·02	·28	9
10	·05	·10	·23	·03	–	–	·31	–	·06	·20	·24	·09	10
11	·08	·03	·31	·01	·01	–	·03	·04	·09	·01	–	·28	11
12	–	·34	–	–	·24	–	–	–	·02	–	–	·01	12
13	–	·02	–	–	·04	·02	–	–	·28	·11	–	–	13
14	·35	–	–	–	–	·06	·23	·02	·03	·05	–	·50	14
15	·24	–	–	–	·04	·03	·76	–	2.66	·05	–	1·31	15
16		·08	–	–	–	·02	·22	·14	·47	·05	–	·21	16
17	·15	·06	·01	–	–	·25	·08	·02	·02	·13	–	·38	17
18	·35	·32	·07	–	–	–	·01	–	·04	·03	–	·34	18
19	·25	·18	·09	·28	–	·23	·89	–	·07	·05	–	·14	19
20	·34	·51	–	·17	·08	·06	·20	·02	·27	–	–	·01	20
21	·30	·05	–	·02	–	·03	·37	–	·82	–	–	·18	21
22	·15	·02	–	–	·73	·02	·32	·05	·19	–	·01	·40	22
23	·16	·01	–	–	·76	–	·07	–	·04	–	·02	·02	23
24	·05	·26	–	–	–	–	·19	·18	·23	·05	·21	·06	24
25	·01	–	–	–	·38	–	·25	·29	·56	·03	·13	–	25
26	·02	·04	–	–	·01	–	·17	·03	·10	·04	·03	·17	26
27	·02	·13	·64	–	–	·08	–	·39	·25	·04	·33	·28	27
28	·01	·05	·12	–	–	–	–	·01	·05	·01	·20	·59	28
29	·01	X	·29	–	–	–	–	–	·25	·01	–	·06	29
30	–	X	·07	–	–	–	–	·02	·03	·10	·09	·34	30
31	–	X	·01	X	–	X		·03	X	·43	X	·10	31
99 Total	3·35	3·23	1·86	1·93	3·24	2·08	4·91	2·55	8·51	3·88	2·23	6·86	YEAR'S TOTAL 44·63
Rain Days.	23	25	11	13	14	13	17	19	28	26	17	29	235

W. Days 14 21 8 8 10 8 15 9 23 21 11 22 170

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL

Kept at Llwydiarth Esgob

in the County of Anglesey

by T. Prichard

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
19													
1	.21	–	.04	.16	.44	–	.06	.01	2.33	.21	.02	.21	1
2	.18	–	.55	.01	.01	–	–	–	.01	–	.02	.32	2
3	.13	–	–	.03	.09	.30	.01	–	–	–	.09	–	3
4	.26	.08	.34	–	.05	.01	.28	.01	.13	–	–	.35	4
5	.20	.07	–	–	.15	–		.21	.07	–	–	.05	5
6	.01	.01	.40	–	.01	–	–	.01	.10	.01	–	.07	6
7	.12	.01	.06	.39	–	.02	–	–	.01	–	.15	.02	7
8	.16	–	.05	.02	–	.01	–	–	–	–	–	–	8
9	.17	–	.01	.12	–	–	.02	–	–	–	.09	–	9
10	.34	–	.34	–	.03	–	–	–	–	.11	.03	.20	10
11	.20	–	1.10	.11	.01	.01	–	–	.03	.09	–	.20	11
12	.04	–	–	.01	.01	.40	.16	–	.16	.06	.29	.05	12
13	.23	.04	–	.13	–	–	.16	–	–	.23	–	.21	13
14	.41	.02	–	.18	–	–	.18	–	–	.18	–	.03	14
15	.50	.30	–	.05	.04	–	–	–	–	.20	.03	.29	15
16	–	.15	.02	.02	.01	.02	.01	–	–	.01	.37	.15	16
17	–	.21	.06	.08	–	.02	.03	.41	–	–	.34	.01	17
18	.11	.01	1.02	–	.03	–	–	.39	.09	–	.12	.27	18
19	.07	.18	.43	–	–	.34	.01	.04	.11	–	.08	.13	19
20	.35	.03	.13	–	.24	.03	–	.02	.35	–	.06	.28	20
21	.03	.37	.02	–	.01	–	.36	.01	.22	–	.04	.07	21
22	.01	.09	–	–	–	.14	.01	.02	.48	–	.02	.87	22
23	.01	–	–	.08	–	.02	–	–	–	1.38	.02	.01	23
24	–	–	–	.02	.18	.04	–	.03	.08	.54	.25	.09	24
25	.43	–	–	.07	.02	–	–	.47	.22	.14	.11	.03	25
26	.23	.01	.34	–	–	.15	–	.31	.05	–	.02	.25	26
27	.63	–	.03	.12	–	–	.01	.08	.09	.01	.05	–	27
28	.01	–	.06	.02	–	–	–	.97	–	.06	–	.28	28
29	.01	X	.06	.08	–	.03	–	.13	–	.02	.04	.27	29
30	–	X	.24	.23	–	.39	–	–	–	.01	.28	.54	30
31	–	X	.16	X	–	X	.39	.13	X	.02	X		31
99 Total	5.05	1.58	5.46	1.93	1.33	1.93	1.69	3.25	4.53	3.28	2.52	5.25	YEAR'S TOTAL 37.80
Rain Days.	26	15	21	20	16	16	14	17	17	17	22	26	227
	Days with .04 in. 29	9	17	13	7	7	7	10	14	11	15	21	151

W. 6,500—VII 18. W W O

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Llanerchymedd, Llwydiarth Esgob

in the County of Anglesey

by T. Prichard

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date 20	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·27	·14	·68	·01	·58	·04	·20	1·03	–	·45	1
2	–	–	·01	·20	·03	–	·05	·14	31	·11	–	·11	2
3	–	·19	–	·08	·06	–	·23	·05	·19	·23	·26	–	3
4	–	–	–	–	·07	–	·08	1·80	·25	·40	·02	–	4
5	–	–	·15	–	1·00	–	·19	·08	·14	·24	–	–	5
6	·01	·36	·50	·11	·16	–	–	·01	–	·62	·02	–	6
7	·22	·31	·03	·01	–	–	·16	·17	–	·01	–	–	7
8	·30	·01	·02	·18	·06	–	·06	·49	·02	–	·02	·13	8
9	·41	·15	·02	·77		–	·32	–	·08	–	·06	–	9
10	·30	·07	·06	·04	–	·13	·03	–	–	–	–	–	10
11	·26	–	·19	·18	·28	·07	·06	·01	–	–	·01	·03	11
12	·31	·04	·02	·23	–	·93	·11	–	·06	·02	·18	–	12
13	·03	·18	·28	·05	–	·08	·01	–	–	–	·03	–	13
14	·03	–	·38	·43	–	·50	·30	–	·41	·25	·21	–	14
15	·01	·25	·03	·10	·01	·59	–	–	–	·10	·01	–	15
16	·02	·02	·23	·08	·15	·18	·61	–	·27	·07	–	–	16
17	·04	–	·06	–	·18	·14	·01	·22	·20	–	–	–	17
18	·26	·05	–	·12	·25	·11	–	·35	·12	–	–	–	18
19	·01	·79	–	·10	·19	·08	·12	·02	–	–	–	–	19
20	·14	·04	–	·20	–	·01	·02	·01	·41	·02	–	·34	20
21	·01	–	–	·11	–	–	·47	·03	·04	·01	–	·10	21
22	·20	–	–	·09	–	–	·53	·44	–	–	–	–	22
23	·15	–	·23	·39	–	–	·52	–	–	–	–	·32	23
24	·09	–	1·01	·02	–	·01	–	–	–	–	·01	·61	24
25	·27	·28	·32	·01	·08	·01	2·01	–	–	–	–	·08	25
26	·05	·19	·55	·41	–	–	–	–	·08	–	·20	·03	26
27	·14	·06	·43	·05	·09	·53	·18	–	–	–	·30	–	27
28	·03	·04	·30	·04		·07	·35	–	–	–	·05	·37	28
29	·13	–	·02	·06	·35	–	·30	–	–	–	·14	·68	29
30	·23	X	·41	·08	–	·08	·12	–	·47	·01	·24	·26	30
31	·27	X	·30	X	·10	X	·11	·13	X	·72	X	·02	31
99 TOTAL	3·92	3·03	5·82	4·28	3·74	3·53	7·53 ~~7·77~~	3·99	3·25	3·84	1·76	3·53	YEAR'S TOTAL ~~48·22~~ 48·46
Days with ·01 in. or more	26	17	24	27	17	17	26	16	16	15	16	14	231

(44,283). Wt.21,958—218,7500. 10/19. Gp.132. A.&E.W.

ANGLESEY.

PENMON.

TROS-YR-AFON

1918

RE

Kept at Tros yr afon

in the County of A

by Wm. J. Ley

4° · 05'

Lleiniau Bridge 7 miles

FORM A. BRITISH RAINFALL.

in Gauge 5 in.

ove Ground — ft. 9 in.

Sea Level 40 ft.

IMPORTANT NO... should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·03		·04"				·15"	·07"	·03"	·21"	·18"	1
2	·08"	·01 ·03"		·10"						·47"	·02"	·56"	2
3		·01"			·37"				·13"	·73"			3
4		·1·10"							·43"	·55"	·10"	·01"	4
5		·11"	·02"	·09"	·26"			·06"	·12"	·90"		·01"	5
6		·78"		·25"		·39"		·03"		·53"		·02"	6
7	·02"	·08"		·01"	·10"			·07"	·28"	·09"	·16"	·02"	7
8		·10				·17"	·32"		·26"	·07"	·09"	·01"	8
9	·32"	·19"		·14"		·38"	·04"		·56"	·72"	·02"	·02"	9
10	·04"	·32"	·01"	·03"			·60"		·06"	·23"	·51"	·15"	10
11	·05"	·06"	·09"		·01"		·16"		·17"	·02"		·33"	11
12		·33"		·05"	·23"	·03"	·29"		·01"			·01"	12
13		·03"		M.A. ·08"	·08"				·38"	·05"			13
14	1·24"					·09"	·31"	·02"	·18"	·06"		·42"	14
15	·15"						·45"		2·26"	·08"		1·27"	15
16						·04"	·16"	·17"	·44"	·10"		·10"	16
17	·15"	·01"					·14"	·64"	·03"	·21"		·29"	17
18	·35"	·19"	·04"			·06"			·15"	·02"		·31"	18
19	·05"	·21"	·10"	·26"			·66"		·07"	·07"		·23"	19
20	·24"	·52"		·11"	·30"	·16"	·16"		·20"				20
21	·17"	(·22)		·03"		·04"	·09"		1·25"			·09"	21
22	·01"	·02"			·40"		·07"	·06"	·29"			·49"	22
23	·11"				·50"		·03"		·05"		·02"	·02"	23
24	·02"	·31"						·19"	·16"	·06"	·15"	·10"	24
25					·46"		·37"	·42"	·41"	·07"	·09"		25
26	·01"	·05"			·46"		·41"	·03"	·28"	·02"	·02"	·15"	26
27		·11"	·71"			·07"		·33"	·75"	·06"	·32"	·42"	27
28		·08"	·06"					·01"	·02"	·01"	·25"	·41"	28
29			·26"						·09"			·16"	29
30		X	·04"					·04"	·07"	·08"	·02"	·17"	30
31		X	·20"	X		X		·02"	X	·10"	X	·15"	31
Total	2·81	3·85	1·53	1·15	2·71	1·43	4·26	1·59	9·17	5·33	1·98	6·10	YEAR'S TOTAL 41·91
Rain Days.	16	23	10	12	10	10	16	15	28	25	14	27	206

W. 8,000, IX. 17.

RE[illegible]

FORM A. BRITISH RAINFALL.

Kept at Tros yr afon, Penmon, 4°·05'

in the County of Anglesey

by Mrs J. Hepworth.

Time of Observation 9 a.m.

Nearest Railway Station Menai Bridge 2 miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·03		·04"				·15"	·07"	·03"	·21"	·18"	1
2	·08"	·01 ·03"		·10"						·47"	·62"	·56"	2
3		·01"			·37"				·13"	·73"			3
4		·10"							·43"	·55"	·10"	·01"	4
5		·11"	·02"	·09"	·26"			·06"	·12"	·90"		·01"	5
6		·78"		·25"		·39"		·03"		·53"		·02"	6
7	·02"	·08"		·01"	·10"			·07"	·28"	·09"	·16"	·02"	7
8		·10				·17"	·32"		·26"	·07"	·09"	·01"	8
9	·32"	·19"		·14"		·38"	·04"		·56"	·72"	·02"	·02"	9
10	·04"	·32"	·01"	·03"			·60"		·06"	·23"	·51"	·15"	10
11	·05"	·06"	·09"		·01"		·16"		·17"	·02"		·33"	11
12		·33"		·05"	·23"	·03"	·29"		·01"			·01"	12
13		·03"		Mid ·08"	·08"				·38"	·05"			13
14	1·24"					·09"	·31"	·02"	·18"	·06"		·42"	14
15	·15"						·45"		2·26"	·08"		1·27"	15
16						·04"	·16"	·17"	·44"	·10"		·10"	16
17	·15"	·01"					·14"	·64"	·03"	·21"		·29"	17
18	·35"	·19"	·04"			·06"			·15"	·02"		·31"	18
19	·05"	·21"	·10"	·26"			·66"		·07"	·07"		·23"	19
20	·24"	·52"		·11"	·30"	·15"	·16"		·20"				20
21	·17"	(·20)"		·03"		·07"	·09"		1·25"			·09"	21
22	·01"	·02"			·40"		·07"	·06"	·29"			·49"	22
23	·11"				·50"		·03"		·05"		·02"	·02"	23
24	·02"	·31"						·19"	·16"	·06"	·15"	·10"	24
25					·46"		·37"	·42"	·41"	·07"	·09"		25
26	·01"	·05"			·16"		·41"	·03"	·28"	·62"	·02"	·15"	26
27		·11"	·71"			·07"		·33" ·08"	·75"	·06"	·32"	·42"	27
28		·08"	·06"					·01"	·62"	·01"	·25"	·41"	28
29			·26"						·09"			·16"	29
30		X	·07"					·04"	·07"	·08"	·02"	·17"	30
31		X	·20"	X		X		·02"	X	·10"	X	·15"	31
Total	2·81	3·85	1·53	1·15	2·71	1·43	4·26	1·59	9·17	5·33	1·98	6·10	YEAR'S TOTAL 41·91
Rain Days.	16	23	10	12	10	10	16	15	28	25	14	27	206

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.

REGIS 4410

PENRHOSLLWIGWY SCHOOL

1917 - ~~30~~ 20

Kept at Penhosllw… *25' W.*

in the County of Ang…

by Thos. Rowlan… *veh.*

…ge 5 in.

…ound 2 ft. - in.

…a Level 200 ft.

IMPORTANT NOTE… …result entered to the previous day. If an Obs… …al rule, he is earnestly requested to add the readi… …n the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.	·04		·38	·02	1
2							~~·08~~	·06	·0	·07	·07	·06	2
3							.	.	.	1·19	.	·12	3
4							.	.	.	·33	.	·05	4
5							.	.	·02	·47	·86	·02	5
6							.	.	.	·44	·23	·24	6
7							·02	·02	.	·11	·06	·03	7
8							~~·14~~	·19	·17	·48	·33	·23	8
9							~~·71~~	·41	.	·29	·23	.	9
10							.	.	.	·18	.	.	10
11							~~·18~~	·18	.	·86	·18	.	11
12							~~·14~~	·19	·13	·18	.	·03	12
13							.	·99	·56	·45	·05	·30	13
14							.	·02	.	·06	.	.	14
15							.	·01	·06	·33	.	·68	15
16							.	1·28	·06	·19	.	·44	16
17							·23	·81	·08	·04	.	.	17
18							·35	·03	·43	.	.	.	18
19							.	.	.	.	·01	·17	19
20							.	.	·12	·04	·12	.	20
21							.	.	·02	·21	.	.	21
22		Commenced June 23/1917					.	·46	·26	·18	.	.	22
23						·68	.	·25	·04	·04	.	·03	23
24						.	·08	·23	·06	·43	·05	.	24
25						.	.	·16	·16	·02	·27	.	25
26						.	·02	·28	·34	·12	·50	.	26
27						·11	·31	1·34	.	·09	.	·06	27
28						·02	·04	·31	.	·28	.	.	28
29						.	.	·02	.	·84	.	.	29
30		X				.	.	·22	.	·04	·28	.	30
31		X		X		X	.	·84	X	.	X	.	31
Total						·81	1·03	8·33	2·55	8·05	3·62	2·48	YEAR'S TOTAL ~~26·84~~
Rain Days.						3	6	22	16	27	15	15	~~107~~

W. 8,000, IX. 17.

Smacle

REGIS[redacted]

FORM A. BRITISH RAINFALL

Kept at Penhostlegwy School

in the County of Anglesey

by Thos. Rowlands

Lat. [illegible] Long. [illegible] 25' W.

Time of Observation 9 a.m

Nearest Railway Station Amlwch.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. - in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.	·04		·38	·02	1
2							~~·08~~	·06	·0	·07	·07	·06	2
3							.	.	.	1·19	.	·12	3
4							.	.	.	·33	.	·05	4
5							.	.	·02	·47	·86	·02	5
6							.	.	.	·44	·23	·24	6
7							~~·02~~	·02	.	·11	·06	·03	7
8							~~·19~~	·19	·17	·48	·33	·23	8
9							~~·41~~	·41	.	·29	·23	.	9
10							.	.	.	·18	.	.	10
11							~~·18~~	·18	.	·86	·18	.	11
12							~~·19~~	·19	·13	·18	.	·03	12
13							.	·99	·56	·45	·05	·30	13
14							.	·02	.	·06	.	.	14
15							.	·01	·06	·33	.	·68	15
16							.	1·28	·06	·19	.	·44	16
17							·23	·81	·08	·04	.	.	17
18							·35	·03	·43	.	.	.	18
19							.	.	.	.	·01	·17	19
20							.	.	·12	·04	·12	.	20
21							.	.	·02	·21	.	.	21
22		Commenced June 23/1917					.	·46	·26	·18	.	.	22
23						·68	.	·25	·04	·04	.	·03	23
24						.	·08	·23	·06	·43	·05	.	24
25						.	.	·16	·16	·02	·27	.	25
26						.	·02	·28	·34	·12	·50	.	26
27						·11	·31	1·34	.	·09	.	·06	27
28						·02	·04	·31	.	·28	.	.	28
29						.	.	·02	.	·84	.	.	29
30		X				.	.	·22	.	·04	·28	.	30
31		X	X		X		.	·84	X	.	X	.	31
Total						·81 ✓	1·03	8·33	2·55 ✓	8·05 ✓	3·62	2·48	YEAR'S TOTAL ~~26·84~~
Rain Days.						3	6 ✓	22	16 ✓	27	15 ✓	15 ✓	~~104~~

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Penrhosllegwy School.

in the County of Anglesey

by J. Rowlands.

Lat. 53° 30' N Long. 4° 15' W 8.1.19

Time of Observation 9 am

Nearest Railway Station Amlwch

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. " in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		.07		.30				.24	.02	.06	.25	.3	1
2	.05	.05		.03						.34	.03	.85	2
3		.02			.58				.09	.78	.11	.13	3
4		.14						.03	.34	.51	.23	.10	4
5		.06		.41	.31			.04	.13	.73		.01	5
6	.04	.42		.06	.10	.46				.19		.04	6
7	.05	.03		.02				.06	.62	.04	.32	.02	7
8	.17	.02		.04		.35	.51		.11	.76	.04	.04	8
9		.20		.11		.35	.24		.60	.20	.05	.35	9
10	.05	.02	.22	.02			.41		.04	.33	.39	.09	10
11	.05	.02	.24	.02			.04	.08	.04	.02		.24	11
12		.31			.19		.34						12
13		.01			.02		.81		.32	.04			13
14	1.19					.04	.15		.20	.04		.74	14
15	.17				.03		.04		2.42	.01		1.28	15
16		.05				.02		.14	.42	.29		.15	16
17	.16							.04		.16		.42	17
18	.36	.26	.08			.23			.12	.01		.29	18
19	.04	.12	.10	.15						.04		.18	19
20	.48	.55		.20	.10	.21	.95	.03				.04	20
21	.25	.11			.64	.08			1.59			.30	21
22	.11						.26	.05	.16			.21	22
23	.13				.82		.22		.08		.06	.01	23
24	.14	.24					.10	.12	.31		.20	.14	24
25					.34		.14	.40	.36	.10	.12		25
26		.03					.40	.04	.40	.06	.06	.45	26
27		.13	.44			.09	.06	.44	.34	.04	.34	.36	27
28		.03	.12							.02	.28	.46	28
29			.24						.42		.01	.13	29
30			.04						.05	.11	.15	.13	30
31			.03				.03	.09		.24		.29	31
Total	3.47	2.92	1.84	1.39	3.19	1.83	4.76	1.86	9.27	5.24	2.64	7.84	YEAR'S TOTAL 46.31
Rain Days.	16	22	9	11	10	9	15	14	23	24	16	28	199

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Penrhostlligwy School

in the County of - Anglesey -

by Thomas Rowlands

Lat. 53° 21' N Long. 4° 16' W

Time of Observation 9 a.m.

Nearest Railway Station Amlwch

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. . in.

" " " " Sea Level 140·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·26	.	·06	.	·52	.	·04	.	2·48	·21	.	·24	1
2	·23	.	·62	·08	.	.	·04	.	.	.	.	·52	2
3	·08	.	.	·01	·14	·25	·03	.	.	.	·14	.	3
4	·13	·04	·35	.	.	.	·23	·13	·12	.	.	·34	4
5	·23	·05	.	.	·08	.	.	.	.	.	.	·24	5
6	.	·03	·45	.	.	.	.	.	·09	.	.	·03	6
7	·08	.	·05	·28	.	·02	.	.	.	.	·06	·06	7
8	·24	.	·03	.	.	.	.	.	.	.	·01	.	8
9	·14	.	·14	·12	.	.	·01	.	.	.	·18	.	9
10	·34	.	·35	·02	.	.	.	.	·03	·18	.	·20	10
11	·19	.	1·01	·09	.	.	·15	.	.	·13	.	·34	11
12	·01	.	·01	.	·01	·30	.	.	·04	·05	·36	·06	12
13	·24	·02	.	·04	.	.	·09	.	.	·31	.	·21	13
14	·41	·08	.	·20	.	.	·19	.	.	·20	.	·04	14
15	·51	·14	.	·05	·04	.	.	.	.	·25	·06	·31	15
16	·02	·11	·04	.	.	.	·01	.	.	.	·34	·21	16
17	.	·14	·02	·04	.	·03	·02	·65	.	.	·44	·10	17
18	·11	.	·96	.	·04	.	·32	.	·09	.	·12	·36	18
19	·04	·20	·34	.	.	·55	.	·39	·24	.	·05	·15	19
20	·21	·03	·09	.	·15	.	.	·02	·14	.	·03	·41	20
21	·08	·43	.	.	·01	.	·31	.	·21	.	·06	·06	21
22	.	·08	.	.	.	·20	.	.	·49	.	·02	1·13	22
23	.	.	.	.	.	·02	.	.	.	1·47	·05	·02	23
24	·02	.	.	·02	·20	·02	.	·05	·13	·30	·28	·23	24
25	·36	.	.	·15	.	.	.	·54	·41	·16	·20	·06	25
26	·23	.	·24	·15	.	·10	.	·34	·08	.	·04	·34	26
27	·34	.	·01	·15	.	.	.	·11	·01	.	·04	.	27
28	.	.	·04	.	.	.	.	·94	.	.	.	·30	28
29	.		·04	·04	.	.	.	.	.	.	.	·30	29
30	.		·26	·22	.	·33	.	.	.	.	·36	·61	30
31	.		·15		.		·45	·06		.		.	31
TOTAL	4.62	1.38	5.35	1.75	1.22	1.82	1.95	3.23	4.62	3.26	2.84	6.96	YEAR'S TOTAL 39.00
Days with ·01 in. or more	23	12	21	16	9	15	13	10	14	10	19	26	183

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

28 JAN 1921

Kept at Penrhos Llegwy School

in the County of Anglesey

by Thomas Rowlands

Lat. 53° 21' N Long. 4° 16' W

Time of Observation 9 am

Nearest Railway Station Amlwch

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 140·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	·03	·29	·16	·62	.	·69	06	14	83		39	1
2	.	·03	.	·26	·01	.	·14	20	26	10		29	2
3	.	·24	.	·02	·01	.	·31	16	17	30	20		3
4	.	.	·01	.	·04	·01	·02	1·70	20	35	03		4
5	.	.	·19	.	1·76	.	·14	17	11	24			5
6	.	.	·39	·19	·27	.	.			44	10		6
7	·38	·34	.	.	·04	.	·14	27		.			7
8	·21	·31	·03	·11	.	.	·04	43	02	.	03		8
9	·52	.	·03	·44	.	.	·29		09	.	·08		9
10	·62	.	·16	·01	·31	·03	.			.			10
11	·16	·08	·25	·13	·02	·09	·06	01		.	03		11
12	·36	·16	·42	·14	.	·99	·10		05	03	30		12
13	·12	·16	·09	·11	.	·06	.			.	·08		13
14	·11	·14	·28	·40	·11	·43	·42		48	28	·38		14
15	·03	·24	·04	·11	·21	·04	.			10			15
16	·16	·01	·38	·04	·48	·19	·65		40	19	03		16
17	·10	.	·13	.	·29	·06	.	24	19				17
18	·29	.	.	·08	,	·25	.	34	14				18
19		·14	.	·19	,	·09	·14		05				19
20	·24	.	.	·16	,	,	·01		30			64	20
21	.	·01	.	·10	,	,	·50		03			04	21
22	·42	.	.	·10	,	,	·64	45					22
23	·16	.	·26	·36	.	.	·54					54	23
24	·26	.	1·02	·03	.	.	·01					40	24
25	·24	·26	·47	.	·04	,	1·74					14	25
26	·22	·18	·80	·28	.	,	.		14		19	04	26
27	·18	·12	·83	·21	·09	·50	·22					16	27
28	·06	·06	·44	·05	·51	·08	·04				20	25	28
29	·14	·01	.	·02	·01	.	·36				19	72	29
30	·34		·43	·15	.	·04	·16		46		19	32	30
31	·13		·37		·04		·06	08		40		01	31
TOTAL	5·51	3·20	7·34	4·21	4·92	2·92	7·54	4·14	3·23	3·59	2·03	3·97	YEAR'S TOTAL 52·63
Days with ·01 in. or more	23	18	22	25	18	14	24	12	14	11	14	13	211
Days with ·04 in. or more	22	13	19	21	14	12	21	11	15	10	10	12	180

(14,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

ANGLESEY

PLAS NEWYDD. GDNS

1917–1920

24 JAN 1918

NEG[illegible]A,

METEOROLOGICAL INSTRUMENT MAKERS.

38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by Students — YEAR — At Plas Newydd Gardens

Time of Observation 9 a.m. — 1917. — County Anglesey

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in	in	in.	in.	in.	in.	in.	in.	in.	in.
1				·33 (S)		·04			·08		·23	·06
2	·25			·09 (S)				·07	·01	·10	·05	
3		·34 S		·02 (S)		·28				·71		·12
4		·10 S	·08							·61	·01	·02
5	·36		·05	·25 (S)					·16	·32	·63	
6	·01		·03							·32	·21	·30
7	·56			·01		·14		·07		·11	·02	·02
8	·01			·14		·10		·92	·25	·46	·37	·13
9			·03	·14 (S)	·05			·85		·20	·18	
10	·35		·24	·36	·08			·16		·17		
11	·07			·01	·03			·26		·73	·12	·05
12	·19 S		·03	·21	·77	·04		·02	·27	·38		·03
13				·02		·04		·81	·82	·53	·10	·25
14	·02			·02	·09		·02	·32		·19		·01
15	·10			·11			·02		·05	·24		·42
16		·03		·15				1·2	·22	·12	·05	·64
17		·02	·26	·46	·06		·33	1·08	·03	·03	·02	
18	·03		·06	·55			·46	·01	·27	·05		
19		·34	·24					·07	·01		·04	·01
20		·23			·07	·86			·02		·13	
21		·05	·05		·06				·03	·19	·03	
22		·18						·40	·18	·34	·03	
23		·07			·17	·69		·03	·11	·02		·02
24			·03			·08	·50	·01	·06	·56	·03	·45
25		·10	·08				·01	·11	·48	·06	·24	
26					·46		·04	·20	·25	·12	·85	·04
27			·17		·55	·04		·63		·24		
28		·08	·26				·46	·46		·26		·15
29			·06					·04		·50		
30			·17					·20		·12	·24	
31			·10		·14			1·15				
Totals	1·95	1·54	1·94	2·87	2·53	2·34	1·84	9·07	3·30	7·68	3·58	2·72

Inches	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug	Sept.	Oct.	Nov.	Dec.
	1·95	1·54	1·94	2·87	2·53	2·34	1·84	9·07	3·30	7·68	3·58	2·72

Total 41·36

MONTHLY TOTALS

11 11 17 16 12 10 8 23 16 27 20 17 41·36 190

P. made

24 JAN 1918

RAINFALL CHART.

NEGRETTI AND ZAMBRA,

METEOROLOGICAL INSTRUMENT MAKERS.

38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by Students — **YEAR** — *At* Plas Newydd Gardens

Time of Observation 9 a.m. — **1917.** — *County* Anglesey

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in	in	in.	in.	in.	in.	in.	in.	in.	in.
1	/	/	/	·33 (S)	/	·07	/	/	·08	/	·23	·06
2	·25	/	/	·09 (S)	/	/	/	·07	·01	·10	·05	/
3	/	·34 S	/	·02 (S)	/	·28	/	/	/	·71	/	·12
4	/	·10 S	·08	/	/	/	/	/	/	·61	·01	·02
5	·36	/	·05	·25 (S)	/	/	/	/	·16	·32	·63	/
6	·01	/	·03	/	/	/	/	/	/	·32	·21	·30
7	·56	/	/	·01	/	·14	/	·07	/	·11	·02	·02
8	·01	/	/	·14	/	·10	/	·92	·25	·46	·37	·13
9	/	/	·03	·14 (S)	·05	/	/	·85	/	·20	·18	/
10	·35	/	·24	·36	·08	/	/	·16	/	·17	/	/
11	·07	/	/	·01	·03	/	/	·26	/	·73	·12	·05
12	·19 S	/	·03	·21	·77	·04	/	·02	·27	·38	/	·03
13	/	/	/	·02	/	·04	/	·81	·82	·53	·10	·25
14	·02	/	/	·02	·09	/	·02	·32	/	·19	/	·01
15	·10	/	/	·11	/	/	·02	/	·05	·24	/	·42
16	/	·03	/	·15	/	/	/	1·2	·22	·12	·05	·64
17	/	·02	·26	·46	·06	/	·33	1·08	·03	·03	·02	/
18	·03	/	·06	·55	/	/	·46	·01	·27	·05	/	/
19	/	·34	·24	/	/	/	/	·07	·01	/	·04	·01
20	/	·23	/	/	·07	·86	/	/	·02	/	·13	/
21	/	·05	·05	/	·06	/	/	/	·03	·19	·03	/
22	/	·18	/	/	/	/	/	·40	·18	·34	·03	/
23	/	·07	/	/	·17	·69	/	·03	·11	·02	/	·02
24	/	/	·03	/	/	·08	·50	·01	·06	·56	·03	·45
25	/	·10	·08	/	/	/	·01	·11	·48	·06	·24	/
26	/	/	/	/	·46	/	·04	·20	·25	·12	·85	·04
27	/	/	·17	/	·55	·04	/	·63	/	·24	/	/
28	/	·08	·26	/	/	/	·46	·46	/	·26	/	·15
29	/	/	·06	/	/	/	/	·04	/	·50	/	/
30	/	/	·17	/	/	/	/	·20	/	·12	·24	/
31	/	/	·10	/	·14	/	/	1·15	/	/	/	/
Totals	1·95	1·54	1·94	2·87	2·53	2·34	1·84	9·07	3·30	7·68	3·58	2·72

Inches: 9, 8, 7, 6, 5, 4, 3, 2, 1

Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1·95	1·54	1·94	2·87	2·53	2·34	1·84	9·07	3·30	7·68	3·58	2·72

Total 41·36

MONTHLY TOTALS

11 11 17 16 12 10 8 23 16 27 20 17 — 41·36 — 190

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

Kept at Plas Newydd Gardens, Llanfair P.G.

in the County of Anglesey

by William Owen.

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Llanfair P.G.

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground one ft. .. in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·04		·13	·01			·29	·10	·05	·47	·05	1
2	·05			·11						·41	·03	·82	2
3					·12				·18	1·04			3
4		·14							·32	·47	·14	·02	4
5		·02	·01		·30			·07	·11	·69	·01	·01	5
6	·06 (S)	·80		·40		·76				·64		·01	6
7		·07		·02	·15			·01	·47	·08	·55	·07	7
8	·50 (S)	·06		·04		·23	·28		·18	·14	·03		8
9	·01	·34		·11		·49	·13		·63	1·00	·02	·07	9
10	·06	·16	·02				·86		·15	·38	·56	·21	10
11	·10	·04	·06		·05		·06		·07		·05	·45	11
12		·40			·24	·03	·08		·01				12
13		·01			·10	·03			·55	·06			13
14	1·50					·09	·14	·01	·17	·02		·38	14
15	·17 (S)						·65		3·00	·10		1·59	15
16		·35				·16	·19	·18	·35	·22		·10	16
17	·15						·30	·04	·06	·26		·43	17
18	·35	·15	·09			·08			·18	·02		·33	18
19	·06	·31	·12	·21			·95		·09	·01		·19	19
20	·37	·53		·18	·36	·19	·12		·31	·01			20
21	·15	·18				·80	·20		1·30			·11	21
22	·03	·02			1·18		·20	·04	·26			·54	22
23	·13				·65		·07		·05		·02		23
24	·11	·28						·40	·26	·01	·15	·10	24
25					·57		·30	·31	·45	·08	·06		25
26	·02	·08					·25	·05	·22	·01	·05	·28	26
27		·30	·75			·12		·43	·41	·04	·36	·28	27
28		·07 (S)	·16			·08			·06	·01	·35	·37	28
29			·12						·59			·10	29
30		X	·11					·09	·04	·09	·10	·10	30
31		X	·39	X		X	·02	·03	X	·33	X	·25	31
Total	3·82	4·35	1·83	1·20	3·73	3·06	4·80	1·95	10·57	6·16	2·95	6·86	YEAR'S TOTAL 51·28
Rain Days.	17	21	10	8	11	12	17	13	28	25	16	24	202

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

28 JAN 20

Kept at Plas Newydd Gardens

in the County of Anglesey

by W. Owen

Lat. ..... Long. .....

Time of Observation 9 am

Nearest Railway Station Llanfair P.G.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·23	·03	·03		·39		·09		1·93	·55		·31	1
2	·15	·01	·82 (5)	·09				·01			·02	·30	2
3				·07	·10	·18	·02					·05	3
4	·18	·08	·28		·03	·03	·38	·15	·11			·46	4
5	·16	·08			·10				·02			·28	5
6	·01	·04	·60						·15			·04	6
7			·08	·22		·03					·08	·03	7
8	·13		·07			·03					·12		8
9	·30		·05	·12						·26	·03		9
10	·23		·46	·02	·10	·02				·12	·04	·12	10
11	·02		1·40	·17			·19		·02	·10		·33	11
12	·04		·02	·01		·35				·15	·23	·01	12
13	·22			·13			·10			·21		·16	13
14	·30	·25		·23			·21			·24		·01	14
15	·68	·09		·22							·01	·35	15
16	·04	·11	·03	·01		·04	·01				·56	·01	16
17		·37		·17		·04	·08	·92	·05		·47	·03	17
18	·01		·57		·09		·31	·86	·14		·16	·54	18
19	·08	·09	·28			·48	·02	·06	·17		·30	·23	19
20	·27	·03	·17		·05	·14		·01	·58		·08	·45	20
21		·08					·55		·34		·07	·04	21
22		·11				·15		·04	·73			1·14	22
23				·03		·04				1·18		·16	23
24					·20	·03		·01	·08	·70	·10	·15	24
25	·43			·07	·02			·67	·18	·08	·06	·08	25
26	·08		·30	·23		·16		·22	·03		·09	·20	26
27	·57 (5)			·24		·01		·12	·07		·05		27
28			·04	·04				2·05		·04		·34	28
29			·02	·15				·25		·04	·15	·42	29
30			·17	·35		·30					·24	·42	30
31			·37				·53	·10		·02		·02	31
TOTAL	4·07	1·37	6·06	2·57	1·08	2·03	2·49	5·47	4·60	3·69	2·86	6·67	YEAR'S TOTAL 42·96
Days with ·01 in. or more	20	13	19	19	9	16	12	14	15	13	19	28	197

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Plasnewydd Gardens

in the County of Anglesey

by Wm. Owen

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Llanfair P.G.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level about 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·02	·26	·17	·31	·01	·65	·04	·17	·77	·01	·35	1
2		·09		·16	·02		·65	·07	·54	·10		·17	2
3		·20		·18	·03		1·24	·10	·25	·60			3
4					·03		·02	1·60	·25	·23	·43		4
5			·20		2·34		·16	·17	·21	·32			5
6			·52	·24	·37		·03			·28			6
7	·19	·23		·01			·05	·19	·01		·01		7
8	·17		·01	·25	·08		·10	·24	·04		·02	·06	8
9	·35	·44	·08	·78			·19		·11		·07	·01	9
10	·63	·10	·12	·04		·03	·01	·02				·01	10
11	·28		·25	·09	·28	·03	·03	·03			·01		11
12	·30	·12		·16		·97	·04		·04	·01	·20	·16 (S)	12
13	·15	·13	·18	·07							·11		13
14	·02	·07	·42	·31		·36	·41		·68	·44	·35		14
15		·22	·03	·10		·32			·03	·19	·03		15
16			·31	·23	·10	·20	·80	·43	·25	·26			16
17	·13		·03	·01	·27	·18	·03	·23	·26				17
18	·34	·08		·09	·36	·08		·01	·07				18
19		·63		·12	·31	·04	·34		·04				19
20	·26			·13			·10	·04	·43			·15	20
21				·02			·67	·68	·03	·01		·14	21
22	·21			·06			·61					·02	22
23	·17		·28	·40			·40	·01				·16	23
24	·09		1·00	·08		·01	·01					·64	24
25	·27	·17	·36	·01	·24	·05	1·50					·02	25
26	·33	·23	·87	·49		·02	·06		·02		·07		26
27	·24	·15	·54	·17	·10	·66	·18				·26		27
28	·05	·08	·46	·10		·01	·07				·07	·25	28
29	·18				·21	·03	·80				·16	·80	29
30	·39		·41	·12	·07	·11	·04		·23	·05	·56	·68	30
31	·20		·48		·11		·14	·13		·54			31
TOTAL	4·95	2·96	6·81	4·49	5·23	3·11	9·33	3·99	3·66	3·80	1·96	3·02	YEAR'S TOTAL 53·31
Days with ·01 in. or more	21	16	20	27	17	17	28	16	19	13	15	15	224
Days with ·04 in. or more	20	15	17	23	14	10	22	12	15	11	9	11	179

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.